

- Abdou, W.A., Bruegge, C.J., Helmlinger, M.C., Conel, J.E., Pilorz, S.H., Ledebner, W., Gaitley, B.J., and Thome, K.J., 2002, Vicarious calibration experiment in support of the multi-angle imaging spectroradiometer: *IEEE Transactions on Geoscience and Remote Sensing*, v. 40, no. 7, p. 1500–1511, at <https://doi.org/10.1109/TGRS.2002.801582>.
- Agam, N., Kustas, W.P., Anderson, M.C., Li, F., and Colaizzi, P.D., 2007, Utility of thermal sharpening over Texas high plains irrigated agricultural fields: *Journal of Geophysical Research Atmospheres*, v. 112, no. 19, article D19110, at <https://doi.org/10.1029/2007JD008407>.
- Agam, N., Kustas, W.P., Anderson, M.C., Li, F., and Neale, C.M.U., 2007, A vegetation index based technique for spatial sharpening of thermal imagery: *Remote Sensing of Environment*, v. 107, no. 4, p. 545–558, at <https://doi.org/10.1016/j.rse.2006.10.006>.
- Ahmed, O.S., Franklin, S.E., and Wulder, M.A., 2014, Interpretation of forest disturbance using a time series of Landsat imagery and canopy structure from airborne lidar: *Canadian Journal of Remote Sensing*, v. 39, no. 6, p. 521–542, at <https://doi.org/10.5589/m14-004>.
- Ahmed, O.S., Franklin, S.E., and Wulder, M.A., 2014, Integration of lidar and Landsat data to estimate forest canopy cover in coastal British Columbia: *Photogrammetric Engineering & Remote Sensing*, v. 80, no. 10, p. 953–962, at <https://doi.org/10.14358/PERS.80.10.953>.
- Ahmed, O.S., Franklin, S.E., Wulder, M.A., and White, J.C., 2015, Characterizing stand-level forest canopy cover and height using Landsat time series, samples of airborne LiDAR, and the Random Forest algorithm: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 101, p. 89–101, at <https://doi.org/10.1016/j.isprsjprs.2014.11.007>.
- Ahmed, O.S., Franklin, S.E., Wulder, M.A., and White, J.C., 2016, Extending airborne lidar-derived estimates of forest canopy cover and height over large areas using kNN With Landsat time series data: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 9, no. 8, p. 3489–3496, at <https://doi.org/10.1109/JSTARS.2015.2492363>.
- Ahmed, O.S., Wulder, M.A., White, J.C., Hermosilla, T., Coops, N.C., and Franklin, S.E., 2017, Classification of annual non-stand replacing boreal forest change in Canada using Landsat time series—A case study in northern Ontario: *Remote Sensing Letters*, v. 8, no. 1, p. 29–37, at <https://doi.org/10.1080/2150704X.2016.1233371>.
- Albano, C.M., McClure, M.L., Gross, S.E., Kitlaster, W., Souldard, C.E., Morton, C., and Huntington, J., 2019, Spatial patterns of meadow sensitivities to interannual climate variability in the Sierra Nevada: *Ecohydrology*, v. 12, no. 7, article e2128, at <https://doi.org/10.1002/eco.2128>.
- Albano, C.M., McGwire, K.C., Hausner, M.B., McEvoy, D.J., Morton, C.G., and Huntington, J.L., 2020, Drought sensitivity and trends of riparian vegetation vigor in Nevada, USA (1985-2018): *Remote Sensing*, v. 12, no. 9, article 1362, at <https://doi.org/10.3390/RS12091362>.

- Alcantara, C., Kuemmerle, T., Prishchepov, A.V., and Radeloff, V.C., 2012, Mapping abandoned agriculture with multi-temporal MODIS satellite data: Remote Sensing of Environment, v. 124, p. 334–347, at <https://doi.org/10.1016/j.rse.2012.05.019>.
- Aljaddani, A.H., Song, X.P., and Zhu, Z., 2022, Characterizing the patterns and trends of urban growth in Saudi Arabia's 13 capital cities using a Landsat time series: Remote Sensing, v. 14, no. 10, article 2382, at <https://doi.org/10.3390/rs14102382>.
- Allen, R.G., 2000, Using the FAO-56 dual crop coefficient method over an irrigated region as part of an evapotranspiration intercomparison study: Journal of Hydrology, v. 229, no. 1–2, p. 27–41, at [https://doi.org/10.1016/S0022-1694\(99\)00194-8](https://doi.org/10.1016/S0022-1694(99)00194-8).
- Allen, R.G., Burnett, B., Kramber, W., Huntington, J.L., Kjaersgaard, J., Kilic, A., Kelly, C., and Trezza, R., 2013, Automated calibration of the METRIC-Landsat evapotranspiration process: Journal of the American Water Resources Association, v. 49, no. 3, p. 563–576, at <https://doi.org/10.1111/jawr.12056>.
- Allen, R.G., Hendrickx, J., Bastiaanssen, W., Kjaersgaard, J., Irmak, A., and Huntington, J.L., 2010, Status and continuing challenges in operational remote sensing of ET, *in* 5<sup>th</sup> National Decennial Irrigation Conference 2010, Held in Conjunction with Irrigation Show 2010, Phoenix, Ariz., 5–8 December 2010, Proceedings: St. Joseph, Mich., American Society of Agricultural and Biological Engineers, p. 728–747, at <https://doi.org/10.13031/2013.35872>.
- Allen, R.G., Irmak, A., Trezza, R., Hendrickx, J.M.H., Bastiaanssen, W., and Kjaersgaard, J., 2011, Satellite-based ET estimation in agriculture using SEBAL and METRIC: Hydrological Processes, v. 25, no. 26, p. 4011–4027, at <https://doi.org/10.1002/hyp.8408>.
- Allen, R.G., Kjaersgaard, J.H., Trezza, R., Oliveira, A., Robison, C., and Lorite-Torres, I., 2012, Refining components of a satellite-based surface energy balance model to complex land-use systems, *in* Remote Sensing and Hydrology 2010, Jackson Hole, Wyo., 27–30 September 2010, IAHS Publication 352: Wallingford, UK, International Association of Hydrological Sciences, p. 73–75, at [https://iahs.info/uploads/dms/16197.022-73-75-352-05.-Allen--METRIC\\_Application\\_Complex\\_Terrain.pdf](https://iahs.info/uploads/dms/16197.022-73-75-352-05.-Allen--METRIC_Application_Complex_Terrain.pdf).
- Allen, R.G., Morse, A., Tasumi, M., Bastiaanssen, W., Kramber, W., and Anderson, H., 2001, Evapotranspiration from Landsat (SEBAL) for water rights management and compliance with multi-state water compacts, *in* 2001 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Sydney, Australia, 9–13 July 2001, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 830–833, at <https://doi.org/10.1109/IGARSS.2001.976651>.

- Allen, R.G., Morton, C., Kamble, B., Kilic, A., Huntington, J.L., Thau, D., Gorelick, N.S., Erickson, T., Moore, R., et al., 2015, EEFlux—A Landsat-based evapotranspiration mapping tool on the Google Earth Engine, *in* IA Irrigation Symposium—Emerging Technologies for Sustainable Irrigation - A Tribute to the Career of Terry Howell, Sr., Long Beach, Calif., 10–12 November 2015, Conference Proceedings: St. Joseph, Mich., American Society of Agricultural and Biological Engineers, p. 424–433, at <https://doi.org/10.13031/irrig.20152143511>.
- Allen, R.G., Tasumi, M., Morse, A., and Trezza, R., 2005, A Landsat-based energy balance and evapotranspiration model in Western US water rights regulation and planning: *Irrigation and Drainage Systems*, v. 19, no. 3–4, p. 251–268, at <https://doi.org/10.1007/s10795-005-5187-z>.
- Allen, R.G., Tasumi, M., Morse, A., and Trezza, R., 2005, Satellite-based evapotranspiration by energy balance for western states water management, *in* 2005 World Water and Environmental Resources Congress, Anchorage, Alaska, 15–19 May 2005, Proceedings: Reston, Va., American Society of Civil Engineers, p. 1–19, at [https://doi.org/10.1061/40792\(173\)556](https://doi.org/10.1061/40792(173)556).
- Allen, R.G., Tasumi, M., Morse, A., Trezza, R., Wright, J.L., Bastiaanssen, W., Kramber, W., Lorite, I., and Robison, C.W., 2007, Satellite-based energy balance for mapping evapotranspiration with internalized calibration (METRIC)—Applications: *Journal of Irrigation and Drainage Engineering*, v. 133, no. 4, p. 395–406, at [https://doi.org/10.1061/\(ASCE\)0733-9437\(2007\)133:4\(395\)](https://doi.org/10.1061/(ASCE)0733-9437(2007)133:4(395)).
- Allen, R.G., Tasumi, M., and Trezza, R., 2006, Benefits from tying satellite-based energy balance to reference evapotranspiration, *in* Earth observation for vegetation monitoring and water management, Naples, Italy, 10–11 November 2005, Proceedings: Melville, N.Y., American Institute of Physics, p. 127–137, at <https://doi.org/10.1063/1.2349336>.
- Allen, R.G., Tasumi, M., and Trezza, R., 2007, Why use reference evapotranspiration to calibrate satellite-based energy balances?, *in* Restoring our natural habitat, World Environmental and Water Resources Congress, Tampa, Fla., 15–19 May 2007, Proceedings: Reston, Va., American Society of Civil Engineers, p. 1–12, at [https://doi.org/10.1061/40856\(200\)272](https://doi.org/10.1061/40856(200)272).
- Allen, R.G., Tasumi, M., and Trezza, R., 2007, Satellite-based energy balance for mapping evapotranspiration with internalized calibration (METRIC)—Model: *Journal of Irrigation and Drainage Engineering*, v. 133, no. 4, p. 380–394, at [https://doi.org/10.1061/\(ASCE\)0733-9437\(2007\)133:4\(380\)](https://doi.org/10.1061/(ASCE)0733-9437(2007)133:4(380)).
- Allen, R.G., Tasumi, M., Trezza, R., Robison, C.W., Garcia, M., Toll, D., Arsenault, K., Hendrickx, J.M.H., and Kjaersgaard, J., 2008, Comparison of evapotranspiration images derived from MODIS and Landsat along the middle Rio Grande, *in* World Environmental and Water Resources Congress, Honolulu, Hawaii, 12–16 May 2008, Proceedings: Reston, Va., American Society of Civil Engineers, p. 1–13, at [https://doi.org/10.1061/40976\(316\)87](https://doi.org/10.1061/40976(316)87).

- Allen, R.G., Trezza, R., Kilic, A., Tasumi, M., and Li, H., 2013, Sensitivity of Landsat-scale energy balance to aerodynamic variability in mountains and complex terrain: *Journal of the American Water Resources Association*, v. 49, no. 3, p. 592–604, at <https://doi.org/10.1111/jawr.12055>.
- Alley, K.E., Alley, R.B., Crawford, A.D., Ochwat, N., Wild, C.T., Marson, J., Snow, T., Muto, A., Pettit, E.C., et al., 2024, Evolution of sub-ice-shelf channels reveals changes in ocean-driven melt in West Antarctica: *Journal of Glaciology*, v. 70, article e50, at <https://doi.org/10.1017/jog.2024.20>.
- Alley, K.E., Scambos, T.A., Anderson, R.S., Rajaram, H., Pope, A., and Haran, T.M., 2018, Continent-wide estimates of Antarctic strain rates from Landsat 8-derived velocity grids: *Journal of Glaciology*, v. 64, no. 244, p. 321–332, at <https://doi.org/10.1017/jog.2018.23>.
- Alley, K.E., Wild, C.T., Luckman, A., Scambos, T.A., Truffer, M., Pettit, E.C., Muto, A., Wallin, B., Klinger, M., et al., 2021, Two decades of dynamic change and progressive destabilization on the Thwaites Eastern Ice Shelf: *Cryosphere*, v. 15, no. 11, p. 5187–5203, at <https://doi.org/10.5194/tc-15-5187-2021>.
- Alonso, A., Muñoz-Carpena, R., Kennedy, R.E., and Murcia, C., 2016, Wetland landscape spatio-temporal degradation dynamics using the new Google Earth Engine cloud-based platform—Opportunities for non-specialists in remote sensing: *Transactions of the ASABE*, v. 59, no. 5, p. 1333–1344, at <https://doi.org/10.13031/trans.59.11608>.
- Altena, B., Scambos, T., Fahnestock, M., and Kääh, A., 2019, Extracting recent short-term glacier velocity evolution over southern Alaska and the Yukon from a large collection of Landsat data: *Cryosphere*, v. 13, no. 3, p. 795–814, at <https://doi.org/10.5194/tc-13-795-2019>.
- Anderson, C., Helder, D.L., and Jenó, D., 2017, Statistical relative gain calculation for Landsat 8, *in* Earth Observing Systems XXII, San Diego, Calif., 6–10 August 2017, Proceedings of SPIE Vol. 10402: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 104021f, at <https://doi.org/10.1117/12.2276000>.
- Anderson, C., Labahn, S.T., Helder, D., Stensaas, G.L., Engebretson, C., Crawford, C.J., Jenkerson, C.B., and Barnes, C.A., 2019, The U.S. Geological Survey’s approach to analysis ready data, *in* 2019 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Yokohama, Japan, 28 July–2 August 2019, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 5541–5544, at <https://doi.org/10.1109/IGARSS.2019.8899216>.
- Anderson, M.C., Allen, R.G., Morse, A., and Kustas, W.P., 2012, Use of Landsat thermal imagery in monitoring evapotranspiration and managing water resources: *Remote Sensing of Environment*, v. 122, p. 50–65, at <https://doi.org/10.1016/j.rse.2011.08.025>.

- Anderson, M.C., Gao, F., Knipper, K., Hain, C., Dulaney, W., Baldocchi, D., Eichelmann, E., Hemes, K., Yang, Y., et al., 2018, Field-scale assessment of land and water use change over the California delta using remote sensing: *Remote Sensing*, v. 10, no. 6, article 889, at <https://doi.org/10.3390/rs10060889>.
- Anderson, M.C., Hain, C.R., Wardlow, B.D., Pimstein, A., Mecikalski, J.R., and Kustas, W.P., 2012, Thermal-based evaporative stress index for monitoring surface moisture depletion, *in* Remote sensing of drought—innovative monitoring approaches: Boca Raton, Fla., CRC Press, p. 145–167, at <https://doi.org/10.1201/b11863-14>.
- Anderson, M.C., and Kustas, W.P., 2008, Mapping evapotranspiration and drought at local to continental scales using thermal remote sensing, *in* 2008 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Boston, Mass., 7–11 July 2008, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. IV121–IV123, at <https://doi.org/10.1109/IGARSS.2008.4779671>.
- Anderson, M.C., Kustas, W.P., Alfieri, J.G., Gao, F., Hain, C., Prueger, J.H., Evett, S., Colaizzi, P., Howell, T., et al., 2012, Mapping daily evapotranspiration at Landsat spatial scales during the BEAREX'08 field campaign: *Advances in Water Resources*, v. 50, p. 134–151, at <https://doi.org/10.1016/j.advwatres.2012.06.005>.
- Anderson, M.C., Kustas, W.P., Dulaney, W.P., Gao, F., and Sumner, D., 2012, Integration of multi-scale thermal satellite imagery for evaluation of daily evapotranspiration at sub-field scales, *in* Remote Sensing and Hydrology 2010, Jackson Hole, Wyo., 27–30 September 2010, IAHS Publication 352: Wallingford, UK, International Association of Hydrological Sciences, p. 132–136, at [https://iahs.info/uploads/dms/16211.036-132-136-352-62--Anderson-Thermal\\_Satellite\\_Daily.pdf](https://iahs.info/uploads/dms/16211.036-132-136-352-62--Anderson-Thermal_Satellite_Daily.pdf).
- Anderson, M.C., Kustas, W.P., and Norman, J.M., 2006, A multi-scale remote sensing-based modeling system for estimating local and regional fluxes, *in* AIP Conference, Naples, Italy, 10–11 November 2005, Proceedings: Melville, N.Y., American Institute of Physics, p. 146–153, at <https://doi.org/10.1063/1.2349338>.
- Anderson, M.C., Neale, C.M.U., Li, F., Norman, J.M., Kustas, W.P., Jayanthi, H., and Chavez, J., 2004, Upscaling ground observations of vegetation water content, canopy height, and leaf area index during SMEX02 using aircraft and Landsat imagery: *Remote Sensing of Environment*, v. 92, no. 4, p. 447–464, at <https://doi.org/10.1016/j.rse.2004.03.019>.
- Anderson, M.C., Norman, J.M., Kustas, W.P., Li, F., Prueger, J.H., and Mecikalski, J.R., 2005, Effects of vegetation clumping on two-source model estimates of surface energy fluxes from an agricultural landscape during SMACEX: *Journal of Hydrometeorology*, v. 6, no. 6, p. 892–909, at <https://doi.org/10.1175/JHM465.1>.
- Anderson, M.C., Norman, J.M., Mecikalski, J.R., Torn, R.D., Kustas, W.P., and Basara, J.B., 2004, A multiscale remote sensing model for disaggregating regional fluxes to micrometeorological scales: *Journal of Hydrometeorology*, v. 5, no. 2, p. 343–363, at [https://doi.org/10.1175/1525-7541\(2004\)005<0343:AMRSMF>2.0.CO;2](https://doi.org/10.1175/1525-7541(2004)005<0343:AMRSMF>2.0.CO;2).

- Anderson, M.C., Yang, Y., Xue, J., Knipper, K.R., Yang, Y., Gao, F., Hain, C.R., Kustas, W.P., Cawse-Nicholson, K., et al., 2021, Interoperability of ECOSTRESS and Landsat for mapping evapotranspiration time series at sub-field scales: Remote Sensing of Environment, v. 252, article 112189, at <https://doi.org/10.1016/j.rse.2020.112189>.
- Andréfouët, S., Muller-Karger, F.E., Hochberg, E.J., Hu, C., and Carder, K.L., 2001, Change detection in shallow coral reef environments using Landsat 7 ETM+ data: Remote Sensing of Environment, v. 78, no. 1–2, p. 150–162, at [https://doi.org/10.1016/S0034-4257\(01\)00256-5](https://doi.org/10.1016/S0034-4257(01)00256-5).
- Andreu, A., González-Dugo, M.P., Kustas, W.P., Polo, M.J., and Anderson, M.C., 2013, Modelling surface energy fluxes over a dehesa ecosystem using a twosource energy balance model and medium resolution satellite data, *in* Conference on Remote Sensing for Agriculture, Ecosystems, and Hydrology XV, Dresden, Germany, 24–26 September 2013, Proceedings of SPIE Vol. 8887: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 888717, at <https://doi.org/10.1117/12.2029235>.
- Andrew, M.E., Wulder, M.A., and Coops, N.C., 2012, Identification of de facto protected areas in boreal Canada: Biological Conservation, v. 146, no. 1, p. 97–107, at <https://doi.org/10.1016/j.biocon.2011.11.029>.
- Andrew, M.E., Wulder, M.A., and Nelson, T.A., 2014, Potential contributions of remote sensing to ecosystem service assessments: Progress in Physical Geography, v. 38, no. 3, p. 328–353, at <https://doi.org/10.1177/0309133314528942>.
- Angal, A., Brinkmann, J., Mishra, N., Link, D., Xiong, X.J., and Helder, D.L., 2015, Cross-calibration of the reflective solar bands of Terra MODIS and Landsat 7 Enhanced Thematic Mapper Plus over PICS using different approaches, *in* Sensors, Systems, and Next-Generation Satellites XIX, Toulouse, France, 21–24 September 2015, Proceedings of SPIE Vol. 9639: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 963911, at <https://doi.org/10.1117/12.2195170>.
- Angal, A., McCorkel, J.T., Cook, B., Corp, L.A., and Thome, K.J., 2015, Radiometric calibration of G-LiHT's imaging spectrometer using GLAMR for satellite sensor intercalibration, *in* Earth Observing Systems XX, San Diego, Calif., 9–13 August 2015, Proceedings of SPIE Vol. 9607: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 96070c, at <https://doi.org/10.1117/12.2188763>.
- Angal, A., McCorkel, J.T., and Thome, K.J., 2016, Evaluation of GLAMR-based calibration for SI-traceable field reflectance retrievals, *in* Earth Observing Systems XXI, San Diego, Calif., 28 August–1 September 2016, Proceedings of SPIE Vol. 9972: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 99721u, at <https://doi.org/10.1117/12.2238630>.

- Angal, A., Mishra, N., Xiong, X., and Helder, D.L., 2014, Cross-calibration of Landsat 5 TM and Landsat 8 OLI with aqua MODIS using PICS, *in* Earth Observing Systems XIX, San Diego, Calif., 18–20 August 2014, Proceedings of SPIE Vol. 9218: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 92180k, at <https://doi.org/10.1117/12.2062165>.
- Angal, A., Xiong, X., Helder, D., Kaewmanee, M., and Leigh, L., 2018, Assessing the calibration differences in the reflective solar bands of Terra MODIS and Landsat-7 Enhanced Thematic Mapper Plus: *Journal of Applied Remote Sensing*, v. 12, no. 4, article 044002, at <https://doi.org/10.1117/1.JRS.12.044002>.
- Angal, A., Xiong, X.J., Choi, T.J., Chander, G., Mishra, N., and Helder, D.L., 2013, Impact of Terra MODIS Collection 6 on long-term trending comparisons with Landsat 7 ETM+ reflective solar bands: *Remote Sensing Letters*, v. 4, no. 9, p. 873–881, at <https://doi.org/10.1080/2150704X.2013.809496>.
- Arai, K., Thome, K.J., Iwasaki, A., and Biggar, S., 2011, ASTER VNIR and SWIR radiometric calibration and atmospheric correction, *in* Ramachandran, B., Justice, C., and Abrams, M.J., eds., *Remote sensing and digital image processing*: New York, N.Y., Springer, p. 83–116, at [https://doi.org/10.1007/978-1-4419-6749-7\\_5](https://doi.org/10.1007/978-1-4419-6749-7_5).
- Arévalo, P., Baccini, A., Woodcock, C.E., Olofsson, P., and Walker, W.S., 2023, Continuous mapping of aboveground biomass using Landsat time series: *Remote Sensing of Environment*, v. 288, article 113483, at <https://doi.org/10.1016/j.rse.2023.113483>.
- Arévalo, P., Bullock, E.L., Woodcock, C.E., and Olofsson, P., 2020, A suite of tools for continuous land change monitoring in Google Earth Engine: *Frontiers in Climate*, v. 2, article 576740, at <https://doi.org/10.3389/fclim.2020.576740>.
- Arévalo, P., Olofsson, P., and Woodcock, C.E., 2020, Continuous monitoring of land change activities and post-disturbance dynamics from Landsat time series—A test methodology for REDD+ reporting: *Remote Sensing of Environment*, v. 238, article 111051, at <https://doi.org/10.1016/j.rse.2019.01.013>.
- Arino, O., Vermote, E.F., and Spaventa, V., 1997, Operational atmospheric correction of Landsat TM imagery: *Earth Observation Quarterly*, no. 56, p. 32–35.
- Arroyo, L.A., Healey, S.P., Cohen, W.B., Cocero, D., and Manzanera, J.A., 2006, Using object-oriented classification and high-resolution imagery to map fuel types in a Mediterranean region: *Journal of Geophysical Research Biogeosciences*, v. 111, no. 4, article G04S04, at <https://doi.org/10.1029/2005JG000120>.
- Arvidson, T., Gasch, J., and Goward, S.N., 2000, Global vegetation - assessing Landsat 7/ETM+ coverage of tropical rainforest and global agricultural and forest extents, *in* 2000 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Honolulu, Hawaii, 24–28 July 2000, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 393–395, at <https://doi.org/10.1109/IGARSS.2000.860530>.

- Arvidson, T., Gasch, J., and Goward, S.N., 2000, Building a global, consistent, and meaningful Landsat 7 data archive, *in* Algorithms for Multispectral, Hyperspectral, and Ultraspectral Imagery VI, Orlando, Fla., 24–26 April 2000, Proceedings of SPIE Vol. 4049: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 356–367, at <https://doi.org/10.1117/12.410359>.
- Arvidson, T., Gasch, J., and Goward, S.N., 2001, Landsat 7's long-term acquisition plan—An innovative approach to building a global imagery archive: *Remote Sensing of Environment*, v. 78, no. 1–2, p. 13–26, at [https://doi.org/10.1016/S0034-4257\(01\)00263-2](https://doi.org/10.1016/S0034-4257(01)00263-2).
- Arvidson, T., Goward, S.N., Gasch, J., and Williams, D.L., 2006, Landsat-7 long-term acquisition plan—Development and validation: *Photogrammetric Engineering & Remote Sensing*, v. 72, no. 10, p. 1137–1146, at <https://doi.org/10.14358/PERS.72.10.1137>.
- Arvidson, T., Martin, L., Gasch, J., Goward, S.N., Andréfouët, S., Hu, C., and Müller-Karger, F., 1999, Long-term acquisition plan of Landsat 7—Collecting coral reef data worldwide: *Earth System Monitor*, v. 10, no. 2, p. 6–7.
- Asbridge, E., Krause, C., Lucas, R., Owers, C.J., Rogers, K., Lymburner, L., Mueller, N., Ai, E., and Wong, S., 2024, Characterising the short- and long-term impacts of tropical cyclones on mangroves using the Landsat archive: *Cambridge Prisms—Coastal Futures*, v. 3, article e4, at <https://doi.org/10.1017/cft.2024.19>.
- Badawi, M., Helder, D., Leigh, L., and Jing, X., 2019, Methods for Earth-observing satellite surface reflectance validation: *Remote Sensing*, v. 11, no. 13, article 1543, at <https://doi.org/10.3390/rs11131543>.
- Badjana, H.M., Olofsson, P., Woodcock, C.E., Helmschrot, J., Wala, K., and Akpagana, K., 2017, Mapping and estimating land change between 2001 and 2013 in a heterogeneous landscape in West Africa—Loss of forestlands and capacity building opportunities: *International Journal of Applied Earth Observation and Geoinformation*, v. 63, p. 15–23, at <https://doi.org/10.1016/j.jag.2017.07.006>.
- Bamber, J.L., and Bindschadler, R.A., 1997, An improved elevation dataset for climate and ice-sheet modelling—Validation with satellite imagery: *Annals of Glaciology*, v. 25, p. 439–X69, at <https://doi.org/10.3189/S0260305500014427>.
- Banerjee, D., Lilien, D.A., Truffer, M., Luckman, A., Wild, C.T., Pettit, E.C., Scambos, T., Muto, A., and Alley, K.E., 2025, Evolution of shear-zone fractures presages the disintegration of Thwaites Eastern Ice Shelf: *Journal of Geophysical Research—Earth Surface*, v. 130, no. 9, article e2025JF008352, at <https://doi.org/10.1029/2025JF008352>.
- Banskota, A., Kayastha, N., Falkowski, M.J., Wulder, M.A., Froese, R.E., and White, J.C., 2014, Forest monitoring using Landsat time series data—A review: *Canadian Journal of Remote Sensing*, v. 40, no. 5, p. 362–384, at <https://doi.org/10.1080/07038992.2014.987376>.

- Banskota, A., Serbin, S.P., Wynne, R.H., Thomas, V.A., Falkowski, M.J., Kayastha, N., Gastellu-Etchegorry, J., and Townsend, P.A., 2015, An LUT-Based inversion of DART model to estimate forest LAI from hyperspectral data: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 8, no. 6, p. 3147–3160, at <https://doi.org/10.1109/JSTARS.2015.2401515>.
- Baral, S.K., Boudewyn, P., Hermosilla, T., Fortin, M., White, J.C., Wulder, M.A., Schneider, R., and Stinson, G., 2025, Improving sample-based National Forest Inventory estimates of tree cover using Landsat-derived land cover data as auxiliary information: *Canadian Journal of Forest Research*, v. 55, p. 1–19, at <https://doi.org/10.1139/cjfr-2024-0265>.
- Barker, J.L., Kenneth Dolan, S., Sabelhaus, P.A., Williams, D.L., Irons, J.R., Markham, B.L., Bolek, J.T., Scott, S.S., Thompson, R.J., et al., 1999, Landsat-7 mission and early results, *in* *Sensors, Systems, and Next-Generation Satellites III*, Florence, Italy, 20–23 September 1999, *Proceedings of SPIE Vol. 3870*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 299–311, at <https://doi.org/10.1117/12.373220>.
- Barnes, C.A., and Roy, D.P., 2008, Radiative forcing over the conterminous United States due to contemporary land cover land use albedo change: *Geophysical Research Letters*, v. 35, no. 9, article L09706, at <https://doi.org/10.1029/2008GL033567>.
- Barnes, C.A., Roy, D.P., and Loveland, T.R., 2013, Projected surface radiative forcing due to 2000-2050 land-cover land-use albedo change over the eastern United States: *Journal of Land Use Science*, v. 8, no. 4, p. 369–382, at <https://doi.org/10.1080/1747423X.2012.667453>.
- Barreneche, J.M., Guigou, B., Gallego, F., Barbieri, A., Smith, B., Fernández, M., Fernández, V., and Pahlevan, N., 2023, Monitoring Uruguay’s freshwaters from space—An assessment of different satellite image processing schemes for chlorophyll-a estimation: *Remote Sensing Applications—Society and Environment*, v. 29, article 100891, at <https://doi.org/10.1016/j.rsase.2022.100891>.
- Barsi, J.A., Barker, J.L., and Schott, J.R., 2003, An atmospheric correction parameter calculator for a single thermal band Earth-sensing instrument, *in* 2003 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toulouse, France, 21–25 July 2003, *Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE)*, p. 3014–3016, at <https://doi.org/10.1109/IGARSS.2003.1294665>.
- Barsi, J.A., Donley, E., Goldman, M., Kampe, T., Markham, B.L., McAndrew, B., McCorkel, J., Morland, E., Pedelty, J.A., et al., 2024, Prelaunch spectral characterization of the Operational Land Imager-2: *Remote Sensing*, v. 16, no. 6, article 981, at <https://doi.org/10.3390/rs16060981>.

- Barsi, J.A., Hook, S.J., Palluconi, F.D., Schott, J.R., and Raqueno, N.G., 2006, Landsat TM and ETM+ thermal band calibration, *in* Earth Observing Systems XI, San Diego, Calif., 14–16 August 2006, Proceedings of SPIE Vol. 6296: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 62960F, at <https://doi.org/10.1117/12.683212>.
- Barsi, J.A., Hook, S.J., Schott, J.R., Raqueno, N.G., and Markham, B.L., 2007, Landsat-5 Thematic Mapper thermal band calibration update: IEEE Geoscience and Remote Sensing Letters, v. 4, no. 4, p. 552–555, at <https://doi.org/10.1109/LGRS.2007.896322>.
- Barsi, J.A., Markham, B.L., Czapla-Myers, J.S., Helder, D.L., Hook, S.J., Schott, J.R., and Haque, M.O., 2016, Landsat-7 ETM+ radiometric calibration status, *in* Earth Observing Systems XXI, San Diego, Calif., 28 August–1 September 2016, Proceedings of SPIE Vol. 9972: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 99720c, at <https://doi.org/10.1117/12.2238625>.
- Barsi, J.A., Markham, B.L., and Helder, D.L., 2012, Continued monitoring of Landsat reflective band calibration using pseudo-invariant calibration sites, *in* 2012 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Munich, Germany, 22–27 July 2012, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 7007–7010, at <https://doi.org/10.1109/IGARSS.2012.6351958>.
- Barsi, J.A., Markham, B.L., Helder, D.L., and Chander, G., 2007, Radiometric calibration status of Landsat-7 and Landsat-5, *in* Sensors, Systems, and Next-Generation Satellites XI, Florence, Italy, 17–20 September 2007, Proceedings of SPIE Vol. 6744: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 67441F, at <https://doi.org/10.1117/12.738221>.
- Barsi, J.A., Markham, B.L., McCorkel, J., McAndrew, B., Donley, E., Morland, E., Pharr, J., Rodriguez, M., Shuman, T., et al., 2019, The Operational Land Imager-2—Prelaunch spectral characterization, *in* Earth Observing Systems XXIV 2019, San Diego, Calif., 11–15 August 2019, Proceedings of SPIE Vol. 11127: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 111270b, at <https://doi.org/10.1117/12.2529776>.
- Barsi, J.A., Markham, B.L., Montanaro, M., Morfitt, R., Hook, S.J., Schott, J.R., Raqueno, N.G., and Gerace, A., 2017, Landsat-8 TIRS thermal radiometric calibration status, *in* Earth Observing Systems XXII, San Diego, Calif., 6–10 August 2017, Proceedings of SPIE Vol. 10402: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 104021g, at <https://doi.org/10.1117/12.2276045>.
- Barsi, J.A., Markham, B.L., Schott, J.R., Hook, S.J., and Raqueno, N.G., 2009, Landsat-7 and Landsat-5 thermal band calibration updates, *in* Earth Observing Systems XIV, San Diego, Calif., 3–5 August 2009, Proceedings of SPIE Vol. 7452: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 74520S, at <https://doi.org/10.1117/12.828501>.

- Barsi, J.A., Markham, B.L., Schott, J.R., Hook, S.J., and Raqueno, N.G., 2010, Twenty-five years of Landsat thermal band calibration, *in* 2010 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Honolulu, Hawaii, 25–30 July 2010, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2287–2290, at <https://doi.org/10.1109/IGARSS.2010.5652528>.
- Barsi, J.A., McCorkel, J., McAndrew, B., Zukowski, B., Shuman, T., Johnston, S., and Markham, B., 2018, Spectral testing of the Landsat-9 OLI-2 instrument using the Goddard Laser Absolute Measurement of Radiance (GLAMR), *in* Earth Observing Systems XXIII, San Diego, Calif., 19–23 August 2018, Proceedings of SPIE Vol. 10764: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 1076405, at <https://doi.org/10.1117/12.2321192>.
- Barsi, J.A., Montanaro, M., Thome, K.L., Raqueno, N.G., Hook, S., Anderson, C.H., and Micijevic, E., 2022, Early radiometric performance of Landsat-9 Thermal Infrared Sensor, *in* Earth Observing Systems XXVII 2022, San Diego, Calif., 21–26 August 2022, Proceedings of SPIE Vol. 12232: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 122320u, at <https://doi.org/10.1117/12.2634058>.
- Barsi, J.A., Schott, J.R., Hook, S.J., Raqueno, N.G., Markham, B.L., and Radocinski, R.G., 2014, Landsat-8 thermal infrared sensor (TIRS) vicarious radiometric calibration: *Remote Sensing*, v. 6, no. 11, p. 11607–11626, at <https://doi.org/10.3390/rs61111607>.
- Barsi, J.A., Schott, J.R., Palluconi, F.D., and Hook, S.J., 2005, Validation of a web-based atmospheric correction tool for single thermal band instruments, *in* Earth Observing Systems X, San Diego, Calif., 31 July–1 August 2005, Proceedings of SPIE Vol. 5882: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 58820e, at <https://doi.org/10.1117/12.619990>.
- Bartels, S.F., Chen, H.Y.H., Wulder, M.A., and White, J.C., 2016, Trends in post-disturbance recovery rates of Canada’s forests following wildfire and harvest: *Forest Ecology and Management*, v. 361, p. 194–207, at <https://doi.org/10.1016/j.foreco.2015.11.015>.
- Bartz, K.K., Ford, M.J., Beechie, T.J., Fresh, K.L., Pess, G.R., Kennedy, R.E., Rowse, M.L., and Sheer, M., 2015, Trends in developed land cover adjacent to habitat for threatened salmon in Puget Sound, Washington, U.S.A: *PLoS ONE*, v. 10, no. 4, article e0124415, at <https://doi.org/10.1371/journal.pone.0124415>.
- Bastin, L., Gorelick, N., Saura, S., Bertzky, B., Dubois, G., Fortin, M.J., and Pekel, J.F., 2019, Inland surface waters in protected areas globally—Current coverage and 30-year trends: *PLoS ONE*, v. 14, no. 1, article e0210496, at <https://doi.org/10.1371/journal.pone.0210496>.
- Baumann, M., Gasparri, I., Piquer-Rodríguez, M., Gavier Pizarro, G., Griffiths, P., Hostert, P., and Kuemmerle, T., 2017, Carbon emissions from agricultural expansion and intensification in the Chaco: *Global Change Biology*, v. 23, no. 5, p. 1902–1916, at <https://doi.org/10.1111/gcb.13521>.

- Baumann, M., Kuemmerle, T., Elbakidze, M., Ozdogan, M., Radeloff, V.C., Keuler, N.S., Prishchepov, A.V., Kruhlov, I., and Hostert, P., 2011, Patterns and drivers of post-socialist farmland abandonment in Western Ukraine: *Land Use Policy*, v. 28, no. 3, p. 552–562, at <https://doi.org/10.1016/j.landusepol.2010.11.003>.
- Baumann, M., Ozdogan, M., Kuemmerle, T., Wendland, K.J., Esipova, E., and Radeloff, V.C., 2012, Using the Landsat record to detect forest-cover changes during and after the collapse of the Soviet Union in the temperate zone of European Russia: *Remote Sensing of Environment*, v. 124, p. 174–184, at <https://doi.org/10.1016/j.rse.2012.05.001>.
- Baumann, M., Ozdogan, M., Richardson, A.D., and Radeloff, V.C., 2017, Phenology from Landsat when data is scarce—Using MODIS and Dynamic Time-Warping to combine multi-year Landsat imagery to derive annual phenology curves: *International Journal of Applied Earth Observation and Geoinformation*, v. 54, p. 72–83, at <https://doi.org/10.1016/j.jag.2016.09.005>.
- Baumann, M., Ozdogan, M., Wolter, P.T., Krylov, A., Vladimirova, N., and Radeloff, V.C., 2014, Landsat remote sensing of forest windfall disturbance: *Remote Sensing of Environment*, v. 143, p. 171–179, at <https://doi.org/10.1016/j.rse.2013.12.020>.
- Baumann, M., Radeloff, V.C., Avedian, V., and Kuemmerle, T., 2015, Land-use change in the Caucasus during and after the Nagorno-Karabakh conflict: *Regional Environmental Change*, v. 15, no. 8, p. 1703–1716, at <https://doi.org/10.1007/s10113-014-0728-3>.
- Bayas, J.C.L., See, L., Perger, C., Justice, C.O., Nakalembe, C., Dempewolf, J., and Fritz, S., 2017, Validation of automatically generated global and regional cropland data sets: The case of Tanzania: *Remote Sensing*, v. 9, no. 8, article 815, at <https://doi.org/10.3390/rs9080815>.
- Beamer, J.P., Huntington, J.L., Morton, C.G., and Pohll, G.M., 2013, Estimating annual groundwater evapotranspiration from phreatophytes in the Great Basin using Landsat and flux tower measurements: *Journal of the American Water Resources Association*, v. 49, no. 3, p. 518–533, at <https://doi.org/10.1111/jawr.12058>.
- Beaver, J., Curasi, S.R., Melton, J.R., Humphreys, E.R., Hermosilla, T., and Wulder, M.A., 2025, High-resolution Canada domain disturbance forcings suitable for land surface modeling applications: *Scientific Data*, v. 12, no. 1, article 1469, at <https://doi.org/10.1038/s41597-025-05123-4>.
- Begeman, C., Helder, D., Leigh, L., and Pinkert, C., 2022, Relative radiometric correction of pushbroom satellites using the yaw maneuver: *Remote Sensing*, v. 14, no. 12, article 2820, at <https://doi.org/10.3390/rs14122820>.
- Begliomini, F.N., Barbosa, C.C.F., Martins, V.S., Novo, E.M.L.M., Paulino, R.S., Maciel, D.A., Lima, T.M.A., O’Shea, R.E., Pahlevan, N., et al., 2023, Machine learning for cyanobacteria mapping on tropical urban reservoirs using PRISMA hyperspectral data: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 204, p. 378–396, at <https://doi.org/10.1016/j.isprsjprs.2023.09.019>.

- Bell, D.M., Cohen, W.B., Reilly, M., and Yang, Z., 2018, Visual interpretation and time series modeling of Landsat imagery highlight drought's role in forest canopy declines: *Ecosphere*, v. 9, no. 6, article e02195, at <https://doi.org/10.1002/ecs2.2195>.
- Bell, D.M., Gregory, M.J., Kane, V., Kane, J., Kennedy, R.E., Roberts, H.M., and Yang, Z., 2018, Multiscale divergence between Landsat- and lidar-based biomass mapping is related to regional variation in canopy cover and composition *07 Agricultural and Veterinary Sciences 0705 Forestry Sciences 09 Engineering 0909 Geomatic Engineering: Carbon Balance and Management*, v. 13, no. 1, article 15, at <https://doi.org/10.1186/s13021-018-0104-6>.
- Bellis, L.M., Pidgeon, A.M., Alcántara, C., Dardanelli, S., and Radloff, V.C., 2015, Influences of succession and erosion on bird communities in a South American highland wooded landscape: *Forest Ecology and Management*, v. 349, p. 85–93, at <https://doi.org/10.1016/j.foreco.2015.03.047>.
- Bellis, L.M., Pidgeon, A.M., Radloff, V.C., St-Louis, V., Navarro, J.L., and Martella, M.B., 2008, Modeling habitat suitability for greater rheas based on satellite image texture: *Ecological Applications*, v. 18, no. 8, p. 1956–1966, at <https://doi.org/10.1890/07-0243.1>.
- Belward, A.S., Stibig, H.J., Eva, H., Rembold, F., Bucha, T., Hartley, A., Beuchle, R., Khudhairy, D., Michielon, M., et al., 2007, Mapping severe damage to land cover following the 2004 Indian Ocean tsunami using moderate spatial resolution satellite imagery: *International Journal of Remote Sensing*, v. 28, no. 13-14, p. 2977–2994, at <https://doi.org/10.1080/01431160601091803>.
- Bendini, H.N., Fonseca, L.M.G., Schwieder, M., Körting, T.S., Rufin, P., del Arco Sanches, I., Leitão, P.J., and Hostert, P., 2019, Detailed agricultural land classification in the Brazilian cerrado based on phenological information from dense satellite image time series: *International Journal of Applied Earth Observation and Geoinformation*, v. 82, article 101872, at <https://doi.org/10.1016/j.jag.2019.05.005>.
- Bendini, H.N., Fonseca, L.M.G., Schwieder, M., Rufin, P., Korting, T.S., Koumrouyan, A., and Hostert, P., 2020, Combining environmental and Landsat analysis ready data for vegetation mapping—A case study in the Brazilian Savanna Biome, *in* 24<sup>th</sup> ISPRS Congress - Technical Commission III, 2020 Edition (online virtual), 31 August–2 September 2020, ISPRS Archives, XLIII-B3-2020: Lemmer, Netherlands, International Society for Photogrammetry and Remote Sensing, p. 953–960, at <https://doi.org/10.5194/isprs-archives-XLIII-B3-2020-953-2020>.
- Bendini, H.N., Fonseca, L.M.G., Soares, A.R., Rufin, P., Schwieder, M., Rodrigues, M.A., Mareto, R.V., Korting, T.S., Leitão, P.J., et al., 2020, Applying a phenological object-based image analysis (Phenobia) for agricultural land classification—A study case in the Brazilian Cerrado, *in* 2020 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), online virtual meeting, 26 September–2 October 2020, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1078–1081, at <https://doi.org/10.1109/IGARSS39084.2020.9323184>.

- Berhane, T.M., Lane, C.R., Mengistu, S.G., Christensen, J., Golden, H.E., Qiu, S., Zhu, Z., and Wu, Q., 2020, Land-cover changes to surface-water buffers in the midwestern USA—25 years of Landsat data analyses (1993–2017): *Remote Sensing*, v. 12, no. 5, article 754, at <https://doi.org/10.3390/rs12050754>.
- Berterretche, M., Hudak, A.T., Cohen, W.B., Maier-sperger, T.K., Gower, S.T., and Dungan, J., 2005, Comparison of regression and geostatistical methods for mapping Leaf Area Index (LAI) with Landsat ETM+ data over a boreal forest: *Remote Sensing of Environment*, v. 96, no. 1, p. 49–61, at <https://doi.org/10.1016/j.rse.2005.01.014>.
- Berthier, E., Raup, B., and Scambos, T.A., 2004, New velocity map and mass-balance estimate of Mertz Glacier, East Antarctica, derived from Landsat sequential imagery: *Journal of Glaciology*, v. 49, no. 167, p. 503–511, at <https://doi.org/10.3189/172756503781830377>.
- Beuchle, R., Eva, H.D., Stibig, H.J., Bodart, C., Brink, A., Mayaux, P., Johansson, D., Achard, F., and Belward, A.S., 2011, A satellite data set for tropical forest area change assessment: *International Journal of Remote Sensing*, v. 32, no. 22, p. 7009–7031, at <https://doi.org/10.1080/01431161.2011.611186>.
- Biggar, S.F., Thome, K.J., Holmes, J.M., Kuester, M.A., and Schowengerdt, R.A., 2001, In-flight radiometric and spatial calibration of EO-1 optical sensors, *in* 2001 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Sydney, Australia, 9–13 July 2001, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 305–307, at <https://doi.org/10.1109/IGARSS.2001.976139>.
- Biggar, S.F., Thome, K.J., Spyak, P.R., and Zalewski, E.F., 1999, Solar-radiation based calibration in the range 740 to 2400 nm, *in* Sensors, Systems, and Next-Generation Satellites III, Florence, Italy, 20–23 September 1999, Proceedings of SPIE Vol. 3870: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 228–233, at <https://doi.org/10.1117/12.373190>.
- Biggar, S.F., Thome, K.J., and Wisniewski, W., 2003, Vicarious radiometric calibration of EO-1 sensors by reference to high-reflectance ground targets: *IEEE Transactions on Geoscience and Remote Sensing*, v. 41, no. 6 pt. 1, p. 1174–1179, at <https://doi.org/10.1109/TGRS.2003.813211>.
- Biggar, S.F., Thome, K.J., and Wisniewski, W.T., 2002, In-flight radiometric calibration of the advanced land imager and hyperion sensors on the EO-1 platform and comparisons with other Earth observing sensors, *in* Earth Observing Systems VII, Seattle, Wash., 7–10 July 2002, Proceedings of SPIE Vol. 4814: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 289–295, at <https://doi.org/10.1117/12.451781>.

- Biggs, T.W., Thenkabail, P.S., Gumma, M.K., Scott, C.A., Parthasaradhi, G.R., and Turrall, H.N., 2006, Irrigated area mapping in heterogeneous landscapes with MODIS time series, ground truth and census data, Krishna Basin, India: *International Journal of Remote Sensing*, v. 27, no. 19, p. 4245–4266, at <https://doi.org/10.1080/01431160600851801>.
- Bindschadler, R.A., 2002, History of lower Pine Island Glacier, West Antarctica, from Landsat imagery: *Journal of Glaciology*, v. 48, no. 163, p. 536–544, at <https://doi.org/10.3189/172756502781831052>.
- Bindschadler, R.A., 2003, Landsat Coverage of the Earth at High Latitudes: *Photogrammetric Engineering & Remote Sensing*, v. 69, no. 12, p. 1333–1339, at <https://doi.org/10.14358/PERS.69.12.1333>.
- Bindschadler, R.A., 2012, Why predicting west Antarctic ice sheet behavior is so hard—What we know, what we don't know and how we will find out, *in* MacCracken, M., ed., *Sudden and disruptive climate change—Exploring the real risks and how we can avoid them*: London, UK, Routledge, p. 75–80, at <https://doi.org/10.4324/9781849772679>.
- Bindschadler, R.A., Chen, X., and Vornberger, P., 2000, The onset area of Ice Stream D, West Antarctica: *Journal of Glaciology*, v. 46, no. 152, p. 95–101, at <https://doi.org/10.3189/172756500781833377>.
- Bindschadler, R.A., Choi, H., Wichlacz, A., Bingham, R., Bohlander, J., Brunt, K., Corr, H., Drews, R., Fricker, H., et al., 2011, Getting around Antarctica—New high-resolution mappings of the grounded and freely-floating boundaries of the Antarctic ice sheet created for the International Polar Year: *Cryosphere*, v. 5, no. 3, p. 569–588, at <https://doi.org/10.5194/tc-5-569-2011>.
- Bindschadler, R.A., Diner, D.J., and Rignot, E., 2002, West Antarctic ice sheet releases New Iceberg: *Eos*, v. 83, no. 9, p. 85–93, at <https://doi.org/10.1029/2002EO000048>.
- Bindschadler, R.A., Dowdeswell, J., Hall, D., and Winther, J.G., 2001, Glaciological applications with Landsat-7 imagery—Early assessments: *Remote Sensing of Environment*, v. 78, no. 1–2, p. 163–179, at [https://doi.org/10.1016/S0034-4257\(01\)00257-7](https://doi.org/10.1016/S0034-4257(01)00257-7).
- Bindschadler, R.A., and Rignot, E., 2001, “Crack!” in the polar night: *Eos*, v. 82, no. 43, p. 497–505, at <https://doi.org/10.1029/01EO00294>.
- Bindschadler, R.A., Scambos, T.A., Choi, H., and Haran, T.M., 2010, Ice sheet change detection by satellite image differencing: *Remote Sensing of Environment*, v. 114, no. 7, p. 1353–1362, at <https://doi.org/10.1016/j.rse.2010.01.014>.
- Bindschadler, R.A., Scambos, T.A., Rott, H., Skvarca, P., and Vornberger, P., 2002, Ice dolines on Larsen Ice Shelf, Antarctica: *Annals of Glaciology*, v. 34, p. 283–290, at <https://doi.org/10.3189/172756402781817996>.

- Bindschadler, R.A., Vaughan, D.G., and Vornberger, P., 2011, Variability of basal melt beneath the Pine Island Glacier ice shelf, West Antarctica: *Journal of Glaciology*, v. 57, no. 204, p. 581–595, at <https://doi.org/10.3189/002214311797409802>.
- Bindschadler, R.A., and Vornberger, P., 2000, Detecting ice-sheet topography with AVHRR, RESURS-01, and Landsat TM imagery: *Photogrammetric Engineering & Remote Sensing*, v. 66, no. 4, p. 417–422.
- Bindschadler, R.A., Vornberger, P., Fleming, A., Fox, A., Mullins, J., Binnie, D., Paulsen, S.J., Granneman, B., and Gorodetzky, D., 2008, The Landsat Image Mosaic of Antarctica: *Remote Sensing of Environment*, v. 112, no. 12, p. 4214–4226, at <https://doi.org/10.1016/j.rse.2008.07.006>.
- Biradar, C.M., Thenkabail, P.S., Islam, M.A., Anputhas, M., Tharme, R., Vithanage, J., Alankara, R., and Gunasinghe, S., 2007, Establishing the best spectral bands and timing of imagery for land use—Land cover (LULC) class separability using Landsat ETM+ and Terra MODIS data: *Canadian Journal of Remote Sensing*, v. 33, no. 5, p. 431–444, at <https://doi.org/10.5589/m07-040>.
- Biradar, C.M., Thenkabail, P.S., Platonov, A., Xiao, X., Geerken, R., Noojipady, P., Turrall, H., and Vithanage, J., 2008, Water productivity mapping methods using remote sensing: *Journal of Applied Remote Sensing*, v. 2, no. 1, article 023544, at <https://doi.org/10.1117/1.3033753>.
- Bishop, M.P., Olsenholler, J.A., Shroder, J.F., Barry, R.G., Raup, B.H., Bush, A.B.G., Copland, L., Dwyer, J.L., Fountain, A.G., et al., 2004, Global Land Ice Measurements from Space (GLIMS): Remote sensing and GIS investigations of the Earth's Cryosphere: *Geocarto International*, v. 19, no. 2, p. 57–84, at <https://doi.org/10.1080/10106040408542307>.
- Bishop-Taylor, R., Nanson, R., Sagar, S., and Lymburner, L., 2021, Mapping Australia's dynamic coastline at mean sea level using three decades of Landsat imagery: *Remote Sensing of Environment*, v. 267, article 112734, at <https://doi.org/10.1016/j.rse.2021.112734>.
- Bishop-Taylor, R., Sagar, S., Lymburner, L., Alam, I., and Sixsmith, J., 2019, Sub-pixel waterline extraction—Characterising accuracy and sensitivity to indices and spectra: *Remote Sensing*, v. 11, no. 24, article 2984, at <https://doi.org/10.3390/rs11242984>.
- Bishop-Taylor, R., Sagar, S., Lymburner, L., and Beaman, R.J., 2019, Between the tides—Modelling the elevation of Australia's exposed intertidal zone at continental scale: *Estuarine, Coastal and Shelf Science*, v. 223, p. 115–128, at <https://doi.org/10.1016/j.ecss.2019.03.006>.
- Black, S.E., Helder, D.L., and Schiller, S.J., 2003, Irradiance-based cross-calibration of Landsat-5 and Landsat-7 Thematic Mapper sensors: *International Journal of Remote Sensing*, v. 24, no. 2, p. 287–304, at <https://doi.org/10.1080/01431160304965>.

- Bleyhl, B., Baumann, M., Griffiths, P., Heidelberg, A., Manvelyan, K., Radeloff, V.C., Zazanashvili, N., and Kuemmerle, T., 2017, Assessing landscape connectivity for large mammals in the Caucasus using Landsat 8 seasonal image composites: *Remote Sensing of Environment*, v. 193, p. 193–203, at <https://doi.org/10.1016/j.rse.2017.03.001>.
- Blickensdörfer, L., Schwieder, M., Pflugmacher, D., Nendel, C., Erasmi, S., and Hostert, P., 2022, Mapping of crop types and crop sequences with combined time series of Sentinel-1, Sentinel-2 and Landsat 8 data for Germany: *Remote Sensing of Environment*, v. 269, article 112831, at <https://doi.org/10.1016/j.rse.2021.112831>.
- Blinn, C.E., Albaugh, T.J., Fox, T.R., Wynne, R.H., Stape, J.L., Rubilar, R.A., and Allen, H.L., 2012, A method for estimating deciduous competition in pine stands using Landsat: *Southern Journal of Applied Forestry*, v. 36, no. 2, p. 71–78, at <https://doi.org/10.5849/sjaf.10-034>.
- Blinn, C.E., Browder, J.O., Pedlowski, M.A., and Wynne, R.H., 2013, Rebuilding the Brazilian rainforest—Agroforestry strategies for secondary forest succession: *Applied Geography*, v. 43, p. 171–181, at <https://doi.org/10.1016/j.apgeog.2013.06.013>.
- Blinn, C.E., House, M.N., Wynne, R.H., Thomas, V.A., Fox, T.R., and Sumnall, M., 2019, Landsat 8 based leaf area index estimation in loblolly pine plantations: *Forests*, v. 10, no. 3, article 222, at <https://doi.org/10.3390/f10030222>.
- Bohlander, J., and Scambos, T.A., 2002, Ice Flow and Morphology of Prestrud Inlet and Western Sulzberger Ice Shelf, West Antarctica: *Polar Geography*, v. 26, no. 3, p. 227–234, at <https://doi.org/10.1080/789610194>.
- Boisvenue, C., Smiley, B.P., White, J.C., Kurz, W.A., and Wulder, M.A., 2016, Integration of Landsat time series and field plots for forest productivity estimates in decision support models: *Forest Ecology and Management*, v. 376, p. 284–297, at <https://doi.org/10.1016/j.foreco.2016.06.022>.
- Boisvenue, C., Smiley, B.P., White, J.C., Kurz, W.A., and Wulder, M.A., 2016, Improving carbon monitoring and reporting in forests using spatially-explicit information: *Carbon Balance and Management*, v. 11, no. 1, article 23, at <https://doi.org/10.1186/s13021-016-0065-6>.
- Bolton, D.K., Coops, N.C., Hermosilla, T., Wulder, M.A., and White, J.C., 2018, Evidence of vegetation greening at alpine treeline ecotones—Three decades of Landsat spectral trends informed by lidar-derived vertical structure: *Environmental Research Letters*, v. 13, no. 8, article 084022, at <https://doi.org/10.1088/1748-9326/aad5d2>.
- Bolton, D.K., Coops, N.C., Hermosilla, T., Wulder, M.A., White, J.C., and Ferster, C.J., 2019, Uncovering regional variability in disturbance trends between parks and greater park ecosystems across Canada (1985–2015): *Scientific Reports*, v. 9, no. 1, article 1323, at <https://doi.org/10.1038/s41598-018-37265-4>.

- Bolton, D.K., Coops, N.C., Hermosilla, T., Wulder, M.A.A., and White, J.C., 2017, Assessing variability in post-fire forest structure along gradients of productivity in the Canadian boreal using multi-source remote sensing: *Journal of Biogeography*, v. 44, no. 6, p. 1294–1305, at <https://doi.org/10.1111/jbi.12947>.
- Bolton, D.K., Coops, N.C., and Wulder, M.A., 2015, Characterizing residual structure and forest recovery following high-severity fire in the western boreal of Canada using Landsat time-series and airborne lidar data: *Remote Sensing of Environment*, v. 163, p. 48–60, at <https://doi.org/10.1016/j.rse.2015.03.004>.
- Bolton, D.K., Tompalski, P., Coops, N.C., White, J.C., Wulder, M.A., Hermosilla, T., Queinnec, M., Luther, J.E., van Lier, O.R., et al., 2020, Optimizing Landsat time series length for regional mapping of lidar-derived forest structure: *Remote Sensing of Environment*, v. 239, article 111645, at <https://doi.org/10.1016/j.rse.2020.111645>.
- Bolton, D.K., White, J.C., Wulder, M.A., Coops, N.C., Hermosilla, T., and Yuan, X., 2018, Updating stand-level forest inventories using airborne laser scanning and Landsat time series data: *International Journal of Applied Earth Observation and Geoinformation*, v. 66, p. 174–183, at <https://doi.org/10.1016/j.jag.2017.11.016>.
- Bonczyk, W.C., Markham, B.L., Barker, J.L., and Helder, D.L., 1996, Artifact correction and absolute radiometric calibration techniques employed in the Landsat 7 image assessment system, *in* 1996 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Lincoln, Nebr., 28–31 May 1996, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1270–1272, at <https://doi.org/10.1109/IGARSS.1996.516634>.
- Bos, M.G., Kselik, R.A.L., Allen, R.G., and Molden, D.J., 2009, *Water requirements for irrigation and the environment*: Dordrecht, Netherlands, Springer, 174 p., at <https://doi.org/10.1007/978-1-4020-8948-0>.
- Boschetti, L., Roy, D.P., Giglio, L., Huang, H., Zubkova, M., and Humber, M.L., 2019, Global validation of the Collection 6 MODIS Burned Area Product: *Remote Sensing of Environment*, v. 235, article 111490, at <https://doi.org/10.1016/j.rse.2019.111490>.
- Boschetti, L., Roy, D.P., Justice, C.O., and Humber, M.L., 2015, MODIS-Landsat fusion for large area 30m burned area mapping: *Remote Sensing of Environment*, v. 161, p. 27–42, at <https://doi.org/10.1016/j.rse.2015.01.022>.
- Boschetti, L., Stehman, S.V., and Roy, D.P., 2016, A stratified random sampling design in space and time for regional to global scale burned area product validation: *Remote Sensing of Environment*, v. 186, p. 465–478, at <https://doi.org/10.1016/j.rse.2016.09.016>.
- Bounoua, L., Boukachaba, N., Serbin, S.P., Thome, K.J., Ed-Dahmany, N., and Lachkham, M.A., 2026, Beyond the urban heat island—A global metric for urban-driven climate warming: *Urban Science*, v. 10, no. 1, article 6, at <https://doi.org/10.3390/urbansci10010006>.

- Bounoua, L., Nigro, J., Zhang, P., and Thome, K.J., 2016, Mapping impact of urbanization in the continental U.S. from 2001-2020, *in* 2016 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Beijing, China, 10–15 July 2016, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 6750–6753, at <https://doi.org/10.1109/IGARSS.2016.7730762>.
- Bounoua, L., Nigro, J., Zhang, P., Thome, K.J., and Lachir, A., 2018, Mapping urbanization in the United States from 2001 to 2011: *Applied Geography*, v. 90, p. 123–133, at <https://doi.org/10.1016/j.apgeog.2017.12.002>.
- Bounoua, L., Thome, K., and Nigro, J., 2021, Cities exacerbate climate warming: *Urban Science*, v. 5, no. 1, article 27, at <https://doi.org/10.3390/urbansci5010027>.
- Bounoua, L., Zhang, P., Mostovoy, G., Thome, K.J., Masek, J.G., Imhoff, M., Shepherd, M., Quattrochi, D., Santanello, J., et al., 2015, Impact of urbanization on US surface climate: *Environmental Research Letters*, v. 10, no. 8, article 084010, at <https://doi.org/10.1088/1748-9326/10/8/084010>.
- Bourbonnais, M.L., Nelson, T.A., Stenhouse, G.B., Wulder, M.A., White, J.C., Hobart, G.W., Hermosilla, T., Coops, N.C., Nathoo, F., et al., 2017, Characterizing spatial-temporal patterns of landscape disturbance and recovery in western Alberta, Canada using a functional data analysis approach and remotely sensed data: *Ecological Informatics*, v. 39, p. 140–150, at <https://doi.org/10.1016/j.ecoinf.2017.04.010>.
- Bourbonnais, M.L., Wulder, M.A., Coops, N.C., Nelson, T.A., White, J.C., Nathoo, F., Stenhouse, G.B., Hobart, G.W., Darimont, C.T., et al., 2019, A functional data analysis approach for characterizing spatial-temporal patterns of landscape disturbance and recovery from remotely sensed data, *in* Conference on Spatial Knowledge and Information - Canada, SKI-Canada 2019, Banff, Alberta, Canada, 22–23 February 2019, Proceedings, v. 2323: Aachen, Germany, CEUR, p. 1–8, at <https://ceur-ws.org/Vol-2323/>.
- Braaten, J.D., Cohen, W.B., and Yang, Z., 2015, Automated cloud and cloud shadow identification in Landsat MSS imagery for temperate ecosystems: *Remote Sensing of Environment*, v. 169, p. 128–138, at <https://doi.org/10.1016/j.rse.2015.08.006>.
- Bragina, E.V., Radeloff, V.C., Baumann, M., Wendland, K., Kuemmerle, T., and Pidgeon, A.M., 2015, Effectiveness of protected areas in the Western Caucasus before and after the transition to post-socialism: *Biological Conservation*, v. 184, p. 456–464, at <https://doi.org/10.1016/j.biocon.2015.02.013>.
- Brandt, J.S., Haynes, M.A., Kuemmerle, T., Waller, D.M., and Radeloff, V.C., 2013, Regime shift on the roof of the world—Alpine meadows converting to shrublands in the southern Himalayas: *Biological Conservation*, v. 158, p. 116–127, at <https://doi.org/10.1016/j.biocon.2012.07.026>.

- Brandt, J.S., Kuemmerle, T., Li, H., Ren, G., Zhu, J., and Radeloff, V.C., 2012, Using Landsat imagery to map forest change in southwest China in response to the national logging ban and ecotourism development: *Remote Sensing of Environment*, v. 121, p. 358–369, at <https://doi.org/10.1016/j.rse.2012.02.010>.
- Bratley, K.H., and Woodcock, C.E., 2024, Estimating the expansion and reduction of agricultural extent in Egypt using Landsat time series: *International Journal of Applied Earth Observation and Geoinformation*, v. 133, article 104141, at <https://doi.org/10.1016/j.jag.2024.104141>.
- Bright, B.C., Hudak, A.T., Kennedy, R.E., Braaten, J.D., and Henareh Khalyani, A., 2019, Examining post-fire vegetation recovery with Landsat time series analysis in three western North American forest types: *Fire Ecology*, v. 15, no. 1, article 8, at <https://doi.org/10.1186/s42408-018-0021-9>.
- Bright, B.C., Hudak, A.T., Kennedy, R.E., and Meddens, A.J.H., 2014, Landsat time series and lidar as predictors of live and dead basal area across five bark beetle-affected forests: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 7, no. 8, p. 3440–3452, at <https://doi.org/10.1109/JSTARS.2014.2346955>.
- Bright, B.C., Hudak, A.T., Meddens, A.J.H., Hawbaker, T.J., Briggs, J.S., and Kennedy, R.E., 2017, Prediction of forest canopy and surface fuels from lidar and satellite time series data in a bark beetle-affected forest: *Forests*, v. 8, no. 9, article 322, at <https://doi.org/10.3390/f8090322>.
- Broich, M., Hansen, M.C., Potapov, P., Adusei, B., Lindquist, E., and Stehman, S.V., 2011, Time-series analysis of multi-resolution optical imagery for quantifying forest cover loss in Sumatra and Kalimantan, Indonesia: *International Journal of Applied Earth Observation and Geoinformation*, v. 13, no. 2, p. 277–291, at <https://doi.org/10.1016/j.jag.2010.11.004>.
- Broich, M., Hansen, M.C., Potapov, P., and Wimberly, M., 2013, Patterns of tree-cover loss along the Indonesia-Malaysia border on Borneo: *International Journal of Remote Sensing*, v. 34, no. 16, p. 5748–5760, at <https://doi.org/10.1080/01431161.2013.796099>.
- Broich, M., Hansen, M.C., Stolle, F., Potapov, P., Margono, B.A., and Adusei, B., 2011, Forest cover loss in Sumatra and Kalimantan, Indonesia—Accurate maps and annual trends derived from time-series analysis of multi-resolution optical remote sensing, *in* *The GEOSS Era, Towards Operational Environmental Monitoring—34<sup>th</sup> International Symposium on Remote Sensing of Environment*, Sydney, Australia, 10–15 April 2011, Proceedings: International Society for Photogrammetry and Remote Sensing, p. 1–3, at <https://www.isprs.org/proceedings/2011/ISRSE-34/2111104015Final00429.pdf>.
- Broich, M., Hansen, M.C., Stolle, F., Potapov, P., Margono, B.A., and Adusei, B., 2011, Remotely sensed forest cover loss shows high spatial and temporal variation across Sumatra and Kalimantan, Indonesia 2000-2008: *Environmental Research Letters*, v. 6, no. 1, article 014010, at <https://doi.org/10.1088/1748-9326/6/1/014010>.

- Broich, M., Stehman, S.V., Hansen, M.C., Potapov, P., and Shimabukuro, Y.E., 2009, A comparison of sampling designs for estimating deforestation from Landsat imagery—A case study of the Brazilian Legal Amazon: *Remote Sensing of Environment*, v. 113, no. 11, p. 2448–2454, at <https://doi.org/10.1016/j.rse.2009.07.011>.
- Brooke, B., Lymburner, L., and Lewis, A., 2017, Coastal dynamics of Northern Australia—Insights from the Landsat Data Cube: *Remote Sensing Applications—Society and Environment*, v. 8, p. 94–98, at <https://doi.org/10.1016/j.rsase.2017.08.003>.
- Brooks, A.P., Spencer, J., Shellberg, J.G., Knight, J., and Lymburner, L., 2008, Using remote sensing to quantify sediment budget components in a large tropical river—Mitchell River, Gulf of Carpentaria, *in* *Sediment Dynamics in Changing Environments*, Christchurch, New Zealand, 1–5 December 2008, IAHS Publication 325: International Commission on Continental Erosion, ICCE, p. 225–236, at [https://iahs.info/uploads/dms/14517.34-225-236-28-325-brooks\\_sm.pdf](https://iahs.info/uploads/dms/14517.34-225-236-28-325-brooks_sm.pdf).
- Brooks, E.B., Coulston, J.W., Wynne, R.H., and Thomas, V.A., 2016, Improving the precision of dynamic forest parameter estimates using Landsat: *Remote Sensing of Environment*, v. 179, p. 162–169, at <https://doi.org/10.1016/j.rse.2016.03.017>.
- Brooks, E.B., Thomas, V.A., Wynne, R.H., and Coulston, J.W., 2012, Fitting the multitemporal curve—A fourier series approach to the missing data problem in remote sensing analysis: *IEEE Transactions on Geoscience and Remote Sensing*, v. 50, no. 9, p. 3340–3353, at <https://doi.org/10.1109/TGRS.2012.2183137>.
- Brooks, E.B., Wynne, R.H., and Thomas, V.A., 2018, Using window regression to gap-fill Landsat ETM+ post SLC-Off data: *Remote Sensing*, v. 10, no. 10, article 1502, at <https://doi.org/10.3390/rs10101502>.
- Brooks, E.B., Wynne, R.H., Thomas, V.A., Blinn, C.E., and Coulston, J.W., 2013, On-the-fly massively multitemporal change detection using statistical quality control charts and Landsat data: *IEEE Transactions on Geoscience and Remote Sensing*, v. 52, no. 6, p. 3316–3332, at <https://doi.org/10.1109/TGRS.2013.2272545>.
- Brooks, E.B., Yang, Z., Thomas, V.A., and Wynne, R.H., 2017, Edyn—Dynamic signaling of changes to forests using exponentially weighted moving average charts: *Forests*, v. 8, no. 9, article 304, at <https://doi.org/10.3390/f8090304>.
- Brown De Colstoun, E.C., Story, M.H., Thompson, C., Commisso, K., Smith, T.G., and Irons, J.R., 2003, National Park vegetation mapping using multitemporal Landsat 7 data and a decision tree classifier: *Remote Sensing of Environment*, v. 85, no. 3, p. 316–327, at [https://doi.org/10.1016/S0034-4257\(03\)00010-5](https://doi.org/10.1016/S0034-4257(03)00010-5).
- Brown, I.C., and Scambos, T.A., 2004, Satellite monitoring of blue-ice extent near Byrd Glacier, Antarctica: *Annals of Glaciology*, v. 39, p. 223–230, at <https://doi.org/10.3189/172756404781813871>.

- Brown, J.F., Tollerud, H.J., Barber, C.P., Zhou, Q., Dwyer, J.L., Vogelmann, J.E., Loveland, T.R., Woodcock, C.E., Stehman, S.V., et al., 2020, Lessons learned implementing an operational continuous United States national land change monitoring capability—The Land Change Monitoring, Assessment, and Projection (LCMAP) approach: *Remote Sensing of Environment*, v. 238, article 111356, at <https://doi.org/10.1016/j.rse.2019.111356>.
- Brown, S.W., Johnson, B.C., Yoon, H.W., Butler, J.J., Barnes, R.A., Biggar, S., Spyak, P., Thome, K.J., Zalewski, E., et al., 2001, Radiometric characterization of field radiometers in support of the 1997 Lunar Lake, Nevada, experiment to determine surface reflectance and top-of-atmosphere radiance: *Remote Sensing of Environment*, v. 77, no. 3, p. 367–376, at [https://doi.org/10.1016/S0034-4257\(01\)00215-2](https://doi.org/10.1016/S0034-4257(01)00215-2).
- Brunsell, N.A., and Anderson, M.C., 2011, Characterizing the multi-scale spatial structure of remotely sensed evapotranspiration with information theory: *Biogeosciences*, v. 8, no. 8, p. 2269–2280, at <https://doi.org/10.5194/bg-8-2269-2011>.
- Brunsell, N.A., Mechem, D.B., and Anderson, M.C., 2011, Surface heterogeneity impacts on boundary layer dynamics via energy balance partitioning: *Atmospheric Chemistry and Physics*, v. 11, no. 7, p. 3403–3416, at <https://doi.org/10.5194/acp-11-3403-2011>.
- Bryant, R., Moran, M.S., McElroy, S., Holifield, C., Thome, K.J., and Miura, T., 2002, Data continuity of Landsat-4 TM, Landsat-5 TM, Landsat-7 ETM+, and Advanced Land Imager (ALI) sensors, in 2002 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toronto, Canada, 24–28 June 2002, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 584–586, at <https://doi.org/10.1109/IGARSS.2002.1025112>.
- Bryant, R., Moran, M.S., McElroy, S.A., Holified, C., Thome, K.J., Miura, T., and Biggar, S.F., 2003, Data continuity of Earth Observing 1 (EO-1) Advanced Land Imager (ALI) and Landsat TM and ETM+: *IEEE Transactions on Geoscience and Remote Sensing*, v. 41, no. 6 pt. 1, p. 1204–1214, at <https://doi.org/10.1109/TGRS.2003.813213>.
- Buchner, J., Butsic, V., Yin, H., Kuemmerle, T., Baumann, M., Zazanashvili, N., Stapp, J., and Radeloff, V.C., 2022, Localized versus wide-ranging effects of the post-Soviet wars in the Caucasus on agricultural abandonment: *Global Environmental Change*, v. 76, article 102580, at <https://doi.org/10.1016/j.gloenvcha.2022.102580>.
- Buchner, J., Lewińska, K.E., Butsic, V., Burivalova, Z., Ghoddousi, A., Rogova, N., Rizayeva, A., Bragina, E.V., and Radeloff, V.C., 2026, Assessing the effectiveness of strictly protected areas in preventing forest loss and degradation across different forest types in the Caucasus: *Biological Conservation*, v. 315, article 111685, at <https://doi.org/10.1016/j.biocon.2025.111685>.

- Buchner, J., Yin, H., Frantz, D., Kuemmerle, T., Askerov, E., Bakuradze, T., Bleyhl, B., Elizbarashvili, N., Komarova, A., et al., 2020, Land-cover change in the Caucasus Mountains since 1987 based on the topographic correction of multi-temporal Landsat composites: *Remote Sensing of Environment*, v. 248, article 111967, at <https://doi.org/10.1016/j.rse.2020.111967>.
- Budreski, K.A., Wynne, R.H., Browder, J.O., and Campbell, J.B., 2007, Comparison of segment and pixel-based non-parametric land cover classification in the Brazilian Amazon using multitemporal Landsat TM/ETM+ imagery: *Photogrammetric Engineering & Remote Sensing*, v. 73, no. 7, p. 813–827, at <https://doi.org/10.14358/PERS.73.7.813>.
- Bullock, E.L., Fagherazzi, S., Nardin, W., Vo-Luong, P., Nguyen, P., and Woodcock, C.E., 2017, Temporal patterns in species zonation in a mangrove forest in the Mekong Delta, Vietnam, using a time series of Landsat imagery: *Continental Shelf Research*, v. 147, p. 144–154, at <https://doi.org/10.1016/j.csr.2017.07.007>.
- Bullock, E.L., Healey, S.P., Yang, Z., Oduor, P., Gorelick, N., Omondi, S., Ouko, E., and Cohen, W.B., 2021, Three decades of land cover change in East Africa: *Land*, v. 10, no. 2, article 150, at <https://doi.org/10.3390/land10020150>.
- Bullock, E.L., Nolte, C., Segovia, A.R., and Woodcock, C.E., 2020, Ongoing forest disturbance in Guatemala's protected areas: *Remote Sensing in Ecology and Conservation*, v. 6, no. 2, p. 141–152, at <https://doi.org/10.1002/rse2.130>.
- Bullock, E.L., Woodcock, C.E., and Holden, C.E., 2020, Improved change monitoring using an ensemble of time series algorithms: *Remote Sensing of Environment*, v. 238, article 111165, at <https://doi.org/10.1016/j.rse.2019.04.018>.
- Bullock, E.L., Woodcock, C.E., and Olofsson, P., 2020, Monitoring tropical forest degradation using spectral unmixing and Landsat time series analysis: *Remote Sensing of Environment*, v. 238, article 110968, at <https://doi.org/10.1016/j.rse.2018.11.011>.
- Bullock, E.L., Woodcock, C.E., Souza, C., and Olofsson, P., 2020, Satellite-based estimates reveal widespread forest degradation in the Amazon: *Global Change Biology*, v. 26, no. 5, p. 2956–2969, at <https://doi.org/10.1111/gcb.15029>.
- Burnett, B., Allen, R.G., Robison, C.W., Tasumi, M., and Lorite, I., 2008, Estimating the soil surface evaporation and transpiration components from satellite images in the absence of a thermal band, *in* World Environmental and Water Resources Congress Honolulu, Hawaii, 12–16 May 2008, Proceedings: Reston, Va., American Society of Civil Engineers, p. 1–18, at [https://doi.org/10.1061/40976\(316\)86](https://doi.org/10.1061/40976(316)86).
- Busker, T., De Roo, A., Gelati, E., Schwatke, C., Adamovic, M., Bisselink, B., Pekel, J.F., and Cottam, A., 2019, A global lake and reservoir volume analysis using a surface water dataset and satellite altimetry: *Hydrology and Earth System Sciences*, v. 23, no. 2, p. 669–690, at <https://doi.org/10.5194/hess-23-669-2019>.

- Bwangoy, J.R.B., Hansen, M.C., Potapov, P., Turubanova, S., and Lumbuenamo, R.S., 2013, Identifying nascent wetland forest conversion in the Democratic Republic of the Congo: *Wetlands Ecology and Management*, v. 21, no. 1, p. 29–43, at <https://doi.org/10.1007/s11273-012-9277-z>.
- Bwangoy, J.R.B., Hansen, M.C., Roy, D.P., Grandi, G.D., and Justice, C.O., 2010, Wetland mapping in the Congo Basin using optical and radar remotely sensed data and derived topographical indices: *Remote Sensing of Environment*, v. 114, no. 1, p. 73–86, at <https://doi.org/10.1016/j.rse.2009.08.004>.
- Cahalan, R.F., Oreopoulos, L., Wen, G., Marshak, A., Tsay, S.C., and DeFelice, T., 2001, Cloud characterization and clear-sky correction from Landsat-7: *Remote Sensing of Environment*, v. 78, no. 1–2, p. 83–98, at [https://doi.org/10.1016/S0034-4257\(01\)00251-6](https://doi.org/10.1016/S0034-4257(01)00251-6).
- Cai, X., Thenkabail, P.S., Biradar, C.M., Platonov, A., Gumma, M., Dheeravath, V., Cohen, Y., Goldshleger, N., Ben Dor, E., et al., 2009, Water productivity mapping using remote sensing data of various resolutions to support “more crop per drop”: *Journal of Applied Remote Sensing*, v. 3, no. 1, article 033557, at <https://doi.org/10.1117/1.3257643>.
- Cai, X.L., Thenkabail, P.S., and Platonov, A., 2008, Benchmarking cotton water use and productivity using spectral indices, *in* Asian Conference on Remote Sensing, 29<sup>th</sup>, Colombo, Sri Lanka, 10–14 November 2008, Proceedings: Tokyo, Japan, Asian Association on Remote Sensing, p. 17–23.
- Cammalleri, C., Anderson, M., Bambach, N., McElrone, A.J., Knipper, K.R., Roby, M.C., Ciraolo, G., De Caro, D., Ippolito, M., et al., 2024, A fully remote sensing-based implementation of the two-source energy balance model—An application over Mediterranean crops: *Agricultural Water Management*, v. 306, article 109207, at <https://doi.org/10.1016/j.agwat.2024.109207>.
- Cammalleri, C., Anderson, M., Bambach, N., McElrone, A.J., Knipper, K.R., Roby, M.C., and Kustas, W.P., 2025, Field scale partitioning of Landsat land surface temperature into soil and canopy components for evapotranspiration assessment using a two-source energy balance model: *Irrigation Science*, v. 43, no. 4, p. 715–729, at <https://doi.org/10.1007/s00271-024-00976-w>.
- Cammalleri, C., Anderson, M.C., Gao, F., Hain, C.R., and Kustas, W.P., 2013, A data fusion approach for mapping daily evapotranspiration at field scale: *Water Resources Research*, v. 49, no. 8, p. 4672–4686, at <https://doi.org/10.1002/wrcr.20349>.
- Cammalleri, C., Anderson, M.C., Gao, F., Hain, C.R., and Kustas, W.P., 2014, Mapping daily evapotranspiration at field scales over rainfed and irrigated agricultural areas using remote sensing data fusion: *Agricultural and Forest Meteorology*, v. 186, p. 1–11, at <https://doi.org/10.1016/j.agrformet.2013.11.001>.

- Cammalleri, C., Anderson, M.C., Houborg, R., Gao, F., Kustas, W.P., and Schull, M., 2012, An integrated approach for high spatial resolution mapping of water and carbon fluxes using multi-sensor satellite data, *in* Remote Sensing for Agriculture, Ecosystems, and Hydrology XIV, Edinburgh, Scotland, UK, 24–26 September 2012, Proceedings of SPIE Vol. 8531: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 85310o, at <https://doi.org/10.1117/12.974737>.
- Campbell, J.L., Kennedy, R.E., Cohen, W.B., and Miller, R.F., 2012, Assessing the carbon consequences of western juniper (*Juniperus occidentalis*) encroachment across Oregon, USA: *Rangeland Ecology and Management*, v. 65, no. 3, p. 223–231, at <https://doi.org/10.2111/REM-D-11-00012.1>.
- Cao, Z., Chen, S., Gao, F., and Li, X., 2020, Improving phenological monitoring of winter wheat by considering sensor spectral response in spatiotemporal image fusion: *Physics and Chemistry of the Earth*, v. 116, article 102859, at <https://doi.org/10.1016/j.pce.2020.102859>.
- Cao, Z., Ma, R., Duan, H., Pahlevan, N., Melack, J., Shen, M., and Xue, K., 2020, A machine learning approach to estimate chlorophyll-a from Landsat-8 measurements in inland lakes: *Remote Sensing of Environment*, v. 248, article 111974, at <https://doi.org/10.1016/j.rse.2020.111974>.
- Cardille, J.A., Perez, E., Crowley, M.A., Wulder, M.A., White, J.C., and Hermosilla, T., 2022, Multi-sensor change detection for within-year capture and labelling of forest disturbance: *Remote Sensing of Environment*, v. 268, article 112741, at <https://doi.org/10.1016/j.rse.2021.112741>.
- Cardille, J.A., White, J.C., Wulder, M.A., and Holland, T., 2012, Representative landscapes in the forested area of Canada: *Environmental Management*, v. 49, no. 1, p. 163–173, at <https://doi.org/10.1007/s00267-011-9785-2>.
- Carpenter, G.A., Gajja, M.N., Gopal, S., and Woodcock, C.E., 1997, ART neural networks for remote sensing—Vegetation classification from Landsat TM and terrain Data: *IEEE Transactions on Geoscience and Remote Sensing*, v. 35, no. 2, p. 308–325, at <https://doi.org/10.1109/36.563271>.
- Carpenter, G.A., Gopal, S., Macomber, S., Martens, S., Woodcock, C.E., and Franklin, J., 1999, A neural network method for efficient vegetation mapping: *Remote Sensing of Environment*, v. 70, no. 3, p. 326–338, at [https://doi.org/10.1016/S0034-4257\(99\)00051-6](https://doi.org/10.1016/S0034-4257(99)00051-6).
- Carpenter, G.A., Gopal, S., Macomber, S., Martens, S., and Woodcock, C.E., 1999, A neural network method for mixture estimation for vegetation mapping: *Remote Sensing of Environment*, v. 70, no. 2, p. 138–152, at [https://doi.org/10.1016/S0034-4257\(99\)00027-9](https://doi.org/10.1016/S0034-4257(99)00027-9).
- Carpintero, E., Anderson, M.C., Andreu, A., Hain, C., Gao, F., Kustas, W.P., and González-Dugo, M.P., 2021, Estimating evapotranspiration of mediterranean oak savanna at multiple temporal and spatial resolutions—Implications for water resources management: *Remote Sensing*, v. 13, no. 18, article 3701, at <https://doi.org/10.3390/rs13183701>.

- Carpintero, E., González Dugo, M.P., Hain, C., Nieto, H., Gao, F., Andreu, A., Kustas, W.P., and Anderson, M.C., 2016, Continuous evapotranspiration monitoring and water stress at watershed scale in a Mediterranean oak savanna, *in* Remote Sensing for Agriculture, Ecosystems, and Hydrology XVIII, Edinburgh, Scotland, UK, 26–29 September 2016, Proceedings of SPIE Vol. 9998: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 99980n, at <https://doi.org/10.1117/12.2241521>.
- Carrasco-Benavides, M., Ortega-Farías, S., Lagos, L.O., Kleissl, J., Morales-Salinas, L., and Kilic, A., 2014, Parameterization of the satellite-based model (METRIC) for the estimation of instantaneous surface energy balance components over a drip-irrigated vineyard: Remote Sensing, v. 6, no. 11, p. 11342–11371, at <https://doi.org/10.3390/rs61111342>.
- Carroll, M., Townshend, J., Hansen, M.C., Dimiceli, C., Sohlberg, R., and Wurster, K., 2011, MODIS vegetative cover conversion and vegetation continuous fields, *in* Ramachandran, B., Justice, C., and Abrams, M.J., eds., Remote sensing and digital image processing: New York, N.Y., Springer, p. 725–745, at [https://doi.org/10.1007/978-1-4419-6749-7\\_32](https://doi.org/10.1007/978-1-4419-6749-7_32).
- Carroll, R.W., Huntington, J.L., Snyder, K.A., Niswonger, R.G., Morton, C., and Stringham, T.K., 2017, Evaluating mountain meadow groundwater response to Pinyon-Juniper and temperature in a great basin watershed: Ecohydrology, v. 10, no. 1, article 31792, at <https://doi.org/10.1002/eco.1792>.
- Carroll, R.W., Pohl, G.M., Morton, C.G., and Huntington, J.L., 2015, Calibrating a basin-scale groundwater model to remotely sensed estimates of groundwater evapotranspiration: Journal of the American Water Resources Association, v. 51, no. 4, p. 1114–1127, at <https://doi.org/10.1111/jawr.12285>.
- Castelli, M., Anderson, M.C., Yang, Y., Wohlfahrt, G., Bertoldi, G., Niedrist, G., Hammerle, A., Zhao, P., Zebisch, M., et al., 2018, Two-source energy balance modeling of evapotranspiration in Alpine grasslands: Remote Sensing of Environment, v. 209, p. 327–342, at <https://doi.org/10.1016/j.rse.2018.02.062>.
- Cawse-Nicholson, K., Anderson, M., Yang, Y., Hook, S.J., Fisher, J., Halverson, G.H., Hulley, G., Hain, C., et al., 2021, Evaluation of a CONUS-wide ECOSTRESS DisALEXI evapotranspiration product: IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, v. 14, p. 10117–10133, at <https://doi.org/10.1109/JSTARS.2021.3111867>.
- Chander, G., Angal, A., Xiong, X., Helder, D.L., Mishra, N., Choi, T., and Wu, A., 2010, Preliminary assessment of several parameters to measure and compare usefulness of the CEOS reference pseudo-invariant calibration sites, *in* Sensors, Systems, and Next-Generation Satellites XIV, Toulouse, France, 20–23 September 2010, Proceedings of SPIE Vol. 7826: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 78262L, at <https://doi.org/10.1117/12.865166>.

- Chander, G., Helder, D.L., Aaron, D.B., Mishra, N., and Shrestha, A.K., 2013, Assessment of spectral, misregistration, and spatial uncertainties inherent in the cross-calibration study: *IEEE Transactions on Geoscience and Remote Sensing*, v. 51, no. 3, p. 1282–1296, at <https://doi.org/10.1109/TGRS.2012.2228008>.
- Chander, G., Helder, D.L., and Bonczyk, W.C., 2002, Landsat—4/5 band 6 relative radiometry: *IEEE Transactions on Geoscience and Remote Sensing*, v. 40, no. 1, p. 206–209, at <https://doi.org/10.1109/36.981362>.
- Chander, G., Helder, D.L., Malla, R., Micijevic, E., and Mettler, C.J., 2007, Consistency of L4 TM absolute calibration with respect to the L5 TM sensor based on near-simultaneous image acquisition, *in Earth Observing Systems XII*, San Diego, Calif., 26–28 August 2007, *Proceedings of SPIE Vol. 6677*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 66770F, at <https://doi.org/10.1117/12.734208>.
- Chander, G., Helder, D.L., Markham, B.L., Dewald, J.D., Kaita, E., Thome, K.J., Micijevic, E., and Ruggles, T.A., 2004, Landsat-5 TM reflective-band absolute radiometric calibration: *IEEE Transactions on Geoscience and Remote Sensing*, v. 42, no. 12, p. 2747–2760, at <https://doi.org/10.1109/TGRS.2004.836388>.
- Chander, G., Markham, B.L., and Helder, D.L., 2009, Summary of current radiometric calibration coefficients for Landsat MSS, TM, ETM+, and EO-1 ALI sensors: *Remote Sensing of Environment*, v. 113, no. 5, p. 893–903, at <https://doi.org/10.1016/j.rse.2009.01.007>.
- Chander, G., Markham, B.L., Micijevic, E., Teillet, P.M., and Helder, D.L., 2005, Improvement in absolute calibration accuracy of Landsat-5 TM with Landsat-7 ETM+ data, *in Earth Observing Systems X*, San Diego, Calif., 31 July–1 August 2005, *Proceedings of SPIE Vol. 5882*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 588209, at <https://doi.org/10.1117/12.620136>.
- Chander, G., Meyer, D.J., and Helder, D.L., 2004, Cross calibration of the Landsat-7 ETM+ and EO-1 ALI sensor: *IEEE Transactions on Geoscience and Remote Sensing*, v. 42, no. 12, p. 2821–2831, at <https://doi.org/10.1109/TGRS.2004.836387>.
- Chander, G., Mishra, N., Helder, D.L., Aaron, D.B., Angal, A., Choi, T., Xiong, X., and Doelling, D.R., 2013, Applications of spectral band adjustment factors (SBAF) for cross-calibration: *IEEE Transactions on Geoscience and Remote Sensing*, v. 51, no. 3, p. 1267–1281, at <https://doi.org/10.1109/TGRS.2012.2228007>.
- Chander, G., Mishra, N., Helder, D.L., Aaron, D.B., Choi, T., Angal, A., and Xiong, X., 2010, Use of EO-1 Hyperion data to calculate spectral band adjustment factors (SBAF) between the L7 ETM+ and Terra MODIS sensors, *in 2010 IEEE International Geoscience and Remote Sensing Symposium (IGARSS)*, Honolulu, Hawaii, 25–30 July 2010, *Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE)*, p. 1667–1670, at <https://doi.org/10.1109/IGARSS.2010.5652746>.

- Chang, G.J., Cirone, R., Zhao, H., Gao, F., and Anderson, M., 2024, Enhancing grazing land analysis through integrated Earth observation and machine learning, *in* International Conference on Agro-Geoinformatics, 12<sup>th</sup>, Novi Sad, Serbia, 15–18 July 2024, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1–4, at <https://doi.org/10.1109/Agro-Geoinformatics262780.2024.10660937>.
- Chegoonian, A.M., Pahlevan, N., Zolfaghari, K., Leavitt, P.R., Davies, J.M., Baulch, H.M., and Duguay, C.R., 2023, Comparative analysis of empirical and machine learning models for chl<sub>a</sub> extraction using Sentinel-2 and Landsat OLI Data—Opportunities, limitations, and challenges: *Canadian Journal of Remote Sensing*, v. 49, no. 1, article 2215333, at <https://doi.org/10.1080/07038992.2023.2215333>.
- Chehbouni, A., Goodrich, D.C., Moran, M.S., Watts, C.J., Kerr, Y.H., Dedieu, G., Kepner, W.G., Shuttleworth, W.J., and Sorooshian, S., 2000, A preliminary synthesis of major scientific results during the SALSA program: *Agricultural and Forest Meteorology*, v. 105, no. 1–3, p. 311–323, at [https://doi.org/10.1016/S0168-1923\(00\)00179-9](https://doi.org/10.1016/S0168-1923(00)00179-9).
- Chen, A., Lantz, T.C., Hermosilla, T., and Wulder, M.A., 2021, Biophysical controls of increased tundra productivity in the western Canadian Arctic: *Remote Sensing of Environment*, v. 258, article 112358, at <https://doi.org/10.1016/j.rse.2021.112358>.
- Chen, D., Jackson, T.J., Li, F., Cosh, M.H., Walthall, C., and Anderson, M.C., 2003, Estimation of vegetation water content for corn and soybeans with a Normalized Difference Water Index (NDWI) using Landsat Thematic Mapper data, *in* 2003 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toulouse, France, 21–25 July 2003, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2853–2856, at <https://doi.org/10.1109/IGARSS.2003.1294609>.
- Chen, G., Wulder, M.A., White, J.C., Hilker, T., and Coops, N.C., 2012, Lidar calibration and validation for geometric-optical modeling with Landsat imagery: *Remote Sensing of Environment*, v. 124, p. 384–393, at <https://doi.org/10.1016/j.rse.2012.05.026>.
- Chen, J., Sciusco, P., Ouyang, Z., Zhang, R., Henebry, G.M., John, R., and Roy, D.P., 2019, Linear downscaling from MODIS to Landsat—Connecting landscape composition with ecosystem functions: *Landscape Ecology*, v. 34, no. 12, p. 2917–2934, at <https://doi.org/10.1007/s10980-019-00928-2>.
- Chen, J., Zhu, X., Vogelmann, J.E., Gao, F., and Jin, S., 2011, A simple and effective method for filling gaps in Landsat ETM+ SLC-off images: *Remote Sensing of Environment*, v. 115, no. 4, p. 1053–1064, at <https://doi.org/10.1016/j.rse.2010.12.010>.
- Chen, S., Olofsson, P., Saphangthong, T., and Woodcock, C.E., 2023, Monitoring shifting cultivation in Laos with Landsat time series: *Remote Sensing of Environment*, v. 288, article 113507, at <https://doi.org/10.1016/j.rse.2023.113507>.

- Chen, S., Woodcock, C.E., Bullock, E.L., Arévalo, P., Torchinava, P., Peng, S., and Olofsson, P., 2021, Monitoring temperate forest degradation on Google Earth Engine using Landsat time series analysis: *Remote Sensing of Environment*, v. 265, article 112648, at <https://doi.org/10.1016/j.rse.2021.112648>.
- Chen, X., Liu, S., Zhu, Z., Vogelmann, J.E., Li, Z., and Ohlen, D., 2011, Estimating aboveground forest biomass carbon and fire consumption in the U.S. Utah High Plateaus using data from the Forest Inventory and Analysis program, Landsat, and LANDFIRE: *Ecological Indicators*, v. 11, no. 1, p. 140–148, at <https://doi.org/10.1016/j.ecolind.2009.03.013>.
- Chen, X., Vogelmann, J.E., Chander, G., Ji, L., Tolk, B., Huang, C., and Rollins, M., 2013, Cross-sensor comparisons between Landsat 5 TM and IRS-P6 AWiFS and disturbance detection using integrated Landsat and AWiFS time-series images: *International Journal of Remote Sensing*, v. 34, no. 7, p. 2432–2453, at <https://doi.org/10.1080/01431161.2012.743690>.
- Chen, X., Vogelmann, J.E., Rollins, M., Ohlen, D., Key, C.H., Yang, L., Huang, C., and Shi, H., 2011, Detecting post-fire burn severity and vegetation recovery using multitemporal remote sensing spectral indices and field-collected composite burn index data in a ponderosa pine forest: *International Journal of Remote Sensing*, v. 32, no. 23, p. 7905–7927, at <https://doi.org/10.1080/01431161.2010.524678>.
- Cheng, X., Tao, B., Qiu, S., Zhu, Z., Ruane, A.C., and Niu, W., 2026, Long-term changing patterns of field-scale corn and soybeans phenology in the US Midwest: *Journal of Geophysical Research—Biogeosciences*, v. 131, no. 1, article e2025JG009028, at <https://doi.org/10.1029/2025JG009028>.
- Cho, K., and Woodcock, C.E., 2025, Detecting utility-scale solar installations and associated land cover changes using spatiotemporal segmentation of Landsat imagery: *Science of Remote Sensing*, v. 12, article 100337, at <https://doi.org/10.1016/j.srs.2025.100337>.
- Choi, H., and Bindschadler, R.A., 2004, Cloud detection in Landsat imagery of ice sheets using shadow matching technique and automatic normalized difference snow index threshold value decision: *Remote Sensing of Environment*, v. 91, no. 2, p. 237–242, at <https://doi.org/10.1016/j.rse.2004.03.007>.
- Choi, M., Kustas, W.P., Anderson, M.C., Allen, R.G., Li, F., and Kjaersgaard, J.H., 2009, An intercomparison of three remote sensing-based surface energy balance algorithms over a corn and soybean production region (Iowa, U.S.) during SMACEX: *Agricultural and Forest Meteorology*, v. 149, no. 12, p. 2082–2097, at <https://doi.org/10.1016/j.agrformet.2009.07.002>.
- Chowdhury, S., Chao, D.K., Shipman, T.C., and Wulder, M.A., 2017, Utilization of Landsat data to quantify land-use and land-cover changes related to oil and gas activities in West-Central Alberta from 2005 to 2013: *GIScience and Remote Sensing*, v. 54, p. 1–21, at <https://doi.org/10.1080/15481603.2017.1317453>.

- Chowdhury, S., Peddle, D.R., Wulder, M.A., Heckbert, S., Shipman, T.C., and Chao, D.K., 2021, Estimation of land-use/land-cover changes associated with energy footprints and other disturbance agents in the Upper Peace Region of Alberta Canada from 1985 to 2015 using Landsat data: *International Journal of Applied Earth Observation and Geoinformation*, v. 94, article 102224, at <https://doi.org/10.1016/j.jag.2020.102224>.
- Chuvieco, E., and Justice, C.O., 2008, NASA Earth observation satellite missions for global change research, *in* Chuvieco, E., ed., *Earth observation of global change—The role of satellite remote sensing in monitoring the global environment*: Dordrecht, Netherlands, Springer, p. 23–47, at [https://doi.org/10.1007/978-1-4020-6358-9\\_2](https://doi.org/10.1007/978-1-4020-6358-9_2).
- Cihlar, J., Guindon, B., Beaubien, J., Latifovic, R., Peddle, D., Wulder, M.A., Fernandes, R., and Kerr, J., 2003, From need to product—A methodology for completing a land cover map of Canada with Landsat data: *Canadian Journal of Remote Sensing*, v. 29, no. 2, p. 171–186, at <https://doi.org/10.5589/m02-090>.
- Claverie, M., Ju, J., Masek, J.G., Dungan, J.L., Vermote, E.F., Roger, J.C., Skakun, S.V., and Justice, C., 2018, The Harmonized Landsat and Sentinel-2 surface reflectance data set: *Remote Sensing of Environment*, v. 219, p. 145–161, at <https://doi.org/10.1016/j.rse.2018.09.002>.
- Claverie, M., Vermote, E.F., Franch, B., and Masek, J.G., 2015, Evaluation of the Landsat-5 TM and Landsat-7 ETM+ surface reflectance products: *Remote Sensing of Environment*, v. 169, p. 390–403, at <https://doi.org/10.1016/j.rse.2015.08.030>.
- Coggins, S.B., Coops, N.C., Hilker, T., and Wulder, M.A., 2012, Augmenting forest inventory attributes with geometric optical modelling in support of regional susceptibility assessments to bark beetle infestations: *International Journal of Applied Earth Observation and Geoinformation*, v. 21, no. 1, p. 444–452, at <https://doi.org/10.1016/j.jag.2012.06.007>.
- Coggins, S.B., Wulder, M.A., Coops, N.C., and White, J.C., 2008, Linking survey detection accuracy with ability to mitigate populations of mountain pine beetle: *Forestry Chronicle*, v. 84, no. 6, p. 900–909, at <https://doi.org/10.5558/tfc84900-6>.
- Cohen, W.B., 2004, Integrating remote sensing and ecology: *BioScience*, v. 54, no. 6, p. 483–483, at [https://doi.org/10.1641/0006-3568\(2004\)054\[0483:IRSAE\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2004)054[0483:IRSAE]2.0.CO;2).
- Cohen, W.B., Fiorella, M., Gray, J., Helmer, E.L., and Anderson, K., 1998, An efficient and accurate method for mapping forest clearcuts in the Pacific Northwest using Landsat imagery: *Photogrammetric Engineering & Remote Sensing*, v. 64, no. 4, p. 293–300, at [https://faculty.wallin.wvu.edu/envr442/pdf\\_files/cohen\\_etal\\_1998\\_apr\\_293-300.pdf](https://faculty.wallin.wvu.edu/envr442/pdf_files/cohen_etal_1998_apr_293-300.pdf).
- Cohen, W.B., and Goward, S.N., 2004, Landsat's role in ecological applications of remote sensing: *BioScience*, v. 54, no. 6, p. 535–545, at [https://doi.org/10.1641/0006-3568\(2004\)054\[0535:LRIEAO\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2004)054[0535:LRIEAO]2.0.CO;2).

- Cohen, W.B., Healey, S.P., Yang, Z., Stehman, S.V., Brewer, C.K., Brooks, E.B., Gorelick, N.S., Huang, C., Hughes, M.J., et al., 2017, How similar are forest disturbance maps derived from different Landsat time series algorithms?: *Forests*, v. 8, no. 4, article 98, at <https://doi.org/10.3390/f8040098>.
- Cohen, W.B., Healey, S.P., Yang, Z., Zhu, Z., and Gorelick, N., 2020, Diversity of algorithm and spectral band inputs improves Landsat monitoring of forest disturbance: *Remote Sensing*, v. 12, no. 10, article 1673, at <https://doi.org/10.3390/rs12101673>.
- Cohen, W.B., Maersperger, T.K., Gower, S.T., and Turner, D.P., 2003, An improved strategy for regression of biophysical variables and Landsat ETM+ data: *Remote Sensing of Environment*, v. 84, no. 4, p. 561–571, at [https://doi.org/10.1016/S0034-4257\(02\)00173-6](https://doi.org/10.1016/S0034-4257(02)00173-6).
- Cohen, W.B., Maersperger, T.K., Turner, D.P., Ritts, W.D., Pflugmacher, D., Kennedy, R.E., Kirschbaum, A., Running, S.W., Costa, M., et al., 2006, MODIS land cover and LAI collection 4 product quality across nine sites in the western hemisphere: *IEEE Transactions on Geoscience and Remote Sensing*, v. 44, no. 7, p. 1843–1857, at <https://doi.org/10.1109/TGRS.2006.876026>.
- Cohen, W.B., Maersperger, T.K., Yang, Z., Gower, S.T., Turner, D.P., Ritts, W.D., Berterretche, M., and Running, S.W., 2003, Comparisons of land cover and LAI estimates derived from ETM+ and MODIS for four sites in North America—A quality assessment of 2000/2001 provisional MODIS products: *Remote Sensing of Environment*, v. 88, no. 3, p. 233–255, at <https://doi.org/10.1016/j.rse.2003.06.006>.
- Cohen, W.B., Maerspergers, T.K., Spies, T.A., and Oetter, D.R., 2001, Modelling forest cover attributes as continuous variables in a regional context with Thematic Mapper data: *International Journal of Remote Sensing*, v. 22, no. 12, p. 2279–2310, at <https://doi.org/10.1080/01431160121472>.
- Cohen, W.B., Spies, T.A., Alig, R.J., Oetter, D.R., Maersperger, T.K., and Fiorella, M., 2002, Characterizing 23 years (1972–95) of stand replacement disturbance in western Oregon forests with Landsat imagery: *Ecosystems*, v. 5, no. 2, p. 122–137, at <https://doi.org/10.1007/s10021-001-0060-X>.
- Cohen, W.B., Yang, Z., Healey, S.P., Kennedy, R.E., and Gorelick, N.S., 2018, A LandTrendr multispectral ensemble for forest disturbance detection: *Remote Sensing of Environment*, v. 205, p. 131–140, at <https://doi.org/10.1016/j.rse.2017.11.015>.
- Cohen, W.B., Yang, Z., and Kennedy, R.E., 2010, Detecting trends in forest disturbance and recovery using yearly Landsat time series—2. TimeSync - Tools for calibration and validation: *Remote Sensing of Environment*, v. 114, no. 12, p. 2911–2924, at <https://doi.org/10.1016/j.rse.2010.07.010>.
- Cohen, W.B., Yang, Z., Stehman, S.V., Schroeder, T.A., Bell, D.M., Masek, J.G., Huang, C., and Meigs, G.W., 2016, Forest disturbance across the conterminous United States from 1985–2012—The emerging dominance of forest decline: *Forest Ecology and Management*, v. 360, p. 242–252, at <https://doi.org/10.1016/j.foreco.2015.10.042>.

- Colin, J., Hagolle, O., Landier, L., Coustance, S., Kettig, P., Meygret, A., Osman, J., and Vermote, E., 2023, Assessment of the performance of the atmospheric correction algorithm MAJA for Sentinel-2 surface reflectance estimates: *Remote Sensing*, v. 15, no. 10, article 2665, at <https://doi.org/10.3390/rs15102665>.
- Collins, J.B., and Woodcock, C.E., 1996, An assessment of several linear change detection techniques for mapping forest mortality using multitemporal Landsat TM data: *Remote Sensing of Environment*, v. 56, no. 1, p. 66–77, at [https://doi.org/10.1016/0034-4257\(95\)00233-2](https://doi.org/10.1016/0034-4257(95)00233-2).
- Concha, J.A., and Schott, J.R., 2014, A model-based ELM for atmospheric correction over Case 2 water with Landsat 8, *in* Ocean sensing and monitoring VI, Baltimore, Md., 5–9 May 2014, Proceedings of SPIE Vol. 9111: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 911112, at <https://doi.org/10.1117/12.2050589>.
- Concha, J.A., and Schott, J.R., 2014, In-water component retrieval over Case 2 water using Landsat 8—Initial results, *in* Joint 2014 IEEE International Geoscience and Remote Sensing Symposium (IGARSS) and the 35<sup>th</sup> Canadian Symposium on Remote Sensing (CSRS 2014), Quebec City, Canada, 13–18 July 2014, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 4458–4461, at <https://doi.org/10.1109/IGARSS.2014.6947481>.
- Concha, J.A., and Schott, J.R., 2015, Atmospheric correction for Landsat 8 over case 2 waters, *in* Earth Observing Systems XX, San Diego, Calif., 10–13 August 2015, Proceedings of SPIE Vol. 9607: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 96070r, at <https://doi.org/10.1117/12.2188345>.
- Concha, J.A., and Schott, J.R., 2016, Retrieval of color producing agents in Case 2 waters using Landsat 8: *Remote Sensing of Environment*, v. 185, p. 95–107, at <https://doi.org/10.1016/j.rse.2016.03.018>.
- Cook, M., Schott, J.R., Mandel, J., and Raqueno, N., 2014, Development of an operational calibration methodology for the Landsat thermal data archive and initial testing of the atmospheric compensation component of a land surface temperature (LST) product from the archive: *Remote Sensing*, v. 6, no. 11, p. 11244–11266, at <https://doi.org/10.3390/rs6111244>.
- Cook, M.J., and Schott, J.R., 2013, Initial validation of atmospheric compensation for a Landsat land surface temperature product, *in* Algorithms and Technologies for Multispectral, Hyperspectral, and Ultraspectral Imagery XIX, Baltimore, Md., 29 April–2 May 2013, Proceedings of SPIE Vol. 8743: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 874314, at <https://doi.org/10.1117/12.2015320>.

- Cook, M.J., and Schott, J.R., 2014, A novel confidence metric approach for a Landsat land surface temperature product, *in* Geospatial power in our pockets, ASPRS Annual Conference, Co-Located with Joint Agency Commercial Imagery Evaluation Workshop, JACIE 2014, Louisville, Ky., 23–28 March 2014, Proceedings: Bethesda, Md., American Society for Photogrammetry and Remote Sensing, p. 1–11, at <https://www.academia.edu/download/118921381/cook.pdf>.
- Cook, M.J., and Schott, J.R., 2014, The atmospheric compensation component of a Landsat land surface temperature (LST) product—Assessment of errors expected for a North American test product, *in* ISPRS Technical Commission I Symposium, Denver, Colo., 17–20 November 2014, ISPRS Archives, XL-1: Bethesda, Md., International Society for Photogrammetry and Remote Sensing, p. 73–79, at <https://doi.org/10.5194/isprsarchives-XL-1-73-2014>.
- Cooper, S., Okujeni, A., Jänicke, C., Clark, M., van der Linden, S., and Hostert, P., 2020, Disentangling fractional vegetation cover—Regression-based unmixing of simulated spaceborne imaging spectroscopy data: *Remote Sensing of Environment*, v. 246, article 111856, at <https://doi.org/10.1016/j.rse.2020.111856>.
- Cooper, S., Okujeni, A., Pflugmacher, D., Van Der Linden, S., and Hostert, P., 2021, Combining simulated hyperspectral EnMAP and Landsat time series for forest aboveground biomass mapping: *International Journal of Applied Earth Observation and Geoinformation*, v. 98, article 102307, at <https://doi.org/10.1016/j.jag.2021.102307>.
- Coops, N.C., Gillanders, S.N., Wulder, M.A., Gergel, S.E., Nelson, T., and Goodwin, N.R., 2010, Assessing changes in forest fragmentation following infestation using time series Landsat imagery: *Forest Ecology and Management*, v. 259, no. 12, p. 2355–2365, at <https://doi.org/10.1016/j.foreco.2010.03.008>.
- Coops, N.C., Hilker, T., Bater, C.W., Wulder, M.A., Nielsen, S.E., McDermid, G., and Stenhouse, G., 2012, Linking ground-based to satellite-derived phenological metrics in support of habitat assessment: *Remote Sensing Letters*, v. 3, no. 3, p. 191–200, at <https://doi.org/10.1080/01431161.2010.550330>.
- Coops, N.C., Johnson, M., Wulder, M.A., and White, J.C., 2006, Assessment of QuickBird high spatial resolution imagery to detect red attack damage due to mountain pine beetle infestation: *Remote Sensing of Environment*, v. 103, no. 1, p. 67–80, at <https://doi.org/10.1016/j.rse.2006.03.012>.
- Coops, N.C., Shang, C., Wulder, M.A., White, J.C., and Hermosilla, T., 2020, Change in forest condition—Characterizing non-stand replacing disturbances using time series satellite imagery: *Forest Ecology and Management*, v. 474, article 118370, at <https://doi.org/10.1016/j.foreco.2020.118370>.
- Coops, N.C., Waring, R.H., Wulder, M.A., and White, J.C., 2009, Prediction and assessment of bark beetle-induced mortality of lodgepole pine using estimates of stand vigor derived from remotely sensed data: *Remote Sensing of Environment*, v. 113, no. 5, p. 1058–1066, at <https://doi.org/10.1016/j.rse.2009.01.013>.

- Coops, N.C., Wulder, M.A., and White, J.C., 2006, Integrating remotely sensed and ancillary data sources to characterize a mountain pine beetle infestation: Remote Sensing of Environment, v. 105, no. 2, p. 83–97, at <https://doi.org/10.1016/j.rse.2006.06.007>.
- Copass, C., Antonova, N., and Kennedy, R., 2019, Comparison of office and field techniques for validating landscape change classification in Pacific Northwest national parks: Remote Sensing, v. 11, no. 1, article 3, at <https://doi.org/10.3390/rs11010003>.
- Coulston, J.W., Green, P., Radtke, P.J., Prisley, S., Brooks, E.B., Thomas, V., Wynne, R., and Burkhart, H.E., 2021, Enhancing the precision of broad-scale forestland removals estimates with small area estimation techniques: Forestry, v. 94, no. 3, p. 427–441, at <https://doi.org/10.1093/forestry/cpaa045>.
- Coulston, J.W., Moisen, G.G., Wilson, B.T., Finco, M.V., Cohen, W.B., and Brewer, C.K., 2012, Modeling percent tree canopy cover—A pilot study: Photogrammetric Engineering & Remote Sensing, v. 78, no. 7, p. 715–727, at <https://doi.org/10.14358/PERS.78.7.715>.
- Coward, S.N., and Williams, D.L., 1997, Landsat and Earth systems science—Development of terrestrial monitoring: Photogrammetric Engineering & Remote Sensing, v. 63, no. 7, p. 887–900, at [https://www.academia.edu/download/92972762/1997\\_jul\\_887-900.pdf](https://www.academia.edu/download/92972762/1997_jul_887-900.pdf).
- Crawford, C.J., 2015, MODIS Terra Collection 6 fractional snow cover validation in mountainous terrain during spring snowmelt using Landsat TM and ETM+: Hydrological Processes, v. 29, no. 1, p. 128–138, at <https://doi.org/10.1002/hyp.10134>.
- Crawford, C.J., Manson, S.M., Bauer, M.E., and Hall, D.K., 2013, Multitemporal snow cover mapping in mountainous terrain for Landsat climate data record development: Remote Sensing of Environment, v. 135, p. 224–233, at <https://doi.org/10.1016/j.rse.2013.04.004>.
- Crawford, C.J., Roy, D.P., Arab, S., Barnes, C., Vermote, E., Hulley, G., Gerace, A., Choate, M., Engebretson, C., et al., 2023, The 50-year Landsat Collection 2 Archive: Science of Remote Sensing, v. 8, article 100103, at <https://doi.org/10.1016/j.srs.2023.100103>.
- Crawford, C.J., Van Den Bosch, J., Brunt, K.M., Hom, M.G., Cooper, J.W., Harding, D.J., Butler, J.J., Dabney, P.W., Neumann, T.A., et al., 2019, Radiometric calibration of a non-imaging airborne spectrometer to measure the Greenland ice sheet surface: Atmospheric Measurement Techniques, v. 12, no. 3, p. 1913–1933, at <https://doi.org/10.5194/amt-12-1913-2019>.
- Crowley, M.A., Cardille, J.A., White, J.C., and Wulder, M.A., 2019, Generating intra-year metrics of wildfire progression using multiple open-access satellite data streams: Remote Sensing of Environment, v. 232, article 111295, at <https://doi.org/10.1016/j.rse.2019.111295>.
- Crowley, M.A., Cardille, J.A., White, J.C., and Wulder, M.A., 2019, Multi-sensor, multi-scale, Bayesian data synthesis for mapping within-year wildfire progression: Remote Sensing Letters, v. 10, no. 3, p. 302–311, at <https://doi.org/10.1080/2150704X.2018.1536300>.

- Cui, Z., Kerekes, J., and Schott, J.R., 2017, Validation of Landsat-8 OLI image simulation, *in* 2017 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Fort Worth, Tex., 23–28 July 2017, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 3186–3189, at <https://doi.org/10.1109/IGARSS.2017.8127674>.
- Cui, Z., Montanaro, M., Gerace, A., Schott, J.R., and Markham, B., 2015, Requirement sensitivity studies for a future Landsat sensor, *in* Earth Observing Systems XX, San Diego, Calif., 10–13 August 2015, Proceedings of SPIE Vol. 9607: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 96070s, at <https://doi.org/10.1117/12.2188482>.
- Culbert, P.D., Radeloff, V.C., St-Louis, V., Flather, C.H., Rittenhouse, C.D., Albright, T.P., and Pidgeon, A.M., 2012, Modeling broad-scale patterns of avian species richness across the Midwestern United States with measures of satellite image texture: *Remote Sensing of Environment*, v. 118, p. 140–150, at <https://doi.org/10.1016/j.rse.2011.11.004>.
- Cullerton, M., Zhu, Z., Qiu, S., Rittenhouse, C.D., and Suh, J.W., 2025, Back in time—A novel time series and deep learning framework for mapping solar installations: *Science of Remote Sensing*, v. 12, article 100322, at <https://doi.org/10.1016/j.srs.2025.100322>.
- Curasi, S.R., Melton, J.R., Humphreys, E.R., Hermosilla, T., and Wulder, M.A., 2024, Implementing a dynamic representation of fire and harvest including subgrid-scale heterogeneity in the tile-based land surface model CLASSIC v1.45: *Geoscientific Model Development*, v. 17, no. 7, p. 2683–2704, at <https://doi.org/10.5194/gmd-17-2683-2024>.
- Czapla-Myers, J., Anderson, N., Thome, K.J., and Biggar, S., 2014, The absolute radiometric calibration of the Landsat 8 operational land imager using the reflectance-based approach and the radiometric calibration test site (RadCaTS), *in* Earth Observing Systems XIX, San Diego, Calif., 18–20 August 2014, Proceedings of SPIE Vol. 9218: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 921819, at <https://doi.org/10.1117/12.2063321>.
- Czapla-Myers, J., McCorkel, J.T., Anderson, N., and Biggar, S., 2018, Earth-observing satellite intercomparison using the Radiometric Calibration Test Site at Railroad Valley: *Journal of Applied Remote Sensing*, v. 12, no. 1, article 012004, at <https://doi.org/10.1117/1.JRS.12.012004>.
- Czapla-Myers, J., McCorkel, J.T., Anderson, N., Thome, K.J., Biggar, S., Helder, D.L., Aaron, D.B., Leigh, L., and Mishra, N., 2015, The ground-based absolute radiometric calibration of Landsat 8 OLI: *Remote Sensing*, v. 7, no. 1, p. 600–626, at <https://doi.org/10.3390/rs70100600>.

- Czapla-Myers, J., Thome, K.J., Anderson, N., and Biggar, S., 2014, The absolute radiometric calibration of terra imaging sensors—MODIS, MISR, and ASTER, *in* Earth Observing Systems XIX, San Diego, Calif., 18–20 August 2014, Proceedings of SPIE Vol. 9218: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 92180y, at <https://doi.org/10.1117/12.2062529>.
- Czapla-Myers, J., Thome, K.J., and Biggar, S., 2005, Unmanned vicarious calibration for large-footprint sensors, *in* Earth Observing Systems X, San Diego, Calif., 31 July–1 August 2005, Proceedings of SPIE Vol. 5882: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 588218, at <https://doi.org/10.1117/12.618152>.
- Czapla-Myers, J.S., Coburn, C.A., Thome, K.J., Wenny, B.N., and Anderson, N.J., 2018, Directional reflectance studies in support of the Radiometric Calibration Test Site (RadCaTS) at Railroad Valley, *in* Earth Observing Systems XXIII, San Diego, Calif., 12–23 August 2018, Proceedings of SPIE Vol. 10764: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 107640Z, at <https://doi.org/10.1117/12.2320756>.
- Czapla-Myers, J.S., Thome, K.J., Anderson, N.J., Leigh, L.M., Pinto, C.T., and Wenny, B.N., 2024, The ground-based absolute radiometric calibration of the Landsat 9 Operational Land Imager: Remote Sensing, v. 16, no. 6, article 1101, at <https://doi.org/10.3390/rs16061101>.
- Czapla-Myers, J.S., Thome, K.J., Cocilovo, B.R., McCorkel, J.T., and Buchanan, J.H., 2008, Temporal, spectral, and spatial study of the automated vicarious calibration test site at Railroad Valley, Nevada, *in* Earth Observing Systems XIII, San Diego, Calif., 11–13 August 2008, Proceedings of SPIE Vol. 7081: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 70810I, at <https://doi.org/10.1117/12.795551>.
- Czapla-Myers, J.S., Thome, K.J., and Leisso, N.P., 2010, Radiometric calibration of Earth-Observing sensors using an automated test site at Railroad Valley, Nevada: Canadian Journal of Remote Sensing, v. 36, no. 5, p. 474–487, at <https://doi.org/10.5589/m10-076>.
- Czekajlo, A., Coops, N.C., Wulder, M.A., Hermosilla, T., Lu, Y., White, J.C., and van den Bosch, M., 2020, The urban greenness score—A satellite-based metric for multi-decadal characterization of urban land dynamics: International Journal of Applied Earth Observation and Geoinformation, v. 93, article 102210, at <https://doi.org/10.1016/j.jag.2020.102210>.
- Czekajlo, A., Coops, N.C., Wulder, M.A., Hermosilla, T., White, J.C., and van den Bosch, M., 2021, Mapping dynamic peri-urban land use transitions across Canada using Landsat time series—Spatial and temporal trends and associations with socio-demographic factors: Computers, Environment and Urban Systems, v. 88, article 101653, at <https://doi.org/10.1016/j.compenvurbsys.2021.101653>.

- D'Andrimont, R., Verhegghen, A., Meroni, M., Lemoine, G., Strobl, P., Eiselt, B., Yordanov, M., Martinez-Sanchez, L., and Van Der Velde, M., 2021, LUCAS Copernicus 2018—Earth-observation-relevant in situ data on land cover and use throughout the European Union: *Earth System Science Data*, v. 13, no. 3, p. 1119–1133, at <https://doi.org/10.5194/essd-13-1119-2021>.
- D'urso, G., Bolognesi, S.F., Kustas, W.P., Knipper, K.R., Anderson, M.C., Alsina, M.M., Hain, C.R., Alfieri, J.G., Prueger, J.H., et al., 2021, Determining evapotranspiration by using combination equation models with Sentinel-2 data and comparison with thermal-based energy balance in a California irrigated vineyard: *Remote Sensing*, v. 13, no. 18, article 3720, at <https://doi.org/10.3390/rs13183720>.
- Dara, A., Baumann, M., Freitag, M., Hölzel, N., Hostert, P., Kamp, J., Müller, D., Prishchepov, A.V., and Kuemmerle, T., 2020, Annual Landsat time series reveal post-Soviet changes in grazing pressure: *Remote Sensing of Environment*, v. 239, article 111667, at <https://doi.org/10.1016/j.rse.2020.111667>.
- Dara, A., Baumann, M., Hölzel, N., Hostert, P., Kamp, J., Müller, D., Ullrich, B., and Kuemmerle, T., 2020, Post-Soviet land-use change affected fire regimes on the Eurasian steppes: *Ecosystems*, v. 23, p. 943–956, at <https://doi.org/10.1007/s10021-019-00447-w>.
- Dara, A., Baumann, M., Kuemmerle, T., Pflugmacher, D., Rabe, A., Griffiths, P., Hölzel, N., Kamp, J., Freitag, M., et al., 2018, Mapping the timing of cropland abandonment and recultivation in northern Kazakhstan using annual Landsat time series: *Remote Sensing of Environment*, v. 213, p. 49–60, at <https://doi.org/10.1016/j.rse.2018.05.005>.
- Davis, A., Marshak, A., Cahalan, R.F., and Wiscombe, W., 1997, The Landsat scale break in stratocumulus as a three-dimensional radiative transfer effect—Implications for cloud remote sensing: *Journal of the Atmospheric Sciences*, v. 54, no. 2, p. 241–260, at [https://doi.org/10.1175/1520-0469\(1997\)054<0241:TLNBIS>2.0.CO;2](https://doi.org/10.1175/1520-0469(1997)054<0241:TLNBIS>2.0.CO;2).
- De Colstoun, E.B., Story, M.H., Thompson, C., Smith, T.G., and Irons, J.R., 2002, Vegetation mapping using multi-temporal ETM+ data and a decision tree classifier, *in* 2002 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toronto, Canada, 24–28 June 2002, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2890–2892, at <https://doi.org/10.1109/IGARSS.2002.1026812>.
- de la Fuente-Sáiz, D., Ortega-Farías, S., Fonseca, D., Ortega-Salazar, S., Kilic, A., and Allen, R.G., 2017, Calibration of METRIC model to estimate energy balance over a drip-irrigated apple orchard: *Remote Sensing*, v. 9, no. 7, article 670, at <https://doi.org/10.3390/rs9070670>.
- De La Fuente-Sáiz, D., Ortega-Farías, S., Ortega-Salazar, S., Carrasco-Benavides, M., Kilic, A., and Allen, R.G., 2017, Estimation of water requirements for a drip-irrigated apple orchard using Landsat 7 satellite images: *Acta Horticulturae*, v. 1150, p. 181–188, at <https://doi.org/10.17660/ActaHortic.2017.1150.26>.

- DeFries, R., Hansen, M.C., Steining, M., Dubayah, R., Sohlberg, R., and Townshend, J., 1997, Subpixel forest cover in central Africa from multisensor, multitemporal data: *Remote Sensing of Environment*, v. 60, no. 3, p. 228–246, at [https://doi.org/10.1016/S0034-4257\(96\)00119-8](https://doi.org/10.1016/S0034-4257(96)00119-8).
- DeFries, R., Hansen, M.C., and Townshend, J., 1996, Proportional estimation of land cover characteristics from satellite data, *in* 1996 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Lincoln, Nebr., 28–31 May 1996, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 535–537, at <https://doi.org/10.1109/IGARSS.1996.516395>.
- Defries, R., Zhan, X., Defries, R., Townshend, J.R.G., Dimiceli, C., Hansen, M.C., Huang, C., and Sohlberg, R., 2000, The 250 m global land cover change product from the moderate resolution imaging spectroradiometer of NASA's Earth observing system: *International Journal of Remote Sensing*, v. 21, no. 6–7, p. 1433–1460, at <https://doi.org/10.1080/014311600210254>.
- Defries, R.S., Hansen, M.C., and Townshend, J.R.G., 2000, Global continuous fields of vegetation characteristics—A linear mixture model applied to multi-year 8 km AVHRR data: *International Journal of Remote Sensing*, v. 21, no. 6–7, p. 1389–1414, at <https://doi.org/10.1080/014311600210236>.
- DeFries, R.S., Hansen, M.C., Townshend, J.R.G., and Sohlberg, R., 1998, Global land cover classifications at 8 km spatial resolution—The use of training data derived from Landsat imagery in decision tree classifiers: *International Journal of Remote Sensing*, v. 19, no. 16, p. 3141–3168, at <https://doi.org/10.1080/014311698214235>.
- DeFries, R.S., Townshend, J.R.G., and Hansen, M.C., 1999, Continuous fields of vegetation characteristics at the global scale at 1-km resolution: *Journal of Geophysical Research Atmospheres*, v. 104, no. D14, p. 16911–16923, at <https://doi.org/10.1029/1999JD900057>.
- Dempewolf, J., Adusei, B., Becker-Reshef, I., Hansen, M.C., Potapov, P., Khan, A., and Barker, B., 2014, Wheat yield forecasting for Punjab Province from vegetation index time series and historic crop statistics: *Remote Sensing*, v. 6, no. 10, p. 9653–9675, at <https://doi.org/10.3390/rs6109653>.
- Deng, C., Li, C., Zhu, Z., Lin, W., and Xi, L., 2017, Evaluating the impacts of atmospheric correction, seasonality, environmental settings, and multi-temporal images on subpixel urban impervious surface area mapping with Landsat data: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 133, p. 89–103, at <https://doi.org/10.1016/j.isprsjprs.2017.09.015>.
- Deng, C., and Zhu, Z., 2020, Continuous subpixel monitoring of urban impervious surface using Landsat time series: *Remote Sensing of Environment*, v. 238, article 110929, at <https://doi.org/10.1016/j.rse.2018.10.011>.

- Dennison, P.E., Lamb, B.T., Campbell, M.J., Kokaly, R.F., Hively, W.D., Vermote, E., Dabney, P., Serbin, G., Quemada, M., et al., 2023, Modeling global indices for estimating non-photosynthetic vegetation cover: *Remote Sensing of Environment*, v. 295, article 113715, at <https://doi.org/10.1016/j.rse.2023.113715>.
- Deo, R.K., Russell, M.B., Domke, G.M., Andersen, H.E., Cohen, W.B., and Woodall, C.W., 2017, Evaluating site-specific and generic spatial models of aboveground forest biomass based on Landsat Time-Series and LiDAR strip samples in the Eastern USA: *Remote Sensing*, v. 9, no. 6, article 598, at <https://doi.org/10.3390/rs9060598>.
- Deo, R.K., Russell, M.B., Domke, G.M., Woodall, C.W., Falkowski, M.J., and Cohen, W.B., 2017, Using Landsat time-series and LiDAR to inform aboveground forest biomass baselines in northern Minnesota, USA: *Canadian Journal of Remote Sensing*, v. 43, no. 1, p. 28–47, at <https://doi.org/10.1080/07038992.2017.1259556>.
- Derwin, J.M., Thomas, V.A., Wynne, R.H., Coulston, J.W., Liknes, G.C., Bender, S., Blinn, C.E., Brooks, E.B., Rufenacht, B., et al., 2020, Estimating tree canopy cover using harmonic regression coefficients derived from multitemporal Landsat data: *International Journal of Applied Earth Observation and Geoinformation*, v. 86, article 101985, at <https://doi.org/10.1016/j.jag.2019.101985>.
- Dhungel, R., Allen, R.G., and Trezza, R., 2016, Improving iterative surface energy balance convergence for remote sensing based flux calculation: *Journal of Applied Remote Sensing*, v. 10, no. 2, article 026033, at <https://doi.org/10.1117/1.JRS.10.026033>.
- Dhungel, R., Allen, R.G., Trezza, R., and Robison, C.W., 2014, Comparison of latent heat flux using aerodynamic methods and using the penman-monteith method with satellite-based surface energy balance: *Remote Sensing*, v. 6, no. 9, p. 8844–8877, at <https://doi.org/10.3390/rs6098844>.
- Dhungel, R., Allen, R.G., Trezza, R., and Robison, C.W., 2016, Evapotranspiration between satellite overpasses—Methodology and case study in agricultural dominant semi-arid areas: *Meteorological Applications*, v. 23, no. 4, p. 714–730, at <https://doi.org/10.1002/met.1596>.
- Diermayer, E., and Hostert, P., 2007, Assessing post-socialist urban change with Landsat data case study Berlin, Germany, *in* Urban Remote Sensing Joint Event, Paris, France, 11–13 April 2007, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), paper 4234470, at <https://doi.org/10.1109/URS.2007.371871>.
- Dieye, A.M., Roy, D.P., Hanan, N.P., Liu, S., Hansen, M.C., and Touré, A., 2012, Sensitivity analysis of the GEMS soil organic carbon model to land cover land use classification uncertainties under different climate scenarios in senegal: *Biogeosciences*, v. 9, no. 2, p. 631–648, at <https://doi.org/10.5194/bg-9-631-2012>.

- Ding, M., Wang, J., Song, C., Sheng, Y., Hutchinson, J.M.S., Langston, A.L., and Marston, L., 2024, A framework of freshwater and saline lake typology classification through leveraging hydroclimate, spectral, and literature evidence: *Journal of Hydrology*, v. 632, article 130704, at <https://doi.org/10.1016/j.jhydrol.2024.130704>.
- Dolan, K., Masek, J.G., Huang, C., and Sun, G., 2009, Regional forest growth rates measured by combining ICESat GLAS and Landsat data: *Journal of Geophysical Research Biogeosciences*, v. 114, no. 4, article G00E05, at <https://doi.org/10.1029/2008JG000893>.
- Donegan, S.J., and Flynn, L.P., 2004, Comparison of the response of the Landsat 7 Enhanced Thematic Mapper Plus and the Earth Observing-1 Advanced Land Imager over active lava flows: *Journal of Volcanology and Geothermal Research*, v. 135, no. 1–2, p. 105–126, at <https://doi.org/10.1016/j.jvolgeores.2003.12.010>.
- Dong, L., Tang, X., Mensah, F., Abubakari, B.A., Bratley, K.H., Olofsson, P., and Woodcock, C.E., 2025, Near real-time monitoring reveals extensive recent forest disturbance in Ghana's protected areas: *Science of Remote Sensing*, v. 12, article 100299, at <https://doi.org/10.1016/j.srs.2025.100299>.
- Douglas McCuistion, J., Wende, C.D., and Irons, J.R., 2003, Landsat Data Continuity Mission—Creating a unique government-industry partnership for global research, *in* 2003 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toulouse, France, 21–25 July 2003, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1891–1893, at <https://doi.org/10.1109/IGARSS.2003.1294284>.
- Doxani, G., Vermote, E.F., Roger, J.C., Gascon, F., Adriaensen, S., Frantz, D., Hagolle, O., Hollstein, A., Kirches, G., et al., 2018, Atmospheric correction inter-comparison exercise: *Remote Sensing*, v. 10, no. 2, article 352, at <https://doi.org/10.3390/rs10020352>.
- Doxani, G., Vermote, E.F., Roger, J.C., Skakun, S., Gascon, F., Collison, A., De Keukelaere, L., Desjardins, C., Frantz, D., et al., 2023, Atmospheric Correction Inter-comparison eXercise, ACIX-II Land—An assessment of atmospheric correction processors for Landsat 8 and Sentinel-2 over land: *Remote Sensing of Environment*, v. 285, article 113412, at <https://doi.org/10.1016/j.rse.2022.113412>.
- Drummond, M.A., Auch, R.F., Karstensen, K.A., Sayler, K.L., Taylor, J.L., and Loveland, T.R., 2012, Land change variability and human-environment dynamics in the United States Great Plains: *Land Use Policy*, v. 29, no. 3, p. 710–723, at <https://doi.org/10.1016/j.landusepol.2011.11.007>.
- Duane, M.V., Cohen, W.B., Campbell, J.L., Hudiburg, T., Turner, D.P., and Weyermann, D.L., 2010, Implications of alternative field-sampling designs on Landsat-based mapping of stand age and carbon stocks in Oregon forests: *Forest Science*, v. 56, no. 4, p. 405–416, at <https://doi.org/10.1093/forestscience/56.4.405>.

- Dubinina, M., Potapov, P., Lushchekina, A., and Radeloff, V.C., 2010, Reconstructing long time series of burned areas in arid grasslands of southern Russia by satellite remote sensing: *Remote Sensing of Environment*, v. 114, no. 8, p. 1638–1648, at <https://doi.org/10.1016/j.rse.2010.02.010>.
- Duethmann, D., Anderson, M., Maneta, M.P., and Tetzlaff, D., 2024, Improving process-consistency of an ecohydrological model through inclusion of spatial patterns of satellite-derived land surface temperature: *Journal of Hydrology*, v. 628, article 130433, at <https://doi.org/10.1016/j.jhydrol.2023.130433>.
- Duncan, C.C., Klein, A.J., Masek, J.G., and Isacks, B.L., 1998, Comparison of late Pleistocene and modern glacier extents in central Nepal based on digital elevation data and satellite imagery: *Quaternary Research*, v. 49, no. 3, p. 241–254, at <https://doi.org/10.1006/qres.1998.1958>.
- Duncanson, L.I., Niemann, K.O., and Wulder, M.A., 2010, Integration of GLAS and Landsat TM data for aboveground biomass estimation: *Canadian Journal of Remote Sensing*, v. 36, no. 2, p. 129–141, at <https://doi.org/10.5589/m10-037>.
- Dunn, B., Ai, E., Alger, M.J., Fanson, B., Fickas, K.C., Krause, C.E., Lymburner, L., Nanson, R., Papas, P., et al., 2023, Wetlands insight tool—Characterising the surface water and vegetation cover dynamics of individual wetlands using multidecadal Landsat satellite data: *Wetlands*, v. 43, no. 4, article 37, at <https://doi.org/10.1007/s13157-023-01682-7>.
- Duro, D.C., Coops, N.C., Wulder, M.A., and Han, T., 2007, Development of a large area biodiversity monitoring system driven by remote sensing: *Progress in Physical Geography*, v. 31, no. 3, p. 235–260, at <https://doi.org/10.1177/0309133307079054>.
- Dwyer, J.L., 2006, Remotely sensed data available from the US Geological Survey EROS Data Center, *in* Qu, J.J., Gao, W., Kafatos, M., Murphy, R.E., and Salomonson, V.V., eds., *Earth science satellite remote sensing—Data, computational processing, and tools*: Berlin, Germany, Springer, p. 18–51, at [https://doi.org/10.1007/978-3-540-37294-3\\_3](https://doi.org/10.1007/978-3-540-37294-3_3).
- Dwyer, J.L., Dinardo, T., and Muchoney, D., 2011, Developing climate data records and essential climate variables from Landsat data, *in* *Towards operational environmental monitoring*, International Symposium on Remote Sensing of Environment—The GEOSS Era, 34<sup>th</sup>, Sydney, Australia, 10–15 April 2011, Proceedings: Tuscon, Ariz., International Center for Remote Sensing of Environment, p. 1–3, at <https://www.isprs.org/proceedings/2011/ISRSE-34/211104015Final00685.pdf>.
- Dwyer, J.L., Roy, D.P., Sauer, B., Jenkerson, C.B., Zhang, H.K., and Lymburner, L., 2018, Analysis ready data—Enabling analysis of the Landsat archive: *Remote Sensing*, v. 10, no. 9, article 1363, at <https://doi.org/10.3390/rs10091363>.

- Dwyer, J.L., Sayler, K.L., and Zylstra, G.J., 1996, Landsat pathfinder data sets for landscape change analysis, *in* 1996 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Lincoln, Nebr., 28–31 May 1996, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 547–550, at <https://doi.org/10.1109/IGARSS.1996.516399>.
- Dymond, C.C., Mladenoff, D.J., and Radeloff, V.C., 2002, Phenological differences in Tasseled Cap indices improve deciduous forest classification: Remote Sensing of Environment, v. 80, no. 3, p. 460–472, at [https://doi.org/10.1016/S0034-4257\(01\)00324-8](https://doi.org/10.1016/S0034-4257(01)00324-8).
- Efremova, B., Pearlman, A.J., McCorkel, J., Montanaro, M., Hickey, M., Lunsford, A., and Reuter, D., 2018, Landsat 9 thermal infrared sensor 2 subsystem-level spectral test results, *in* 2018 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Valencia, Spain, 22–27 July 2018, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 8849–8852, at <https://doi.org/10.1109/IGARSS.2018.8518669>.
- Eftekhazadeh, S., Wenny, B.N., and Thome, K.J., 2023, On-orbit spatial calibration performance of Landsat 8 and 9 thermal infrared sensors, *in* Infrared Remote Sensing and Instrumentation XXXI, San Diego, Calif., 20–25 August 2023, Proceedings of SPIE Vol. 12686: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 1268603, at <https://doi.org/10.1117/12.2675861>.
- Eftekhazadeh, S., Wenny, B.N., Thome, K.J., Yarahmadi, M., Lampkin, D., Tahersima, M.H., and Voskarian, N., 2024, Assessment of spatial characterization metrics for on-orbit performance of Landsat 8 and 9 thermal infrared sensors: Remote Sensing, v. 16, no. 19, article 3588, at <https://doi.org/10.3390/rs16193588>.
- Egorov, A., Roy, D.P., and Boschetti, L., 2023, Generation and comprehensive validation of 30 m conterminous United States Landsat percent tree cover and forest cover loss annual products: Science of Remote Sensing, v. 7, article 100084, at <https://doi.org/10.1016/j.srs.2023.100084>.
- Egorov, A.V., Hansen, M.C., Roy, D.P., Kommareddy, A., and Potapov, P.V., 2015, Image interpretation-guided supervised classification using nested segmentation: Remote Sensing of Environment, v. 165, p. 135–147, at <https://doi.org/10.1016/j.rse.2015.04.022>.
- Egorov, A.V., Roy, D.P., Zhang, H.K., Hansen, M.C., and Kommareddy, A., 2018, Demonstration of percent tree cover mapping using Landsat Analysis Ready Data (ARD) and sensitivity with respect to Landsat ARD processing level: Remote Sensing, v. 10, no. 2, article 209, at <https://doi.org/10.3390/rs10020209>.
- Egorov, A.V., Roy, D.P., Zhang, H.K., Li, Z., Yan, L., and Huang, H., 2019, Landsat 4, 5 and 7 (1982 to 2017) Analysis Ready Data (ARD) observation coverage over the conterminous United States and implications for terrestrial monitoring: Remote Sensing, v. 11, no. 4, article 447, at <https://doi.org/10.3390/rs11040447>.

- Ehlers, D., Wang, C., Coulston, J., Zhang, Y., Pavelsky, T., Frankenberg, E., Woodcock, C., and Song, C., 2022, Mapping forest aboveground biomass using multisource remotely sensed data: *Remote Sensing*, v. 14, no. 5, article 1115, at <https://doi.org/10.3390/rs14051115>.
- Elmes, A., Levy, C., Erb, A., Hall, D.K., Scambos, T.A., Digirolamo, N., and Schaaf, C., 2021, Consequences of the 2019 Greenland ice sheet melt episode on albedo: *Remote Sensing*, v. 13, no. 2, article 227, at <https://doi.org/10.3390/rs13020227>.
- Elsen, P.R., Farwell, L.S., Pidgeon, A.M., and Radeloff, V.C., 2020, Landsat 8 TIRS-derived relative temperature and thermal heterogeneity predict winter bird species richness patterns across the conterminous United States: *Remote Sensing of Environment*, v. 236, article 111514, at <https://doi.org/10.1016/j.rse.2019.111514>.
- Elsen, P.R., Farwell, L.S., Pidgeon, A.M., and Radeloff, V.C., 2021, Contrasting seasonal patterns of relative temperature and thermal heterogeneity and their influence on breeding and winter bird richness patterns across the conterminous United States: *Ecography*, v. 44, no. 6, p. 953–965, at <https://doi.org/10.1111/ecog.05520>.
- Elvidge, C.D., Milesi, C., Dietz, J.B., Tuttle, B.T., Sutton, P.C., Nemani, R.R., and Vogelmann, J.E., 2004, U.S. constructed area approaches the size of Ohio: *Eos*, v. 85, no. 24, p. 233–233, at <https://doi.org/10.1029/2004EO240001>.
- Eon, R., Wenny, B.N., Poole, E., Eftekharzadeh Kay, S., Montanaro, M., Gerace, A., and Thome, K.J., 2024, Landsat 9 Thermal Infrared Sensor-2 (TIRS-2) pre- and post-launch spatial response performance: *Remote Sensing*, v. 16, no. 6, article 1065, at <https://doi.org/10.3390/rs16061065>.
- Eon, R.S., de Groot, C., Pedelty, J.A., Gerace, A., Montanaro, M., Covington, R.K., DeLisa, A.S., Hsieh, W.T., Henegar-Leon, J.M., et al., 2025, Toward a near-lossless image compression strategy for the NASA/USGS Landsat Next mission: *Remote Sensing of Environment*, v. 329, article 114929, at <https://doi.org/10.1016/j.rse.2025.114929>.
- Erb, A.M., Li, Z., Sun, Q., Paynter, I., Wang, Z., and Schaaf, C., 2022, Evaluation of the Landsat-8 albedo product across the circumpolar domain: *Remote Sensing*, v. 14, no. 21, article 5320, at <https://doi.org/10.3390/rs14215320>.
- Ernst, S., Lymburner, L., and Sixsmith, J., 2018, Implications of pixel quality flags on the observation density of a continental Landsat archive: *Remote Sensing*, v. 10, no. 10, article 1570, at <https://doi.org/10.3390/rs10101570>.
- Esche, H.A., Franklin, S.E., and Wulder, M.A., 2002, Assessing cloud contamination effects on K-means unsupervised classifications of Landsat data, *in* 2002 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toronto, Canada, 24–28 June 2002, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 3387–3389, at <https://doi.org/10.1109/IGARSS.2002.1027191>.

- Estes, A.B., Kuemmerle, T., Kushnir, H., Radeloff, V.C., and Shugart, H.H., 2012, Land-cover change and human population trends in the greater Serengeti ecosystem from 1984-2003: *Biological Conservation*, v. 147, no. 1, p. 255–263, at <https://doi.org/10.1016/j.biocon.2012.01.010>.
- Evelt, S.R., O’Shaughnessy, S.A., Andrade, M.A., Kustas, W.P., Anderson, M.C., Schomberg, H.H., and Thompson, A., 2020, Precision agriculture and irrigation—Current U.S. Perspectives: *Transactions of the ASABE*, v. 63, no. 1, p. 57–67, at <https://doi.org/10.13031/trans.13355>.
- Fagan, M.E., Morton, D.C., Cook, B.D., Masek, J.G., Zhao, F., Nelson, R.F., and Huang, C., 2018, Mapping pine plantations in the southeastern U.S. using structural, spectral, and temporal remote sensing data: *Remote Sensing of Environment*, v. 216, p. 415–426, at <https://doi.org/10.1016/j.rse.2018.07.007>.
- Fahnestock, M., Scambos, T.A., Moon, T., Gardner, A., Haran, T., and Klinger, M., 2016, Rapid large-area mapping of ice flow using Landsat 8: *Remote Sensing of Environment*, v. 185, p. 84–94, at <https://doi.org/10.1016/j.rse.2015.11.023>.
- Fahnestock, M.A., Scambos, T.A., Bindschadler, R.A., and Kvaran, G., 2000, A millennium of variable ice flow recorded by the ross ice shelf, Antarctica: *Journal of Glaciology*, v. 46, no. 155, p. 652–664, at <https://doi.org/10.3189/172756500781832693>.
- Fajardo Rueda, J., Leigh, L., Teixeira Pinto, C., Kaewmanee, M., and Helder, D., 2021, Classification and evaluation of extended pics (Epics) on a global scale for calibration and stability monitoring of optical satellite sensors: *Remote Sensing*, v. 13, no. 17, article 3350, at <https://doi.org/10.3390/rs13173350>.
- Falkowski, M.J., Wulder, M.A., White, J.C., and Gillis, M.D., 2009, Supporting large-area, sample-based forest inventories with very high spatial resolution satellite imagery: *Progress in Physical Geography*, v. 33, no. 3, p. 403–423, at <https://doi.org/10.1177/0309133309342643>.
- Farhad, M.M., Kaewmanee, M., Leigh, L., and Helder, D., 2020, Radiometric cross calibration and validation using 4 angle BRDF model between Landsat 8 and Sentinel 2A: *Remote Sensing*, v. 12, no. 5, article 806, at <https://doi.org/10.3390/rs12050806>.
- Farwell, L.S., Elsen, P.R., Razenkova, E., Pidgeon, A.M., and Radeloff, V.C., 2020, Habitat heterogeneity captured by 30-m resolution satellite image texture predicts bird richness across the United States: *Ecological Applications*, v. 30, no. 8, article e02157, at <https://doi.org/10.1002/eap.2157>.
- Farwell, L.S., Gudex-Cross, D., Anise, I.E., Bosch, M.J., Olah, A.M., Radeloff, V.C., Razenkova, E., Rogova, N., Silveira, E.M.O., et al., 2021, Satellite image texture captures vegetation heterogeneity and explains patterns of bird richness: *Remote Sensing of Environment*, v. 253, article 112175, at <https://doi.org/10.1016/j.rse.2020.112175>.

- Fassnacht, K.S., Cohen, W.B., and Spies, T.A., 2006, Key issues in making and using satellite-based maps in ecology—A primer: *Forest Ecology and Management*, v. 222, no. 1-3, p. 167–181, at <https://doi.org/10.1016/j.foreco.2005.09.026>.
- Feng, D., Zhao, Y., Yu, L., Li, C., Wang, J., Clinton, N., Bai, Y., Belward, A.S., Zhu, Z., et al., 2016, Circa 2014 African land-cover maps compatible with FROM-GLC and GLC2000 classification schemes based on multi-seasonal Landsat data: *International Journal of Remote Sensing*, v. 37, no. 19, p. 4648–4664, at <https://doi.org/10.1080/01431161.2016.1218090>.
- Feng, M., Huang, C., Channan, S., Vermote, E.F., Masek, J.G., and Townshend, J.R., 2012, Quality assessment of Landsat surface reflectance products using MODIS data: *Computers and Geosciences*, v. 38, no. 1, p. 9–22, at <https://doi.org/10.1016/j.cageo.2011.04.011>.
- Feng, M., Sexton, J.O., Huang, C., Masek, J.G., Vermote, E.F., Gao, F., Narasimhan, R., Channan, S., Wolfe, R.E., et al., 2013, Global surface reflectance products from Landsat—Assessment using coincident MODIS observations: *Remote Sensing of Environment*, v. 134, p. 276–293, at <https://doi.org/10.1016/j.rse.2013.02.031>.
- Feng, M., Sexton, J.O., Wang, P., Montesano, P.M., Calle, L., Carvalhais, N., Poulter, B., Macander, M.J., Wulder, M.A., et al., 2026, Northward shift of boreal tree cover confirmed by satellite record: *Biogeosciences*, v. 23, no. 3, p. 1089–1101, at <https://doi.org/10.5194/bg-23-1089-2026>.
- Feng, T., Duncanson, L., Hancock, S., Montesano, P., Skakun, S., Wulder, M.A., White, J.C., Minor, D., and Loboda, T., 2024, Characterizing fire-induced forest structure and aboveground biomass changes in boreal forests using multitemporal lidar and Landsat: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 17, p. 10108–10125, at <https://doi.org/10.1109/JSTARS.2024.3400218>.
- Fetene, A., Hilker, T., Yeshitela, K., Prasse, R., Cohen, W.B., and Yang, Z., 2016, Detecting trends in landuse and landcover change of Nech Sar National Park, Ethiopia: *Environmental Management*, v. 57, no. 1, p. 137–147, at <https://doi.org/10.1007/s00267-015-0603-0>.
- Fickas, K.C., Cohen, W.B., and Yang, Z., 2016, Landsat-based monitoring of annual wetland change in the Willamette Valley of Oregon, USA from 1972 to 2012: *Wetlands Ecology and Management*, v. 24, no. 1, p. 73–92, at <https://doi.org/10.1007/s11273-015-9452-0>.
- Fisher, J.B., Dohlen, M.B., Halverson, G.H., Collison, J.W., Pearson, C., and Huntington, J.L., 2023, Remotely sensed terrestrial open water evaporation: *Scientific Reports*, v. 13, no. 1, article 8174, at <https://doi.org/10.1038/s41598-023-34921-2>.

- Flynn, L.P., Harris, A.J.L., Rothery, D.A., and Oppenheimer, C., 2000, High-spatial-resolution thermal remote sensing of active volcanic features using Landsat and hyperspectral data, *in* Mouginis-Mark, P.J., Crisp, J.A., and Fink, J.H., eds., *Remote sensing of active volcanism*, Geophysical monograph 116: Washington, D.C., American Geophysical Union, p. 161–177, at <https://doi.org/10.1029/GM116p0161>.
- Flynn, L.P., Harris, A.J.L., and Wright, R., 2001, Improved identification of volcanic features using Landsat 7 ETM+: *Remote Sensing of Environment*, v. 78, no. 1–2, p. 180–193, at [https://doi.org/10.1016/S0034-4257\(01\)00258-9](https://doi.org/10.1016/S0034-4257(01)00258-9).
- Foga, S., Scaramuzza, P.L., Guo, S., Zhu, Z., Dilley, R.D., Jr., Beckmann, T., Schmidt, G.L., Dwyer, J.L., Joseph Hughes, M., et al., 2017, Cloud detection algorithm comparison and validation for operational Landsat data products: *Remote Sensing of Environment*, v. 194, p. 379–390, at <https://doi.org/10.1016/j.rse.2017.03.026>.
- Foley, D., Thenkabail, P., Oliphant, A., Aneece, I., and Teluguntla, P., 2023, Crop water productivity from cloud-based Landsat helps assess California’s water savings: *Remote Sensing*, v. 15, no. 19, article 4894, at <https://doi.org/10.3390/rs15194894>.
- Förster, M., Schmidt, T., Gärtner, P., Kleinschmit, B., Gao, F., and Möller, M., 2015, Evaluating the temporal stability of synthetically generated time-series for crop types in Central Germany, *in* *Analysis of Multitemporal Remote Sensing Images (Multi-Temp)*, International Workshop, 8<sup>th</sup>, Annecy, France, 22–24 July 2015, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), paper 7245811, at <https://doi.org/10.1109/Multi-Temp.2015.7245811>.
- Franch, B., Vermote, E., Skakun, S., Roger, J.C., Masek, J., Ju, J., Villaescusa-Nadal, J.L., and Santamaria-Artigas, A., 2019, A method for Landsat and Sentinel 2 (HLS) BRDF normalization: *Remote Sensing*, v. 11, no. 6, article 632, at <https://doi.org/10.3390/rs11060632>.
- Franch, B., Vermote, E., Skakun, S., Roger, J.C., Santamaria-Artigas, A., Villaescusa-Nadal, J.L., and Masek, J., 2018, Toward Landsat and Sentinel-2 BRDF normalization and albedo estimation—A case study in the Peruvian Amazon Forest: *Frontiers in Earth Science*, v. 6, article 185, at <https://doi.org/10.3389/feart.2018.00185>.
- Franch, B., Vermote, E.F., and Claverie, M., 2014, Intercomparison of Landsat albedo retrieval techniques and evaluation against in situ measurements across the US SURFRAD network: *Remote Sensing of Environment*, v. 152, p. 627–637, at <https://doi.org/10.1016/j.rse.2014.07.019>.
- Francini, S., Hermosilla, T., Coops, N.C., Wulder, M.A., White, J.C., and Chirici, G., 2023, An assessment approach for pixel-based image composites: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 202, p. 1–12, at <https://doi.org/10.1016/j.isprsjprs.2023.06.002>.
- Franklin, J., Woodcock, C.E., and Warbington, R., 2000, Multi-attribute vegetation maps of Forest Service lands in California supporting resource management decisions: *Photogrammetric Engineering & Remote Sensing*, v. 66, no. 10, p. 1209–1217.

- Franklin, S.E., Ahmed, O.S., Wulder, M.A., White, J.C., Hermosilla, T., and Coops, N.C., 2015, Large area mapping of annual land cover dynamics using multitemporal change detection and classification of Landsat time series data: *Canadian Journal of Remote Sensing*, v. 41, no. 4, p. 293–314, at <https://doi.org/10.1080/07038992.2015.1089401>.
- Franklin, S.E., Lavigne, M.B., Deuling, M.A., Wulder, M.A., and Hunt, E.R., Jr., 1997, Landsat TM derived forest cover types for modelling net primary production: *Canadian Journal of Remote Sensing*, v. 23, no. 3, p. 243–251, at <https://doi.org/10.1080/07038992.1997.10855206>.
- Franklin, S.E., Lavigne, M.B., Deuling, M.J., Wulder, M.A., and Hunt, E.R., 1997, Estimation of forest leaf area index using remote sensing and GIS data for modelling net primary production: *International Journal of Remote Sensing*, v. 18, no. 16, p. 3459–3471, at <https://doi.org/10.1080/014311697216973>.
- Franklin, S.E., Lavigne, M.B., Wulder, M.A., and Mc Caffrey, T.M., 2002, Large-area forest structure change detection—An example: *Canadian Journal of Remote Sensing*, v. 28, no. 4, p. 588–592, at <https://doi.org/10.5589/m02-048>.
- Franklin, S.E., Lavigne, M.B., Wulder, M.A., and Stenhouse, G.B., 2002, Change detection and landscape structure mapping using remote sensing: *Forestry Chronicle*, v. 78, no. 5, p. 618–625, at <https://doi.org/10.5558/tfc78618-5>.
- Franklin, S.E., Moskal, L.M., McCaffrey, T.M., Lavigne, M.B., and Wulder, M.A., 2001, Interpretation of forest harvest conditions in New Brunswick using Landsat TM enhanced wetness difference imagery (EWDI): *Canadian Journal of Remote Sensing*, v. 27, no. 2, p. 118–128, at <https://doi.org/10.1080/07038992.2001.10854926>.
- Franklin, S.E., Wulder, M.A., Skakun, R.S., and Carroll, A.L., 2003, Mountain pine beetle red-attack forest damage classification using stratified Landsat TM data in British Columbia, Canada: *Photogrammetric Engineering & Remote Sensing*, v. 69, no. 3, p. 283–288, at <https://doi.org/10.14358/PERS.69.3.283>.
- Franks, S., and Masek, J.G., 2007, How many bits? Radiometric resolution as a factor in obtaining forestry information with remotely sensed measurements, *in* 2007 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Barcelona, Spain, 23–28 July 2007, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1291–1294, at <https://doi.org/10.1109/IGARSS.2007.4423042>.
- Franks, S., Masek, J.G., Headley, R.M.K., Gasch, J., and Arvidson, T., 2009, Large area scene selection interface (LASSI)—Methodology of selecting Landsat imagery for The Global Land Survey 2005: *Photogrammetric Engineering & Remote Sensing*, v. 75, no. 11, p. 1287–1296, at <https://doi.org/10.14358/PERS.75.11.1287>.

- Franks, S., Masek, J.G., and Turner, M.G., 2013, Monitoring forest regrowth following large scale fire using satellite data—A case study of Yellowstone National Park, USA: *European Journal of Remote Sensing*, v. 46, no. 1, p. 561–569, at <https://doi.org/10.5721/EuJRS20134632>.
- Frantz, D., Hostert, P., Rufin, P., Ernst, S., Röder, A., and van der Linden, S., 2022, Revisiting the past—Replicability of a historic long-term vegetation dynamics assessment in the era of big data analytics: *Remote Sensing*, v. 14, no. 3, article 597, at <https://doi.org/10.3390/rs14030597>.
- Frantz, D., Rufin, P., Janz, A., Ernst, S., Pflugmacher, D., Schug, F., and Hostert, P., 2023, Understanding the robustness of spectral-temporal metrics across the global Landsat archive from 1984 to 2019 – a quantitative evaluation: *Remote Sensing of Environment*, v. 298, article 113823, at <https://doi.org/10.1016/j.rse.2023.113823>.
- Frantz, D., Stellmes, M., and Hostert, P., 2019, A global MODIS water vapor database for the operational atmospheric correction of historic and recent Landsat imagery: *Remote Sensing*, v. 11, no. 3, article 257, at <https://doi.org/10.3390/rs11030257>.
- Frazier, R.J., Coops, N.C., and Wulder, M.A., 2015, Boreal Shield forest disturbance and recovery trends using Landsat time series: *Remote Sensing of Environment*, v. 170, p. 317–327, at <https://doi.org/10.1016/j.rse.2015.09.015>.
- Frazier, R.J., Coops, N.C., Wulder, M.A., Hermosilla, T., and White, J.C., 2018, Analyzing spatial and temporal variability in short-term rates of post-fire vegetation return from Landsat time series: *Remote Sensing of Environment*, v. 205, p. 32–45, at <https://doi.org/10.1016/j.rse.2017.11.007>.
- Frazier, R.J., Coops, N.C., Wulder, M.A., and Kennedy, R.E., 2014, Characterization of aboveground biomass in an unmanaged boreal forest using Landsat temporal segmentation metrics: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 92, p. 137–146, at <https://doi.org/10.1016/j.isprsjprs.2014.03.003>.
- Friedl, M.A., McIver, D.K., Hodges, J.C.F., Zhang, X.Y., Muchoney, D., Strahler, A.H., Woodcock, C.E., Gopal, S., Schneider, A., et al., 2002, Global land cover mapping from MODIS—Algorithms and early results: *Remote Sensing of Environment*, v. 83, no. 1–2, p. 287–302, at [https://doi.org/10.1016/S0034-4257\(02\)00078-0](https://doi.org/10.1016/S0034-4257(02)00078-0).
- Friedl, M.A., Woodcock, C.E., Olofsson, P., Zhu, Z., Loveland, T.R., Stanimirova, R., Arévalo, P., Bullock, E.L., Hu, K.T., et al., 2022, Medium spatial resolution mapping of global land cover and land cover change across multiple decades from Landsat: *Frontiers in Remote Sensing*, v. 3, article 894571, at <https://doi.org/10.3389/frsen.2022.894571>.
- Fu, Y., Li, R., Zhu, Z., Xue, Y., Ding, H., Wang, X., Na, J., and Xia, W., 2024, SCARF—A new algorithm for continuous prediction of biomass dynamics using machine learning and Landsat time series: *Remote Sensing of Environment*, v. 314, article 114348, at <https://doi.org/10.1016/j.rse.2024.114348>.

- Fu, Y., Zhu, Z., Liu, L., Zhan, W., He, T., Shen, H., Zhao, J., Liu, Y., Zhang, H., et al., 2024, Remote sensing time series analysis—A review of data and applications: *Journal of Remote Sensing*, v. 4, article 0285, at <https://doi.org/10.34133/remotesensing.0285>.
- Gaffney, R., Porensky, L.M., Gao, F., Irisarri, J.G., Durante, M., Derner, J.D., and Augustine, D.J., 2018, Using APAR to predict aboveground plant productivity in semi-arid rangelands—Spatial and temporal relationships differ: *Remote Sensing*, v. 10, no. 9, article 1474, at <https://doi.org/10.3390/rs10091474>.
- Gallo, K., Stensaas, G., Dwyer, J.L., and Longhenry, R., 2018, A Land Product Characterization System for comparative analysis of satellite data and products: *Remote Sensing*, v. 10, no. 1, article 48, at <https://doi.org/10.3390/rs10010048>.
- Ganguly, S., Nemani, R.R., Knyazikhin, Y., Wang, W., Hashimoto, H., Votava, P., Michaelis, A., Milesi, C., Dungan, J.L., et al., 2010, A physically based approach in retrieving vegetation leaf area index from Landsat surface reflectance data, *in* Evolution in remote sensing, Workshop on Hyperspectral Image and Signal Processing, 2<sup>nd</sup>, Reykjavik, Iceland, 14–16 June 2010, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), paper 5594875, at <https://doi.org/10.1109/WHISPERS.2010.5594875>.
- Ganguly, S., Nemani, R.R., Zhang, G., Hashimoto, H., Milesi, C., Michaelis, A., Wang, W., Votava, P., Samanta, A., et al., 2012, Generating global Leaf Area Index from Landsat—Algorithm formulation and demonstration: *Remote Sensing of Environment*, v. 122, p. 185–202, at <https://doi.org/10.1016/j.rse.2011.10.032>.
- Gao, F., 2013, Integrating Landsat with MODIS products for vegetation monitoring, *in* Qu, J., Powell, A., and Sivakumar, M.V.K., eds., *Satellite-based applications on climate change*: Dordrecht, Netherlands, Springer, p. 247–261, at [https://doi.org/10.1007/978-94-007-5872-8\\_16](https://doi.org/10.1007/978-94-007-5872-8_16).
- Gao, F., and Anderson, M., 2019, Evaluating yield variability of corn and soybean using Landsat-8, Sentinel-2 and MODIS in Google Earth Engine, *in* 2019 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Yokohama, Japan, 28 July–2 August 2019, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 7286–7289, at <https://doi.org/10.1109/IGARSS.2019.8897990>.
- Gao, F., Anderson, M., Daughtry, C., and Johnson, D., 2018, Assessing the variability of corn and soybean yields in central Iowa using high spatiotemporal resolution multi-satellite imagery: *Remote Sensing*, v. 10, no. 9, article 1489, at <https://doi.org/10.3390/rs10091489>.
- Gao, F., Anderson, M., Daughtry, C., Karnieli, A., Hively, D., and Kustas, W., 2020, A within-season approach for detecting early growth stages in corn and soybean using high temporal and spatial resolution imagery: *Remote Sensing of Environment*, v. 242, article 111752, at <https://doi.org/10.1016/j.rse.2020.111752>.

- Gao, F., Anderson, M., and Houborg, R., 2024, Impacts of spatial and temporal resolution on remotely sensed corn and soybean emergence detection: *Remote Sensing*, v. 16, no. 22, article 4145, at <https://doi.org/10.3390/rs16224145>.
- Gao, F., Anderson, M.C., Johnson, D.M., Seffrin, R., Wardlow, B., Suyker, A., Diao, C., and Browning, D.M., 2021, Towards routine mapping of crop emergence within the season using the harmonized Landsat and Sentinel-2 dataset: *Remote Sensing*, v. 13, no. 24, article 5074, at <https://doi.org/10.3390/rs13245074>.
- Gao, F., Anderson, M.C., Kustas, W.P., and Houborg, R., 2014, Retrieving leaf area index from Landsat using MODIS LAI products and field measurements: *IEEE Geoscience and Remote Sensing Letters*, v. 11, no. 4, p. 773–777, at <https://doi.org/10.1109/LGRS.2013.2278782>.
- Gao, F., Anderson, M.C., and Xie, D., 2016, Spatial and temporal information fusion for crop condition monitoring, in *2016 IEEE International Geoscience and Remote Sensing Symposium (IGARSS)*, Beijing, China, 10–15 July 2016, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 3579–3582, at <https://doi.org/10.1109/IGARSS.2016.7729927>.
- Gao, F., Anderson, M.C., Zhang, X., Yang, Z., Alfieri, J.G., Kustas, W.P., Mueller, R., Johnson, D.M., and Prueger, J.H., 2017, Toward mapping crop progress at field scales through fusion of Landsat and MODIS imagery: *Remote Sensing of Environment*, v. 188, p. 9–25, at <https://doi.org/10.1016/j.rse.2016.11.004>.
- Gao, F., de Colstoun, E.B., Ma, R., Weng, Q., Masek, J.G., Chen, J., Pan, Y., and Song, C., 2012, Mapping impervious surface expansion using medium-resolution satellite image time series—A case study in the Yangtze River Delta, China: *International Journal of Remote Sensing*, v. 33, no. 24, p. 7609–7628, at <https://doi.org/10.1080/01431161.2012.700424>.
- Gao, F., He, T., Masek, J.G., Shuai, Y., Schaaf, C.B., and Wang, Z., 2014, Angular effects and correction for medium resolution sensors to support crop monitoring: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 7, no. 11, article 2343592, at <https://doi.org/10.1109/JSTARS.2014.2343592>.
- Gao, F., Hilker, T., Zhu, X., Anderson, M.C., Masek, J.G., Wang, P., and Yang, Y., 2015, Fusing Landsat and MODIS data for vegetation monitoring: *IEEE Geoscience and Remote Sensing Magazine*, v. 3, no. 3, p. 47–60, at <https://doi.org/10.1109/MGRS.2015.2434351>.
- Gao, F., Jennewein, J., Hively, W.D., Soroka, A., Thieme, A., Bradley, D., Keppler, J., Mirsky, S., and Akumaga, U., 2023, Near real-time detection of winter cover crop termination using harmonized Landsat and Sentinel-2 (HLS) to support ecosystem assessment: *Science of Remote Sensing*, v. 7, article 100073, at <https://doi.org/10.1016/j.srs.2022.100073>.

- Gao, F., and Masek, J.G., 2006, Mapping wildland fire scar using fused Landsat and MODIS surface reflectance, *in* 2006 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Denver, Colo., 31 July–4 August 2006, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 4172–4175, at <https://doi.org/10.1109/IGARSS.2006.1070>.
- Gao, F., and Masek, J.G., 2008, Normalizing ASTER data using MODIS products for land cover classification, *in* 21<sup>st</sup> Congress of the International Society for Photogrammetry and Remote Sensing, ISPRS 2008, Beijing, China, 3–11 July 2008, ISPRS Archives, Vol. XXXVII, Pt. B7: Lemmer, Netherlands, International Society for Photogrammetry and Remote Sensing, p. 1209–1213, at [https://www.isprs.org/proceedings/XXXVII/congress/7\\_pdf/6\\_WG-VII-6/28.pdf](https://www.isprs.org/proceedings/XXXVII/congress/7_pdf/6_WG-VII-6/28.pdf).
- Gao, F., Masek, J.G., Pan, Y., Wu, L., and Bounoua, L., 2009, Mapping continuous urbanization from multi-temporal moderate resolution sensors—A case study on Yangtze Delta, China, *in* 5<sup>th</sup> International Workshop on the Analysis of Multi-Temporal Remote Sensing Images 2009, MultiTemp 2009, Groton, Conn., 28–30 July 2009, Proceedings: Center for Land Use Education and Research, p. 291–298.
- Gao, F., Masek, J.G., Schwaller, M., and Hall, F., 2006, On the blending of the Landsat and MODIS surface reflectance—Predicting daily Landsat surface reflectance: IEEE Transactions on Geoscience and Remote Sensing, v. 44, no. 8, p. 2207–2218, at <https://doi.org/10.1109/TGRS.2006.872081>.
- Gao, F., Masek, J.G., and Wolfe, R.E., 2009, Automated registration and orthorectification package for Landsat and Landsat-like data processing: Journal of Applied Remote Sensing, v. 3, no. 1, article 033515, at <https://doi.org/10.1117/1.3104620>.
- Gao, F., Masek, J.G., Wolfe, R.E., and Huang, C., 2010, Building a consistent medium resolution satellite data set using moderate resolution imaging spectroradiometer products as reference: Journal of Applied Remote Sensing, v. 4, no. 1, article 043526, at <https://doi.org/10.1117/1.3430002>.
- Gao, F., Masek, J.G., Wolfe, R.E., and Tan, B., 2010, Normalizing Landsat and ASTER data using MODIS data products for forest change detection, *in* 2010 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Honolulu, Hawaii, 25–30 July 2010, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 3206–3209, at <https://doi.org/10.1109/IGARSS.2010.5650978>.
- Gao, F., Shuai, Y., He, T., Schaaf, C.B., Masek, J.G., and Wang, Z., 2013, Influence of angular effects and adjustment on medium resolution sensors for crop monitoring, *in* International Conference on Agro-Geoinformatics, 2<sup>nd</sup>, Fairfax, Va., 12–16 August 2013, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 296–301, at <https://doi.org/10.1109/Argo-Geoinformatics.2013.6621925>.

- Gao, F., Wang, P., and Masek, J.G., 2013, Integrating remote sensing data from multiple optical sensors for ecological and crop condition monitoring, *in* Remote Sensing and Modeling of Ecosystems for Sustainability X, San Diego, Calif., 26–29 August 2013, Proceedings of SPIE Vol. 8869: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 886903, at <https://doi.org/10.1117/12.2023417>.
- Gao, F., Wang, Y., and Zhang, Y., 2020, Evaluation of the Crosta method for the retrieval of water quality parameters from remote sensing data in the Pearl River Estuary: Water Quality Research Journal of Canada, v. 55, no. 2, p. 209–220, at <https://doi.org/10.2166/wqrj.2020.024>.
- Gao, F., and Zhang, X., 2021, Mapping crop phenology in near real-time using satellite remote sensing—Challenges and opportunities: Journal of Remote Sensing, v. 2021, article 8379391, at <https://doi.org/10.34133/2021/8379391>.
- Gao, R., Torres-Rua, A.F., Nieto, H., Zahn, E., Hipps, L., Kustas, W.P., Alsina, M.M., Bambach, N., Castro, S.J., et al., 2023, ET partitioning assessment using the TSEB Model and sUAS information across California Central Valley vineyards: Remote Sensing, v. 15, no. 3, article 756, at <https://doi.org/10.3390/rs15030756>.
- Garcia-Garcia, A., Stradiotti, P., Di Paolo, F., Filippucci, P., Fischer, M., Orsag, M., Brocca, L., Peng, J., Dorigo, W., et al., 2026, Intercomparison of Earth Observation products for hyper-resolution hydrological modelling over Europe: Remote Sensing of Environment, v. 333, article 115131, at <https://doi.org/10.1016/j.rse.2025.115131>.
- Gardner, A.S., Moholdt, G., Scambos, T.A., Fahnestock, M., Ligtenberg, S., Van Den Broeke, M., and Nilsson, J., 2018, Increased West Antarctic and unchanged East Antarctic ice discharge over the last 7 years: Cryosphere, v. 12, no. 2, p. 521–547, at <https://doi.org/10.5194/tc-12-521-2018>.
- Gartley, M., and Schott, J.R., 2013, Serendipitous imaging of space objects with the advanced land imager: IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, v. 6, no. 2, p. 440–445, at <https://doi.org/10.1109/JSTARS.2012.2222874>.
- Gasch, J., Arvidson, T., and Goward, S.N., 2000, Fire and ice—An assessment of Landsat 7/ETM+ acquisitions over glaciers, volcanoes, Antarctica and sea ice, *in* 2000 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Honolulu, Hawaii, 24–28 July 2000, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 457–459, at <https://doi.org/10.1109/IGARSS.2000.861595>.

- Gasch, J., Arvidson, T., Goward, S.N., Andrefouet, S., Hu, C., and Muller-Karger, F.E., 2000, Assessment of Landsat 7/ETM+ coverage of coral reefs worldwide, *in* 2000 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Honolulu, Hawaii, 24–28 July 2000, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2687–2689, at <https://doi.org/10.1109/IGARSS.2000.859682>.
- Gaulton, R., Hilker, T., Wulder, M.A., Coops, N.C., and Stenhouse, G., 2011, Characterizing stand-replacing disturbance in western Alberta grizzly bear habitat, using a satellite-derived high temporal and spatial resolution change sequence: *Forest Ecology and Management*, v. 261, no. 4, p. 865–877, at <https://doi.org/10.1016/j.foreco.2010.12.020>.
- Gavier-Pizarro, G.I., Kuemmerle, T., Hoyos, L.E., Stewart, S.I., Huebner, C.D., Keuler, N.S., and Radeloff, V.C., 2012, Monitoring the invasion of an exotic tree (*Ligustrum lucidum*) from 1983 to 2006 with Landsat TM/ETM+ satellite data and Support Vector Machines in Córdoba, Argentina: *Remote Sensing of Environment*, v. 122, p. 134–145, at <https://doi.org/10.1016/j.rse.2011.09.023>.
- Gentile, A., Pierce, L., Ciruolo, G., Zhang, G., La Loggia, G., and Nemani, R.R., 2009, Comparison between energy balance and mass balance models for actual evapotranspiration assessment, *in* Remote Sensing for Agriculture, Ecosystems, and Hydrology XI, Berlin, Germany, 1–3 September 2009, Proceedings of SPIE Vol. 7472: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 747212, at <https://doi.org/10.1117/12.830229>.
- Gerace, A., Gartley, M., Schott, J.R., Raqueño, N., and Raqueño, R., 2011, Data-driven simulations of the Landsat Data Continuity Mission (LDCM) platform, *in* Algorithms and Technologies for Multispectral, Hyperspectral, and Ultraspectral Imagery XVII, Orlando, Fla., 25–28 April 2011, Proceedings of SPIE Vol. 8048: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 804815, at <https://doi.org/10.1117/12.885561>.
- Gerace, A., and Schott, J.R., 2008, An increased potential for the Landsat data continuity mission to contribute to water quality studies for inland, case 2 waters, *in* 2008 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Boston, Mass., 7–11 July 2008, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. IV379–IV382, at <https://doi.org/10.1109/IGARSS.2008.4779737>.
- Gerace, A., and Schott, J.R., 2009, The increased potential for the Landsat Data Continuity Mission to contribute to case 2 water quality studies, *in* Earth Observing Systems XIV, San Diego, Calif., 3–5 August 2009, Proceedings of SPIE Vol. 7452: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 74520U, at <https://doi.org/10.1117/12.825271>.
- Gerace, A., Schott, J.R., Gartley, M., and Montanaro, M., 2014, An analysis of the side slither on-orbit calibration technique using the DIRSIG model: *Remote Sensing*, v. 6, no. 11, p. 10523–10545, at <https://doi.org/10.3390/rs6110523>.

- Gerace, A.D., and Schott, J.R., 2012, Over-water atmospheric correction for Landsat's new OLI sensor, *in* Ocean Sensing and Monitoring IV, Baltimore, Md., 24–26 April 2012, Proceedings of SPIE Vol. 8372: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 837211, at <https://doi.org/10.1117/12.919304>.
- Gerace, A.D., Schott, J.R., Brown, S.D., and Gartley, M.G., 2012, Using DIRSIG to identify uniform sites and demonstrate the utility of the side-slither calibration technique for Landsat's new pushbroom instruments, *in* Algorithms and Technologies for Multispectral, Hyperspectral, and Ultraspectral Imagery XVIII, Baltimore, Md., 23–27 April 2012, Proceedings of SPIE Vol. 8390: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 83902a, at <https://doi.org/10.1117/12.919327>.
- Gerace, A.D., Schott, J.R., and Nevins, R., 2013, Increased potential to monitor water quality in the near-shore environment with Landsat's next-generation satellite: *Journal of Applied Remote Sensing*, v. 7, no. 1, article 12428, at <https://doi.org/10.1117/1.JRS.7.073558>.
- Ghannam, S., Awadallah, M., Abbott, A.L., and Wynne, R.H., 2014, Multisensor multitemporal data fusion using the wavelet transform, *in* ISPRS Technical Commission I Symposium, Denver, Colo., 17–20 November 2014, ISPRS Archives, XL-1: Bethesda, Md., International Society for Photogrammetry and Remote Sensing, p. 121–128, at <https://doi.org/10.5194/isprsarchives-XL-1-121-2014>.
- Gibson, G.R., Campbell, J.B., and Wynne, R.H., 2012, Three decades of war and food insecurity in Iraq: *Photogrammetric Engineering & Remote Sensing*, v. 78, no. 8, p. 885–895, at <https://doi.org/10.14358/PERS.78.8.895>.
- Giglio, L., Boschetti, L., Roy, D.P., Hall, J.V., Zubkova, M., Humber, M., Huang, H., and Oles, V., 2025, The NASA VIIRS burned area product, global validation, and intercomparison with the NASA MODIS burned area product: *Remote Sensing of Environment*, v. 331, article 115006, at <https://doi.org/10.1016/j.rse.2025.115006>.
- Giglio, L., Boschetti, L., Roy, D.P., Humber, M.L., and Justice, C.O., 2018, The Collection 6 MODIS burned area mapping algorithm and product: *Remote Sensing of Environment*, v. 217, p. 72–85, at <https://doi.org/10.1016/j.rse.2018.08.005>.
- Giglio, L., Loboda, T., Roy, D.P., Quayle, B., and Justice, C.O., 2009, An active-fire based burned area mapping algorithm for the MODIS sensor: *Remote Sensing of Environment*, v. 113, no. 2, p. 408–420, at <https://doi.org/10.1016/j.rse.2008.10.006>.
- Gillanders, S.N., Coops, N.C., Wulder, M.A., Gergel, S.E., and Nelson, T., 2008, Multitemporal remote sensing of landscape dynamics and pattern change—Describing natural and anthropogenic trends: *Progress in Physical Geography*, v. 32, no. 5, p. 503–528, at <https://doi.org/10.1177/0309133308098363>.

- Gillanders, S.N., Coops, N.C., Wulder, M.A., and Goodwin, N.R., 2008, Application of Landsat satellite imagery to monitor land-cover changes at the Athabasca Oil Sands, Alberta, Canada: *Canadian Geographer*, v. 52, no. 4, p. 466–485, at <https://doi.org/10.1111/j.1541-0064.2008.00225.x>.
- Giree, N., Stehman, S.V., Potapov, P., and Hansen, M.C., 2013, A sample-based forest monitoring strategy using Landsat, AVHRR and MODIS data to estimate gross forest cover loss in malaysia between 1990 and 2005: *Remote Sensing*, v. 5, no. 4, p. 1842–1855, at <https://doi.org/10.3390/rs5041842>.
- Giri, C., Ochieng, E., Tieszen, L.L., Zhu, Z., Singh, A., Loveland, T.R., Masek, J.G., and Duke, N., 2011, Status and distribution of mangrove forests of the world using Earth observation satellite data: *Global Ecology and Biogeography*, v. 20, no. 1, p. 154–159, at <https://doi.org/10.1111/j.1466-8238.2010.00584.x>.
- Giri, C., Pengra, B., Long, J., and Loveland, T.R., 2013, Next generation of global land cover characterization, mapping, and monitoring: *International Journal of Applied Earth Observation and Geoinformation*, v. 25, no. 1, p. 30–37, at <https://doi.org/10.1016/j.jag.2013.03.005>.
- Gitas, I.Z., Chuvieco, E., and Justice, C.O., 2008, Introduction to the issue on wildland fires and biomass burning: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 1, no. 4, p. 218–219, at <https://doi.org/10.1109/JSTARS.2009.2014093>.
- Gitelson, A.A., Peng, Y., Masek, J.G., Rundquist, D.C., Verma, S., Suyker, A., Baker, J.M., Hatfield, J.L., and Meyers, T., 2012, Remote estimation of crop gross primary production with Landsat data: *Remote Sensing of Environment*, v. 121, p. 404–414, at <https://doi.org/10.1016/j.rse.2012.02.017>.
- Gitelson, A.A., Viña, A., Masek, J.G., Verma, S.B., and Suyker, A.E., 2008, Synoptic monitoring of gross primary productivity of maize using Landsat data: *IEEE Geoscience and Remote Sensing Letters*, v. 5, no. 2, p. 133–137, at <https://doi.org/10.1109/LGRS.2008.915598>.
- Glasser, N.F., Scambos, T.A., Bohlander, J., Truffer, M., Pettit, E., and Davies, B.J., 2011, From ice-shelf tributary to tidewater glacier—Continued rapid recession, acceleration and thinning of Röhss Glacier following the 1995 collapse of the Prince Gustav Ice Shelf, Antarctic Peninsula: *Journal of Glaciology*, v. 57, no. 203, p. 397–406, at <https://doi.org/10.3189/002214311796905578>.
- Goetz, A.F.H., 2009, Three decades of hyperspectral remote sensing of the Earth—A personal view: *Remote Sensing of Environment*, v. 113, no. S1, p. S5–S16, at <https://doi.org/10.1016/j.rse.2007.12.014>.
- Goetz, A.F.H., 2011, Measuring the Earth from above—30 years (and counting) of hyperspectral imaging: *Photonics Spectra*, v. 45, no. 6, p. 42–47, at <https://www.photonicsspectra-digital.com/photonicsspectra/201106?pg=42#pg42>.

- Gómez, C., White, J.C., and Wulder, M.A., 2011, Characterizing the state and processes of change in a dynamic forest environment using hierarchical spatio-temporal segmentation: *Remote Sensing of Environment*, v. 115, no. 7, p. 1665–1679, at <https://doi.org/10.1016/j.rse.2011.02.025>.
- Gómez, C., White, J.C., and Wulder, M.A., 2016, Optical remotely sensed time series data for land cover classification—A review: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 116, p. 55–72, at <https://doi.org/10.1016/j.isprsjprs.2016.03.008>.
- Gómez, C., White, J.C., Wulder, M.A., and Alejandro, P., 2014, Historical forest biomass dynamics modelled with Landsat spectral trajectories: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 93, p. 14–28, at <https://doi.org/10.1016/j.isprsjprs.2014.03.008>.
- Gómez, C., White, J.C., Wulder, M.A., and Alejandro, P., 2015, Integrated object-based spatiotemporal characterization of forest change from an annual time series of Landsat image composites: *Canadian Journal of Remote Sensing*, v. 41, no. 4, p. 271–292, at <https://doi.org/10.1080/07038992.2015.1089162>.
- Gómez, C., Wulder, M.A., Dawson, A.G., Ritchie, W., and Green, D.R., 2014, Shoreline change and coastal vulnerability characterization with Landsat imagery—a case study in the Outer Hebrides, Scotland: *Scottish Geographical Journal*, v. 130, no. 4, p. 279–299, at <https://doi.org/10.1080/14702541.2014.923579>.
- Gómez, C., Wulder, M.A., White, J.C., Montes, F., and Delgado, J.A., 2012, Characterizing 25 years of change in the area, distribution, and carbon stock of Mediterranean pines in central Spain: *International Journal of Remote Sensing*, v. 33, no. 17, p. 5546–5573, at <https://doi.org/10.1080/01431161.2012.663115>.
- Goodwin, N.R., Coops, N.C., Wulder, M.A., Gillanders, S., Schroeder, T.A., and Nelson, T., 2008, Estimation of insect infestation dynamics using a temporal sequence of Landsat data: *Remote Sensing of Environment*, v. 112, no. 9, p. 3680–3689, at <https://doi.org/10.1016/j.rse.2008.05.005>.
- Goodwin, N.R., Magnussen, S., Coops, N.C., and Wulder, M.A., 2010, Curve fitting of time-series Landsat imagery for characterizing a mountain pine beetle infestation: *International Journal of Remote Sensing*, v. 31, no. 12, p. 3263–3271, at <https://doi.org/10.1080/01431160903186277>.
- Gopalakrishnan, R., Kauffman, J.S., Fagan, M.E., Coulston, J.W., Thomas, V.A., Wynne, R.H., Fox, T.R., and Quirino, V.F., 2019, Creating landscape-scale site index maps for the southeastern US is possible with airborne LiDAR and Landsat imagery: *Forests*, v. 10, no. 3, article 234, at <https://doi.org/10.3390/f10030234>.
- Gorelick, N., Yang, Z., Arévalo, P., Bullock, E.L., Insfrán, K.P., and Healey, S.P., 2023, A global time series dataset to facilitate forest greenhouse gas reporting: *Environmental Research Letters*, v. 18, no. 8, article 084001, at <https://doi.org/10.1088/1748-9326/ace2da>.

- Goward, S.N., 2022, Landsat@50—Perspective from a Landsat Program veteran: *Frontiers in Ecology and the Environment*, v. 20, no. 9, p. 498–499, at <https://doi.org/10.1002/fee.2567>.
- Goward, S.N., Arvidson, T., Williams, D.L., Faundeen, J., Irons, J.R., and Franks, S., 2006, Historical record of Landsat global coverage—Mission operations, NSLRSDA, and international cooperator stations: *Photogrammetric Engineering & Remote Sensing*, v. 72, no. 10, p. 1155–1169, at <https://doi.org/10.14358/PERS.72.10.1155>.
- Goward, S.N., Bauer, M.E., Biehl, L.L., Hall, F.G., Hoffer, R.M., Richards, J.A., Rocchio, L.E.P., Salomonson, V.V., and Williams, D.L., 2022, David A. Landgrebe—Evolution of digital remote sensing and Landsat: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 15, p. 4835–4860, at <https://doi.org/10.1109/JSTARS.2022.3176804>.
- Goward, S.N., Chander, G., Pagnutti, M., Marx, A., Ryan, R., Thomas, N., and Tetrault, R., 2012, Complementarity of ResourceSat-1 AWiFS and Landsat TM/ETM+ sensors: *Remote Sensing of Environment*, v. 123, p. 41–56, at <https://doi.org/10.1016/j.rse.2012.03.002>.
- Goward, S.N., Davis, P.E., Fleming, D., Miller, L., and Townshend, J.R., 2003, Empirical comparison of Landsat 7 and IKONOS multispectral measurements for selected Earth Observation System (EOS) validation sites: *Remote Sensing of Environment*, v. 88, no. 1–2, p. 80–99, at <https://doi.org/10.1016/j.rse.2003.07.009>.
- Goward, S.N., Loboda, T.V., Williams, D.L., and Huang, C., 2019, Landsat orbital repeat frequency and cloud contamination—A case study for eastern United States: *Photogrammetric Engineering & Remote Sensing*, v. 85, no. 2, p. 109–118, at <https://doi.org/10.14358/PERS.85.2.109>.
- Goward, S.N., and Masek, J.G., 2001, Landsat—30 Years and counting: *Remote Sensing of Environment*, v. 78, no. 1–2, p. 1–2, at [https://doi.org/10.1016/S0034-4257\(01\)00306-6](https://doi.org/10.1016/S0034-4257(01)00306-6).
- Goward, S.N., Masek, J.G., Cohen, W.B., Moisen, G., Collatz, G.J., Healey, S.P., Houghton, R.A., Huang, C., Kennedy, R.E., et al., 2008, Forest disturbance and North American carbon flux: *Eos*, v. 89, no. 11, p. 105–106, at <https://doi.org/10.1029/2008EO110001>.
- Goward, S.N., Masek, J.G., Irons, J.R., and Williams, D.L., 1999, Monitoring contemporary trends in the earth's environment. *Landsat-7 science mission: Geomatics Info Magazine*, v. 13, no. 12, p. 43–45.
- Goward, S.N., Masek, J.G., Loveland, T.R., Dwyer, J.L., Williams, D.L., Arvidson, T., Rocchio, L.E.P., and Irons, J.R., 2021, Semi-centennial of Landsat observations & pending Landsat 9 launch: *Photogrammetric Engineering & Remote Sensing*, v. 87, no. 8, p. 533–539, at <https://doi.org/10.14358/PERS.87.8.533>.
- Goward, S.N., Masek, J.G., Williams, D.L., Irons, J.R., and Thompson, R.J., 2001, The Landsat 7 mission—Terrestrial research and applications for the 21<sup>st</sup> century: *Remote Sensing of Environment*, v. 78, no. 1–2, p. 3–12, at [https://doi.org/10.1016/S0034-4257\(01\)00262-0](https://doi.org/10.1016/S0034-4257(01)00262-0).

- Goward, S.N., Townshend, J.R.G., Zanoni, V., Policelli, F., Stanley, T., Ryan, R., Holekamp, K., Underwood, L., Pagnutti, M., et al., 2003, Acquisition of Earth science remote sensing observations from commercial sources—Lessons learned from the Space Imaging IKONOS example: *Remote Sensing of Environment*, v. 88, no. 1–2, p. 209–219, at <https://doi.org/10.1016/j.rse.2003.06.007>.
- Goward, S.N., Underwood, L.W., Fearon, M.G., Fletcher, R., Garvin, J.B., Hurtt, G., Jensen, J., Nolan, M., Holekamp, K., et al., 2008, NASA’s Earth science use of commercially available remote sensing datasets: *Photogrammetric Engineering & Remote Sensing*, v. 74, no. 2, p. 139–146.
- Goward, S.N., Williams, D.L., Arvidson, T., and Irons, J.R., 2011, The future of Landsat-class remote sensing, *in* Ramachandran, B., Justice, C., and Abrams, M.J., eds., *Remote sensing and digital image processing*: New York, N.Y., Springer, p. 807–834, at [https://doi.org/10.1007/978-1-4419-6749-7\\_35](https://doi.org/10.1007/978-1-4419-6749-7_35).
- Goward, S.N., Williams, D.L., Arvidson, T., Rocchio, L.E.P., Irons, J.R., Russell, C.A., and Johnston, S.S., 2022, Landsat’s enduring legacy—Pioneering global land observations from space: *Photogrammetric Engineering & Remote Sensing*, v. 88, no. 6, p. 357–358, at <https://doi.org/10.14358/PERS.88.6.357>.
- Goward, S.N., Haskett, J., Williams, D.L., Arvidson, T., Gasch, J., Lonigro, R., Reeley, M., Irons, J.R., Dubayah, R., et al., 1999, Enhanced Landsat capturing all the earth’s land areas: *Eos*, v. 80, no. 26, p. 289–293, at <https://doi.org/10.1029/99EO00208>.
- Gray, A.N., Cohen, W.B., Yang, Z., and Pfaff, E., 2019, Integrating TimeSync disturbance detection and repeat forest inventory to predict carbon flux: *Forests*, v. 10, no. 11, article 984, at <https://doi.org/10.3390/f10110984>.
- Griffiths, P., and Hostert, P., 2015, Forest cover dynamics during massive ownership changes—Annual disturbance mapping using annual Landsat time-series, *in* Ramachandran, B., Justice, C.O., and Abrams, M.J., eds., *Land remote sensing and global environmental change*: New York, N.Y., Springer, p. 307–322, at [https://doi.org/10.1007/978-3-319-15967-6\\_15](https://doi.org/10.1007/978-3-319-15967-6_15).
- Griffiths, P., Hostert, P., Gruebner, O., and der Linden, S.v., 2010, Mapping megacity growth with multi-sensor data: *Remote Sensing of Environment*, v. 114, no. 2, p. 426–439, at <https://doi.org/10.1016/j.rse.2009.09.012>.
- Griffiths, P., Hostert, P., and Van Der Linden, S., 2012, Beyond Landsat—Pixel-based large area composites for added value Sentinel-2 products, *in* 1<sup>st</sup> Sentinel-2 Preparatory Symposium, Frascati, Italy, 23–27 April 2012, ESA-SP 707: Frascati, Italy, European Space Agency, p. 1–4, at <https://adsabs.harvard.edu/abs/2012ESASP.707E..19G>.
- Griffiths, P., Jakimow, B., and Hostert, P., 2018, Reconstructing long term annual deforestation dynamics in Pará and Mato Grosso using the Landsat archive: *Remote Sensing of Environment*, v. 216, p. 497–513, at <https://doi.org/10.1016/j.rse.2018.07.010>.

- Griffiths, P., Kuemmerle, T., Baumann, M., Radeloff, V.C., Abrudan, I.V., Lieskovsky, J., Munteanu, C., Ostapowicz, K., and Hostert, P., 2014, Forest disturbances, forest recovery, and changes in forest types across the Carpathian ecoregion from 1985 to 2010 based on Landsat image composites: *Remote Sensing of Environment*, v. 151, p. 72–88, at <https://doi.org/10.1016/j.rse.2013.04.022>.
- Griffiths, P., Kuemmerle, T., Kennedy, R.E., Abrudan, I.V., Knorn, J., and Hostert, P., 2012, Using annual time-series of Landsat images to assess the effects of forest restitution in post-socialist Romania: *Remote Sensing of Environment*, v. 118, p. 199–214, at <https://doi.org/10.1016/j.rse.2011.11.006>.
- Griffiths, P., Müller, D., Kuemmerle, T., and Hostert, P., 2013, Agricultural land change in the Carpathian ecoregion after the breakdown of socialism and expansion of the European Union: *Environmental Research Letters*, v. 8, no. 4, article 045024, at <https://doi.org/10.1088/1748-9326/8/4/045024>.
- Griffiths, P., Nendel, C., and Hostert, P., 2019, Intra-annual reflectance composites from Sentinel-2 and Landsat for national-scale crop and land cover mapping: *Remote Sensing of Environment*, v. 220, p. 135–151, at <https://doi.org/10.1016/j.rse.2018.10.031>.
- Griffiths, P., Nendel, C., Pickert, J., and Hostert, P., 2020, Towards national-scale characterization of grassland use intensity from integrated Sentinel-2 and Landsat time series: *Remote Sensing of Environment*, v. 238, article 111124, at <https://doi.org/10.1016/j.rse.2019.03.017>.
- Grogan, K., Pflugmacher, D., Hostert, P., Kennedy, R.E., and Fensholt, R., 2015, Cross-border forest disturbance and the role of natural rubber in mainland Southeast Asia using annual Landsat time series: *Remote Sensing of Environment*, v. 169, p. 438–453, at <https://doi.org/10.1016/j.rse.2015.03.001>.
- Gross, G., Helder, D., Begeman, C., Leigh, L., Kaewmanee, M., and Shah, R., 2022, Initial cross-calibration of Landsat 8 and Landsat 9 using the simultaneous underfly event: *Remote Sensing*, v. 14, no. 10, article 2418, at <https://doi.org/10.3390/rs14102418>.
- Gross, G., Helder, D., and Leigh, L., 2023, Extended cross-calibration analysis using data from the Landsat 8 and 9 underfly event: *Remote Sensing*, v. 15, no. 7, article 1788, at <https://doi.org/10.3390/rs15071788>.
- Guan, K., Li, Z., Rao, L.N., Gao, F., Xie, D., Hien, N.T., and Zeng, Z., 2018, Mapping paddy rice area and yields over Thai Binh Province in Viet Nam from MODIS, Landsat, and ALOS-2/PALSAR-2: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 11, no. 7, p. 2238–2252, at <https://doi.org/10.1109/JSTARS.2018.2834383>.
- Gudex-Cross, D., Silveira, E.M.O., Zuckerberg, B., and Radeloff, V.C., 2026, Winter habitat indices from Landsat 8 and Sentinel-2 imagery for the contiguous US: *Remote Sensing of Environment*, v. 332, article 115064, at <https://doi.org/10.1016/j.rse.2025.115064>.

- Guild, L.S., Boone Kauffman, J., Cohen, W.B., Hlavka, C.A., and Ward, D.E., 2004, Modeling biomass burning emissions for Amazon forest and pastures in Rondônia, Brazil: *Ecological Applications*, v. 14, no. SP 4, p. S232–S246, at <https://doi.org/10.1890/01-6009>.
- Guild, L.S., Cohen, W.B., and Kauffman, J.B., 2004, Detection of deforestation and land conversion in Rondônia, Brazil using change detection techniques: *International Journal of Remote Sensing*, v. 25, no. 4, p. 731–750, at <https://doi.org/10.1080/01431160310001598935>.
- Guillevic, P.C., Olioso, A., Hook, S.J., Fisher, J.B., Lagouarde, J.P., and Vermote, E.F., 2019, Impact of the revisit of thermal infrared remote sensing observations on evapotranspiration uncertainty—A sensitivity study using AmeriFlux Data: *Remote Sensing*, v. 11, no. 5, article 573, at <https://doi.org/10.3390/rs11050573>.
- Gumbrecht, T., McCarthy, T.S., McCarthy, J., Roy, D.P., Frost, P.E., and Wessels, K., 2002, Remote sensing to detect sub-surface peat fires and peat +fire scars in the Okavango Delta, Botswana: *South African Journal of Science*, v. 98, no. 7–8, p. 351–358, at <https://hdl.handle.net/10520/EJC97510>.
- Gumma, K.M., van Rooijen, D., Nelson, A., Thenkabail, P.S., Aakuraju, R.V., and Amerasinghe, P., 2011, Expansion of urban area and wastewater irrigated rice area in Hyderabad, India: *Irrigation and Drainage Systems*, v. 25, no. 3, p. 135–149, at <https://doi.org/10.1007/s10795-011-9117-y>.
- Gumma, M.K., Thenkabail, P.S., Hideto, F., Nelson, A., Dheeravath, V., Busia, D., and Rala, A., 2011, Mapping irrigated areas of Ghana using fusion of 30 m and 250 m resolution remote-sensing data: *Remote Sensing*, v. 3, no. 4, p. 816–835, at <https://doi.org/10.3390/rs3040816>.
- Gumma, M.K., Thenkabail, P.S., Mohammed, I.A., Teluguntla, P., and Dheeravath, V., 2015, Inland valley wetland cultivation and preservation for africa’s green and blue revolution using multisensor remote sensing, *in* Thenkabail, P.S., ed., *Remote sensing of water resources, disasters, and urban studies*: Boca Raton, Fla., CRC Press, p. 227–256, at <https://doi.org/10.1201/b19321>.
- Gumma, M.K., Thenkabail, P.S., Panjala, P., Teluguntla, P., Yamano, T., and Mohammed, I., 2022, Multiple agricultural cropland products of South Asia developed using Landsat-8 30 m and MODIS 250 m data using machine learning on the Google Earth Engine (GEE) cloud and spectral matching techniques (SMTs) in support of food and water security: *GIScience and Remote Sensing*, v. 59, no. 1, p. 1048–1077, at <https://doi.org/10.1080/15481603.2022.2088651>.
- Gustafson-Bold, C.L., and Thome, K.J., 1996, Cross-calibration of two small footprint sensors, *in* 1996 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Lincoln, Nebr., 28–31 May 1996, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1283–1285, at <https://doi.org/10.1109/IGARSS.1996.516638>.

- Gutman, G., Huang, C., Chander, G., Noojipady, P., and Masek, J.G., 2013, Assessment of the NASA-USGS Global Land Survey (GLS) datasets: Remote Sensing of Environment, v. 134, p. 249–265, at <https://doi.org/10.1016/j.rse.2013.02.026>.
- Gutman, G., and Masek, J.G., 2012, Long-term time series of the Earth's land-surface observations from space: International Journal of Remote Sensing, v. 33, no. 15, p. 4700–4719, at <https://doi.org/10.1080/01431161.2011.638341>.
- Gutman, G., and Radeloff, V.C., eds., 2016, Land-cover and land-use changes in Eastern Europe after the collapse of the Soviet Union in 1991: Cham, Switzerland, Springer, 247 p., at <https://doi.org/10.1007/978-3-319-42638-9>.
- Gwenzi, D., Helmer, E.H., Zhu, X., Lefsky, M.A., and Marcano-Vega, H., 2017, Predictions of tropical forest biomass and biomass growth based on stand height or canopy area are improved by Landsat-scale phenology across Puerto Rico and the U.S. Virgin Islands: Remote Sensing, v. 9, no. 2, article 123, at <https://doi.org/10.3390/rs90201023>.
- Hair, J.H., Reuter, D.C., Tonn, S.L., McCorkel, J., Amy, A.S., Djam, M., Alexander, D., Ballou, K., Barclay, R., et al., 2018, Landsat 9 thermal infrared sensor 2 architecture and design, in 2018 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Valencia, Spain, 22–27 July 2018, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 8841–8844, at <https://doi.org/10.1109/IGARSS.2018.8518269>.
- Hais, M., Wild, J., Berec, L., Brůna, J., Kennedy, R.E., Braaten, J., and Brož, Z., 2016, Landsat imagery spectral trajectories-important variables for spatially predicting the risks of bark beetle disturbance: Remote Sensing, v. 8, no. 8, article 687, at <https://doi.org/10.3390/rs8080687>.
- Hakimdavar, R., Hubbard, A., Policelli, F., Pickens, A., Hansen, M., Fatoyinbo, T., Lagomasino, D., Pahlevan, N., Unninayar, S., et al., 2020, Monitoring water-related ecosystems with Earth observation data in support of Sustainable Development Goal (SDG) 6 reporting: Remote Sensing, v. 12, no. 10, article 1634, at <https://doi.org/10.3390/rs12101634>.
- Hall, D.K., Bayr, K.J., Schöner, W., Bindschadler, R.A., and Chien, J.Y.L., 2003, Consideration of the errors inherent in mapping historical glacier positions in Austria from the ground and space (1893-2001): Remote Sensing of Environment, v. 86, no. 4, p. 566–577, at [https://doi.org/10.1016/S0034-4257\(03\)00134-2](https://doi.org/10.1016/S0034-4257(03)00134-2).
- Hall, D.K., Crawford, C.J., DiGirolamo, N.E., Riggs, G.A., and Foster, J.L., 2015, Detection of earlier snowmelt in the Wind River Range, Wyoming, using Landsat imagery, 1972-2013: Remote Sensing of Environment, v. 162, p. 45–54, at <https://doi.org/10.1016/j.rse.2015.01.032>.
- Han, T., Wulder, M.A., White, J.C., Coops, N.C., Alvarez, M.F., and Butson, C., 2007, An efficient protocol to process Landsat images for change detection with tasselled cap transformation: IEEE Geoscience and Remote Sensing Letters, v. 4, no. 1, p. 147–151, at <https://doi.org/10.1109/LGRS.2006.887066>.

- Hansen, A.J., Rasker, R., Maxwell, B., Rotella, J.J., Johnson, J.D., Wright Parmenter, A., Langner, U., Cohen, W.B., Lawrence, R.L., et al., 2002, Ecological causes and consequences of demographic change in the new west: *BioScience*, v. 52, no. 2, p. 151–162, at [https://doi.org/10.1641/0006-3568\(2002\)052\[0151:ECACOD\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2002)052[0151:ECACOD]2.0.CO;2).
- Hansen, M.C., DeFries, R.S., Townshend, J.R.G., Marufu, L., and Sohlberg, R., 2002, Development of a MODIS tree cover validation data set for Western Province, Zambia: *Remote Sensing of Environment*, v. 83, no. 1–2, p. 320–335, at [https://doi.org/10.1016/S0034-4257\(02\)00080-9](https://doi.org/10.1016/S0034-4257(02)00080-9).
- Hansen, M.C., Egorov, A., Potapov, P.V., Stehman, S.V., Tyukavina, A., Turubanova, S.A., Roy, D.P., Goetz, S.J., Loveland, T.R., et al., 2014, Monitoring conterminous United States (CONUS) land cover change with Web-Enabled Landsat Data (WELD): *Remote Sensing of Environment*, v. 140, p. 466–484, at <https://doi.org/10.1016/j.rse.2013.08.014>.
- Hansen, M.C., Egorov, A., Roy, D.P., Potapov, P., Ju, J., Turubanova, S., Kommareddy, I., and Loveland, T.R., 2011, Continuous fields of land cover for the conterminous United States using Landsat data—First results from the Web-Enabled Landsat Data (WELD) project: *Remote Sensing Letters*, v. 2, no. 4, p. 279–288, at <https://doi.org/10.1080/01431161.2010.519002>.
- Hansen, M.C., Krylov, A., Tyukavina, A., Potapov, P.V., Turubanova, S., Zutta, B., Ifo, S., Margono, B., Stolle, F., et al., 2016, Humid tropical forest disturbance alerts using Landsat data: *Environmental Research Letters*, v. 11, no. 3, article 034008, at <https://doi.org/10.1088/1748-9326/11/3/034008>.
- Hansen, M.C., and Loveland, T.R., 2012, A review of large area monitoring of land cover change using Landsat data: *Remote Sensing of Environment*, v. 122, p. 66–74, at <https://doi.org/10.1016/j.rse.2011.08.024>.
- Hansen, M.C., Potapov, P., and Tyukavina, A., 2019, Comment on “Tropical forests are a net carbon source based on aboveground measurements of gain and loss”: *Science*, v. 363, no. 6423, article eaar3629, at <https://doi.org/10.1126/science.aar3629>.
- Hansen, M.C., Potapov, P.V., Broich, M., Turubanova, S., Arunarwati, B., and Adusei, B., 2011, Towards global monitoring of forest cover, *in* The GEOSS Era, Towards Operational Environmental Monitoring—34<sup>th</sup> International Symposium on Remote Sensing of Environment, Sydney, Australia, 10–15 April 2011, Proceedings: International Society for Photogrammetry and Remote Sensing, p. 1–3, at <https://www.isprs.org/proceedings/2011/ISRSE-34/211104015Final00258.pdf>.
- Hansen, M.C., Potapov, P.V., Goetz, S.J., Turubanova, S., Tyukavina, A., Krylov, A., Kommareddy, A., and Egorov, A., 2016, Mapping tree height distributions in Sub-Saharan Africa using Landsat 7 and 8 data: *Remote Sensing of Environment*, v. 185, p. 221–232, at <https://doi.org/10.1016/j.rse.2016.02.023>.

- Hansen, M.C., Potapov, P.V., Pickens, A.H., Tyukavina, A., Hernandez-Serna, A., Zalles, V., Turubanova, S., Kommareddy, I., Stehman, S.V., et al., 2022, Global land use extent and dispersion within natural land cover using Landsat data: *Environmental Research Letters*, v. 17, no. 3, article 034050, at <https://doi.org/10.1088/1748-9326/ac46ec>.
- Hansen, M.C., Roy, D.P., Lindquist, E., Adusei, B., Justice, C.O., and Altstatt, A., 2008, A method for integrating MODIS and Landsat data for systematic monitoring of forest cover and change in the Congo Basin: *Remote Sensing of Environment*, v. 112, no. 5, p. 2495–2513, at <https://doi.org/10.1016/j.rse.2007.11.012>.
- Hansen, M.C., Stehman, S.V., and Potapov, P.V., 2010, Reply to Reams et al.—Quantifying forest cover change at local and global scales: *Proceedings of the National Academy of Sciences of the United States of America*, v. 107, no. 38, article E146, at <https://doi.org/10.1073/pnas.1008842107>.
- Haque, B.M.O., Rengarajan, R., Lubke, M., Hasan, M.N., Shrestha, A., Tuli, F.T.Z., Shaw, J.L., Denevan, A., Franks, S., et al., 2023, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 2, 2023: Reston, Va., U.S. Geological Survey Open-File Report 2023–1075, 39 p., at <https://doi.org/10.3133/ofr20231075>.
- Haque, M.O., Hasan, M.N., Shrestha, A., Rengarajan, R., Lubke, M., Shaw, J.L., Ruslander, K., Micijevic, E., Choate, M.J., et al., 2024, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 1, 2024: U.S. Geological Survey Open-File Report 2024–1058, 57 p., at <https://doi.org/10.3133/ofr20241058>.
- Haque, M.O., Hasan, M.N., Shrestha, A., Rengarajan, R., Lubke, M., Shaw, J.L., Ruslander, K., Micijevic, E., Choate, M.J., et al., 2024, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 2, 2024: U.S. Geological Survey Open-File Report 2024–1077, 56 p., at <https://doi.org/10.3133/ofr20241077>.
- Haque, M.O., Hasan, M.N., Shrestha, A., Rengarajan, R., Lubke, M., Shaw, J.L., Ruslander, K., Micijevic, E., Choate, M.J., et al., 2025, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 3, 2024: U.S. Geological Survey Open-File Report 2025–1006, 56 p., at <https://doi.org/10.3133/ofr20251006>.
- Haque, M.O., Hasan, M.N., Shrestha, A., Rengarajan, R., Lubke, M., Steinwand, D., Bresnahan, P., Shaw, J.L., Ruslander, K., et al., 2025, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 1, 2025: U.S. Geological Survey 2025 Open-File Report 2025–1048, 56 p., at <https://doi.org/10.3133/ofr20251048>.
- Haque, M.O., Rengarajan, R., Lubke, M., Hasan, M.N., Shrestha, A., Shaw, J.L., Denevan, A., Ruslander, K., Micijevic, E., et al., 2024, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 4, 2023: Reston, Va., U.S. Geological Survey Open-File Report 2024–1026, 62 p., at <https://doi.org/10.3133/ofr20241026>.

- Haque, M.O., Rengarajan, R., Lubke, M., Hasan, M.N., Shrestha, A., Shaw, J.L., Denevan, A., Ruslander, K., Micijevic, E., et al., 2024, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 3, 2023: Reston, Va., U.S. Geological Survey Open-File Report 2024–1017, 65 p., at <https://doi.org/10.3133/ofr20241017>.
- Haque, M.O., Rengarajan, R., Lubke, M., Hasan, M.N., Shrestha, A., Tuli, F.T.Z., Shaw, J.L., Denevan, A., Franks, S., et al., 2023, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 3, 2022: Reston, Va., U.S. Geological Survey Open-File Report 2023–1013, 38 p., at <https://doi.org/10.3133/ofr20231013>.
- Haque, M.O., Rengarajan, R., Lubke, M., Hasan, M.N., Shrestha, A., Tuz Zafrin Tuli, F., Shaw, J.L., Denevan, A., Franks, S., et al., 2023, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 4, 2022: U.S. Geological Survey Open-File Report 2023–1044, 39 p., at <https://doi.org/10.3133/ofr20231044>.
- Haque, M.O., Rengarajan, R., Lubke, M., Hasan, M.N., Shrestha, A., Zafrin Tuli, F.T., Shaw, J.L., Denevan, A., Franks, S., et al., 2023, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 1, 2023: Reston, Va., U.S. Geological Survey Open-File Report 2023–1050, 39 p., at <https://doi.org/10.3133/ofr20231050>.
- Haque, M.O., Rengarajan, R., Lubke, M., Hasan, M.N., Tuz Zafrin Tuli, F., Shaw, J.L., Denevan, A., Franks, S., Micijevic, E., et al., 2022, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 1, 2022: U.S. Geological Survey Open-File Report 2022–1072, 39 p., at <https://doi.org/10.3133/ofr20221072>.
- Haque, M.O., Rengarajan, R., Lubke, M., Hasan, M.N., Tuz Zafrin Tuli, F., Shaw, J.L., Denevan, A., Franks, S., Micijevic, E., et al., 2022, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 2, 2022: U.S. Geological Survey Open-File Report 2022–1092, 39 p., at <https://doi.org/10.3133/ofr20221092>.
- Haque, M.O., Rengarajan, R., Lubke, M., Tuz Zafrin Tuli, F., Shaw, J.L., Hasan, M.N., Denevan, A., Franks, S., Micijevic, E., et al., 2022, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 4, 2021: U.S. Geological Survey Open-File Report 2022–1033, 38 p., at <https://doi.org/10.3133/ofr20221033>.
- Haque, O., Hasan, N., Shrestha, A., Rengarajan, R., Lubke, M., Steinwand, D., Bresnahan, P., Shaw, J.L., Ruslander, K., et al., 2025, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 4, 2024: U.S. Geological Survey Open-File Report 2025–1036, 56 p., at <https://doi.org/10.3133/ofr20251036>.
- Harris, A.J.L., Flynn, L.P., Keszthelyi, L., Mougins-Mark, P.J., Rowland, S.K., and Resing, J.A., 1998, Calculation of lava effusion rates from Landsat TM data: Bulletin of Volcanology, v. 60, no. 1, p. 52–71, at <https://doi.org/10.1007/s004450050216>.
- Harris, A.J.L., Flynn, L.P., Matías, O., and Rose, W.I., 2002, The thermal stealth flows of Santiaguito dome, Guatemala—Implications for the cooling and emplacement of dacitic block-lava flows: Bulletin of the Geological Society of America, v. 114, no. 5, p. 533–546, at [https://doi.org/10.1130/0016-7606\(2002\)114<0533:TTSFOS>2.0.CO;2](https://doi.org/10.1130/0016-7606(2002)114<0533:TTSFOS>2.0.CO;2).

- Harris, A.J.L., Flynn, L.P., Matias, O., Rose, W.I., and Cornejo, J., 2004, The evolution of an active silicic lava flow field—An ETM+ perspective: *Journal of Volcanology and Geothermal Research*, v. 135, no. 1–2, p. 147–168, at <https://doi.org/10.1016/j.jvolgeores.2003.12.011>.
- Harris, A.J.L., Flynn, L.P., Rothery, D.A., Oppenheimer, C., and Sherman, S.B., 1999, Mass flux measurements at active lava lakes—Implications for magma recycling: *Journal of Geophysical Research Solid Earth*, v. 104, no. B4, p. 7117–7136, at <https://doi.org/10.1029/98JB02731>
- Harris, A.J.L., Rose, W.I., and Flynn, L.P., 2003, Temporal trends in lava dome extrusion at Santiaguito 1922-2000: *Bulletin of Volcanology*, v. 65, no. 2–3, p. 77–89, at <https://doi.org/10.1007/s00445-002-0243-0>.
- Harris, A.J.L., Vallance, J.W., Kimberly, P., Rose, W.I., Matías, O., Bunzendahl, E., Flynn, L.P., and Garbeil, H., 2006, Downstream aggradation owing to lava dome extrusion and rainfall runoff at Volcán Santiaguito, Guatemala, Special paper 412, *in* Rose, W.I., Bluth, G.J.S., Carr, M.J., Ewert, J.W., Patino, L.C., and Vallance, J.W., eds., *Volcanic hazards in Central America*: Boulder, Colo., Geological Society of America, p. 85–104, at [https://doi.org/10.1130/2006.2412\(05\)](https://doi.org/10.1130/2006.2412(05)).
- Harris, A.J.L., Wright, R., and Flynn, L.P., 1999, Remote monitoring of mount erebus volcano, Antarctica, using polar orbiters—Progress and prospects: *International Journal of Remote Sensing*, v. 20, no. 15–16, p. 3051–3071, at <https://doi.org/10.1080/014311699211615>.
- Hartl, L., Schmitt, C., Stuefer, M., Jenckes, J., Page, B., Crawford, C.J., Schmidt, G., Yang, R., and Hock, R., 2025, Leveraging airborne imaging spectroscopy and multispectral satellite imagery to map glacial sediment plumes in Kachemak Bay, Alaska: *Journal of Hydrology—Regional Studies*, v. 57, article 102121, at <https://doi.org/10.1016/j.ejrh.2024.102121>.
- Hartmann, H., Schuldt, B., Sanders, T.G.M., Macinnis-Ng, C., Boehmer, H.J., Allen, C.D., Bolte, A., Crowther, T.W., Hansen, M.C., et al., 2018, Monitoring global tree mortality patterns and trends. Report from the VW symposium ‘Crossing scales and disciplines to identify global trends of tree mortality as indicators of forest health’: *New Phytologist*, v. 217, no. 3, p. 984–987, at <https://doi.org/10.1111/nph.14988>.
- Hasan, M.N., Shrestha, M., Leigh, L., and Helder, D., 2019, Evaluation of an extended PICS (EPICS) for Calibration and stability monitoring of optical satellite sensors: *Remote Sensing*, v. 11, no. 15, article 1755, at <https://doi.org/10.3390/rs11151755>.
- Hausner, M.B., Huntington, J.L., Nash, C., Morton, C., McEvoy, D.J., Pilliod, D.S., Hegewisch, K.C., Daudert, B., Abatzoglou, J.T., et al., 2018, Assessing the effectiveness of riparian restoration projects using Landsat and precipitation data from the cloud-computing application ClimateEngine.org: *Ecological Engineering*, v. 120, p. 432–440, at <https://doi.org/10.1016/j.ecoleng.2018.06.024>.

- Hawbaker, T.J., Radeloff, V.C., Syphard, A.D., Zhu, Z., and Stewart, S.I., 2008, Detection rates of the MODIS active fire product in the United States: Remote Sensing of Environment, v. 112, no. 5, p. 2656–2664, at <https://doi.org/10.1016/j.rse.2007.12.008>.
- Hawbaker, T.J., Vanderhoof, M.K., Beal, Y.J., Takacs, J.D., Schmidt, G.L., Falgout, J.T., Williams, B., Fairaux, N.M., Caldwell, M.K., et al., 2017, Mapping burned areas using dense time-series of Landsat data: Remote Sensing of Environment, v. 198, p. 504–522, at <https://doi.org/10.1016/j.rse.2017.06.027>.
- Hawbaker, T.J., Vanderhoof, M.K., Schmidt, G.L., Beal, Y.J., Picotte, J.J., Takacs, J.D., Falgout, J.T., and Dwyer, J.L., 2020, The Landsat Burned Area algorithm and products for the conterminous United States: Remote Sensing of Environment, v. 244, article 111801, at <https://doi.org/10.1016/j.rse.2020.111801>.
- Hayes, D.J., and Cohen, W.B., 2007, Spatial, spectral and temporal patterns of tropical forest cover change as observed with multiple scales of optical satellite data: Remote Sensing of Environment, v. 106, no. 1, p. 1–16, at <https://doi.org/10.1016/j.rse.2006.07.002>.
- Hayes, D.J., Cohen, W.B., Sader, S.A., and Irwin, D.E., 2008, Estimating proportional change in forest cover as a continuous variable from multi-year MODIS data: Remote Sensing of Environment, v. 112, no. 3, p. 735–749, at <https://doi.org/10.1016/j.rse.2007.06.003>.
- He, H.S., Mladenoff, D.J., Radeloff, V.C., and Crow, T.R., 1998, Integration of gis data and classified satellite imagery for regional forest assessment: Ecological Applications, v. 8, no. 4, p. 1072–1083, at [https://doi.org/10.1890/1051-0761\(1998\)008\[1072:IOGDAC\]2.0.CO;2](https://doi.org/10.1890/1051-0761(1998)008[1072:IOGDAC]2.0.CO;2).
- He, L., Chen, J.M., Zhang, S., Gomez, G., Pan, Y., McCullough, K., Birdsey, R., and Masek, J.G., 2011, Normalized algorithm for mapping and dating forest disturbances and regrowth for the United States: International Journal of Applied Earth Observation and Geoinformation, v. 13, no. 2, p. 236–245, at <https://doi.org/10.1016/j.jag.2010.12.003>.
- He, T., Liang, S., Wang, D., Cao, Y., Gao, F., Yu, Y., and Feng, M., 2017, Evaluating land surface albedo estimation from Landsat MSS, TM, ETM+, and OLI data based on the unified direct estimation approach: Remote Sensing of Environment, v. 204, p. 181–196, at <https://doi.org/10.1016/j.rse.2017.10.031>.
- Healey, N.C., Irmak, A., Arkebauer, T.J., Billesbach, D.P., Lenters, J.D., Hubbard, K.G., Allen, R.G., and Kjaersgaard, J., 2011, Remote sensing and in situ-based estimates of evapotranspiration for subirrigated meadow, dry valley, and upland dune ecosystems in the semi-arid sand hills of Nebraska, USA: Irrigation and Drainage Systems, v. 25, no. 3, p. 151–178, at <https://doi.org/10.1007/s10795-011-9118-x>.

- Healey, S., Yang, Z., Erb, A.M., Bright, R.M., Domke, G.M., Frescino, T.S., and Schaaf, C.B., 2025, Enhanced observation of forest albedo reveals significant offsets to reported carbon benefits: *Environmental Research Letters*, v. 20, no. 7, article 074025, at <https://doi.org/10.1088/1748-9326/add60a>.
- Healey, S.P., Cohen, W.B., Spies, T.A., Moeur, M., Pflugmacher, D., Whitley, M.G., and Lefsky, M., 2008, The relative impact of harvest and fire upon landscape-level dynamics of older forests—lessons from the Northwest Forest Plan: *Ecosystems*, v. 11, no. 7, p. 1106–1119, at <https://doi.org/10.1007/s10021-008-9182-8>.
- Healey, S.P., Cohen, W.B., Yang, Z., Kenneth Brewer, C., Brooks, E.B., Gorelick, N.S., Hernandez, A.J., Huang, C., Joseph Hughes, M., et al., 2018, Mapping forest change using stacked generalization—An ensemble approach: *Remote Sensing of Environment*, v. 204, p. 717–728, at <https://doi.org/10.1016/j.rse.2017.09.029>.
- Healey, S.P., Cohen, W.B., Zhiqiang, Y., and Krankina, O.N., 2005, Comparison of Tasseled Cap-based Landsat data structures for use in forest disturbance detection: *Remote Sensing of Environment*, v. 97, no. 3, p. 301–310, at <https://doi.org/10.1016/j.rse.2005.05.009>.
- Healey, S.P., Lapoint, E., Moisen, G.G., and Powell, S.L., 2011, Maintaining the confidentiality of plot locations by exploiting the low sensitivity of forest structure models to different spectral extraction kernels: *International Journal of Remote Sensing*, v. 32, no. 1, p. 287–297, at <https://doi.org/10.1080/01431160903464120>.
- Healey, S.P., Raymond, C.L., Lockman, I.B., Hernandez, A.J., Garrard, C., and Huang, C., 2016, Root disease can rival fire and harvest in reducing forest carbon storage: *Ecosphere*, v. 7, no. 11, article e01569, at <https://doi.org/10.1002/ecs2.1569>.
- Healey, S.P., Urbanski, S.P., Patterson, P.L., and Garrard, C., 2014, A framework for simulating map error in ecosystem models: *Remote Sensing of Environment*, v. 150, p. 207–217, at <https://doi.org/10.1016/j.rse.2014.04.028>.
- Healey, S.P., Yang, Z., Cohen, W.B., and Pierce, D.J., 2006, Application of two regression-based methods to estimate the effects of partial harvest on forest structure using Landsat data: *Remote Sensing of Environment*, v. 101, no. 1, p. 115–126, at <https://doi.org/10.1016/j.rse.2005.12.006>.
- Healey, S.P., Yang, Z., Gorelick, N., and Ilyushchenko, S., 2020, Highly local model calibration with a new GEDI LiDAR asset on Google Earth Engine reduces Landsat forest height signal saturation: *Remote Sensing*, v. 12, no. 17, article 2840, at <https://doi.org/10.3390/rs12172840>.
- Heinimann, A., Mertz, O., Frohling, S., Christensen, A.E., Hurni, K., Sedano, F., Chini, L.P., Sahajpal, R., Hansen, M.C., et al., 2017, A global view of shifting cultivation—Recent, current, and future extent: *PLoS ONE*, v. 12, no. 9, article e0184479, at <https://doi.org/10.1371/journal.pone.0184479>.

- Helder, D., Anderson, C., Beckett, K., Houborg, R., Zuleta, I., Boccia, V., Clerc, S., Kuester, M., Markham, B., et al., 2020, Observations and recommendations for coordinated calibration activities of government and commercial optical satellite systems: *Remote Sensing*, v. 12, no. 15, article 2468, at <https://doi.org/10.3390/RS12152468>.
- Helder, D., Shrestha, M., Mann, J., Maddox, E., Irwin, J., Leigh, L., Gerace, A., Eon, R.S., Falcon, L., et al., 2025, Landsat surface product validation instrumentation—The BigMAC Exercise: *Sensors*, v. 25, no. 8, article 2586, at <https://doi.org/10.3390/s25082586>.
- Helder, D.L., 1996, Radiometric calibration archive for Landsat Thematic Mapper™, *in* Algorithms for Multispectral and Hyperspectral Imagery II, Orlando, Fla., 8–12 April 1996, Proceedings of SPIE Vol. 2758: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 273–284, at <https://doi.org/10.1117/12.243222>.
- Helder, D.L., 2012, Calibration best practices—25 years experience from Landsat, *in* 33<sup>rd</sup> Asian Conference on Remote Sensing 2012, ACRS 2012, Pattaya, Thailand, 26–30 November 2012, Proceedings: Tokyo, Japan, Asian Association on Remote Sensing, p. 746–754.
- Helder, D.L., Barker, J.L., Boncyk, W.C., and Markham, B.L., 1996, Short term calibration of Landsat TM—Recent findings and suggested techniques, *in* 1996 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Lincoln, Nebr., 28–31 May 1996, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1276–1278, at <https://doi.org/10.1109/IGARSS.1996.516636>.
- Helder, D.L., Boncyk, W., and Morfitt, R., 1997, Landsat TM memory effect characterization and correction: *Canadian Journal of Remote Sensing*, v. 23, no. 4, p. 299–308, at <https://doi.org/10.1080/07038992.1997.10855215>.
- Helder, D.L., Boncyk, W., and Morfitt, R., 1998, Absolute calibration of the Landsat Thematic Mapper using the internal calibrator, *in* 1998 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Seattle, Wash., 6–10 July 1998, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2716–2718, at <https://doi.org/10.1109/IGARSS.1998.702328>.
- Helder, D.L., Hijazi, S., and Ruggles, T., 2002, A radiometric evaluation of the Advanced Land Imager, *in* 2002 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toronto, Canada, 24–28 June 2002, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 576–578, at <https://doi.org/10.1109/IGARSS.2002.1025110>.
- Helder, D.L., Karki, S., Bhatt, R., Micijevic, E., Aaron, D.B., and Jasinski, B., 2012, Radiometric calibration of the Landsat MSS sensor series: *IEEE Transactions on Geoscience and Remote Sensing*, v. 50, no. 6, p. 2380–2399, at <https://doi.org/10.1109/TGRS.2011.2171351>.

- Helder, D.L., Malla, R., Mettler, C.J., Markham, B.L., and Micijevic, E., 2012, Landsat 4 Thematic Mapper calibration update: IEEE Transactions on Geoscience and Remote Sensing, v. 50, no. 6, p. 2400–2408, at <https://doi.org/10.1109/TGRS.2011.2171350>.
- Helder, D.L., Markham, B., Morfitt, R., Storey, J., Barsi, J., Gascon, F., Clerc, S., LaFrance, B., Masek, J.G., et al., 2018, Observations and recommendations for the calibration of Landsat 8 OLI and Sentinel 2 MSI for improved data interoperability: Remote Sensing, v. 10, no. 9, article 1340, at <https://doi.org/10.3390/rs10091340>.
- Helder, D.L., Markham, B.L., Thome, K.J., Barsi, J.A., Chander, G., and Malla, R., 2008, Updated radiometric calibration for the Landsat-5 Thematic Mapper reflective bands: IEEE Transactions on Geoscience and Remote Sensing, v. 46, no. 10, p. 3309–3325, at <https://doi.org/10.1109/TGRS.2008.920966>.
- Helder, D.L., and Micijevic, E., 2004, Landsat-5 Thematic Mapper outgassing effects: IEEE Transactions on Geoscience and Remote Sensing, v. 42, no. 12, p. 2717–2729, at <https://doi.org/10.1109/TGRS.2004.839086>.
- Helder, D.L., and Mishra, N., 2013, Absolute calibration of optical satellite sensors using Libya 4 pseudo invariant calibration sites, *in* Asian Conference on Remote Sensing, 34<sup>th</sup>, Bali, Indonesia, 20–24 October 2013, Proceedings: Klong Luang, Thailand, Asian Association on Remote Sensing, p. 898–905.
- Helder, D.L., and Ruggles, T.A., 2004, Landsat Thematic Mapper reflective-band radiometric artifacts: IEEE Transactions on Geoscience and Remote Sensing, v. 42, no. 12, p. 2704–2716, at <https://doi.org/10.1109/TGRS.2004.839087>.
- Helder, D.L., Ruggles, T.A., Dewald, J.D., and Madhavan, S., 2004, Landsat-5 Thematic Mapper reflective-band radiometric stability: IEEE Transactions on Geoscience and Remote Sensing, v. 42, no. 12, p. 2730–2746, at <https://doi.org/10.1109/TGRS.2004.839088>.
- Helder, D.L., Thome, K.J., Mishra, N., Chander, G., Xiong, X., Angal, A., and Choi, T., 2013, Absolute radiometric calibration of Landsat using a pseudo invariant calibration site: IEEE Transactions on Geoscience and Remote Sensing, v. 51, no. 3, p. 1360–1369, at <https://doi.org/10.1109/TGRS.2013.2243738>.
- Helmer, E.H., 2000, The landscape ecology of tropical secondary forest in montane Costa Rica: Ecosystems, v. 3, no. 1, p. 98–114, at <https://doi.org/10.1007/s100210000013>.
- Helmer, E.H., Brown, S., and Cohen, W.B., 2000, Mapping montane tropical forest successional stage and land use with multi-date Landsat imagery: International Journal of Remote Sensing, v. 21, no. 11, p. 2163–2183, at <https://doi.org/10.1080/01431160050029495>.
- Helmer, E.H., Kennaway, T.A., Pedreros, D.H., Clark, M.L., Marcano-Vega, H., Tieszen, L.L., Ruzycki, T.R., Schill, S.R., and Carrington, C.M.S., 2008, Land cover and forest formation distributions for St. Kitts, Nevis, St. Eustatius, Grenada and Barbados from decision tree classification of cloud-cleared satellite imagery: Caribbean Journal of Science, v. 44, no. 2, p. 175–198, at <https://doi.org/10.18475/cjos.v44i2.a6>.

- Helmer, E.H., Lefsky, M.A., and Roberts, D.A., 2009, Biomass accumulation rates of Amazonian secondary forest and biomass of old-growth forests from Landsat time series and the Geoscience Laser Altimeter System: *Journal of Applied Remote Sensing*, v. 3, no. 1, article 033505, at <https://doi.org/10.1117/1.3082116>.
- Helmer, E.H., Ramos, O., López, T.D.M., Quinones, M., and Diaz, W., 2002, Mapping the forest type and land cover of Puerto Rico, a component of the Caribbean biodiversity hotspot: *Caribbean Journal of Science*, v. 38, no. 3–4, p. 165–183, at [https://data.fs.usda.gov/research/pubs/iitf/ja\\_iitf\\_2002\\_helmer001.pdf](https://data.fs.usda.gov/research/pubs/iitf/ja_iitf_2002_helmer001.pdf).
- Helmer, E.H., and Ruefenacht, B., 2005, Cloud-free satellite image mosaics with regression trees and histogram matching: *Photogrammetric Engineering & Remote Sensing*, v. 71, no. 9, p. 1079–1089, at <https://doi.org/10.14358/PERS.71.9.1079>.
- Helmer, E.H., and Ruefenacht, B., 2007, A comparison of radiometric normalization methods when filling cloud gaps in Landsat imagery: *Canadian Journal of Remote Sensing*, v. 33, no. 1-4, p. 325–340, at <https://doi.org/10.5589/m07-028>.
- Helmer, E.H., Ruzycki, T.S., Benner, J., Voggeser, S.M., Scobie, B.P., Park, C., Fanning, D.W., and Ramnarine, S., 2012, Detailed maps of tropical forest types are within reach—Forest tree communities for Trinidad and Tobago mapped with multiseason Landsat and multiseason fine-resolution imagery: *Forest Ecology and Management*, v. 279, p. 147–166, at <https://doi.org/10.1016/j.foreco.2012.05.016>.
- Helmer, E.H., Ruzycki, T.S., Wilson, B.T., Sherrill, K.R., Lefsky, M.A., Marcano-Vega, H., Brandeis, T.J., Erickson, H.E., and Ruefenacht, B., 2018, Tropical deforestation and recolonization by exotic and native trees—Spatial patterns of tropical forest biomass, functional groups, and species counts and links to stand age, geoclimate, and sustainability goals: *Remote Sensing*, v. 10, no. 11, article 1724, at <https://doi.org/10.3390/rs10111724>.
- Helmer, E.H., Ruzycki, T.S., Wunderle, J.M., Vogesser, S., Ruefenacht, B., Kwit, C., Brandeis, T.J., and Ewert, D.N., 2010, Mapping tropical dry forest height, foliage height profiles and disturbance type and age with a time series of cloud-cleared Landsat and ALI image mosaics to characterize avian habitat: *Remote Sensing of Environment*, v. 114, no. 11, p. 2457–2473, at <https://doi.org/10.1016/j.rse.2010.05.021>.
- Hendrickx, J.M.H., Allen, R.G., Brower, A., Byrd, A.R., Hong, S.H., Ogden, F.L., Pradhan, N.R., Robison, C.W., Toll, D., et al., 2016, Benchmarking optical/thermal satellite imagery for estimating evapotranspiration and soil moisture in decision support tools: *Journal of the American Water Resources Association*, v. 52, no. 1, p. 89–119, at <https://doi.org/10.1111/1752-1688.12371>.
- Hermosilla, T., Bastyr, A., Coops, N.C., White, J.C., and Wulder, M.A., 2022, Mapping the presence and distribution of tree species in Canada's forested ecosystems: *Remote Sensing of Environment*, v. 282, article 113276, at <https://doi.org/10.1016/j.rse.2022.113276>.

- Hermosilla, T., Wulder, M.A., White, J.C., Bater, C.W., Baral, S.K., and Leach, J.A., 2025, Expansion of treed area over Canada's forested ecosystems—Spatial and temporal trends: *Forestry*, v. 98, no. 5, p. 786–799, at <https://doi.org/10.1093/forestry/cpaf015>.
- Hermosilla, T., Wulder, M.A., White, J.C., and Coops, N.C., 2019, Prevalence of multiple forest disturbances and impact on vegetation regrowth from interannual Landsat time series (1985–2015): *Remote Sensing of Environment*, v. 233, article 111403, at <https://doi.org/10.1016/j.rse.2019.111403>.
- Hermosilla, T., Wulder, M.A., White, J.C., and Coops, N.C., 2022, Land cover classification in an era of big and open data—Optimizing localized implementation and training data selection to improve mapping outcomes: *Remote Sensing of Environment*, v. 268, article 112780, at <https://doi.org/10.1016/j.rse.2021.112780>.
- Hermosilla, T., Wulder, M.A., White, J.C., Coops, N.C., Bater, C.W., and Hobart, G.W., 2024, Characterizing long-term tree species dynamics in Canada's forested ecosystems using annual time series remote sensing data: *Forest Ecology and Management*, v. 572, article 122313, at <https://doi.org/10.1016/j.foreco.2024.122313>.
- Hermosilla, T., Wulder, M.A., White, J.C., Coops, N.C., and Hobart, G.W., 2015, Regional detection, characterization, and attribution of annual forest change from 1984 to 2012 using Landsat-derived time-series metrics: *Remote Sensing of Environment*, v. 170, p. 121–132, at <https://doi.org/10.1016/j.rse.2015.09.004>.
- Hermosilla, T., Wulder, M.A., White, J.C., Coops, N.C., and Hobart, G.W., 2015, An integrated Landsat time series protocol for change detection and generation of annual gap-free surface reflectance composites: *Remote Sensing of Environment*, v. 158, p. 220–234, at <https://doi.org/10.1016/j.rse.2014.11.005>.
- Hermosilla, T., Wulder, M.A., White, J.C., Coops, N.C., and Hobart, G.W., 2017, Updating Landsat time series of surface-reflectance composites and forest change products with new observations: *International Journal of Applied Earth Observation and Geoinformation*, v. 63, p. 104–111, at <https://doi.org/10.1016/j.jag.2017.07.013>.
- Hermosilla, T., Wulder, M.A., White, J.C., Coops, N.C., and Hobart, G.W., 2018, Disturbance-informed annual land cover classification maps of Canada's forested ecosystems for a 29-year Landsat time series: *Canadian Journal of Remote Sensing*, v. 44, no. 1, p. 67–87, at <https://doi.org/10.1080/07038992.2018.1437719>.
- Hermosilla, T., Wulder, M.A., White, J.C., Coops, N.C., Hobart, G.W., and Campbell, L.B., 2016, Mass data processing of time series Landsat imagery—Pixels to data products for forest monitoring: *International Journal of Digital Earth*, v. 9, no. 11, p. 1035–1054, at <https://doi.org/10.1080/17538947.2016.1187673>.
- Hermosilla, T., Wulder, M.A., White, J.C., Coops, N.C., Pickell, P.D., and Bolton, D.K., 2019, Impact of time on interpretations of forest fragmentation—Three-decades of fragmentation dynamics over Canada: *Remote Sensing of Environment*, v. 222, p. 65–77, at <https://doi.org/10.1016/j.rse.2018.12.027>.

- Herold, M., Woodcock, C.E., Loveland, T.R., Townshend, J., Brady, M., Steenmans, C., and Schmullius, C.C., 2008, Land-cover observations as part of a global Earth observation system of systems (GEOSS)—Progress, activities, and prospects: *IEEE Systems Journal*, v. 2, no. 3, p. 414–423, at <https://doi.org/10.1109/JSYST.2008.925983>.
- Heward, H., Smith, A.M.S., Roy, D.P., Tinkham, W.T., Hoffman, C.M., Morgan, P., and Lannom, K.O., 2013, Is burn severity related to fire intensity? Observations from landscape scale remote sensing: *International Journal of Wildland Fire*, v. 22, no. 7, p. 910–918, at <https://doi.org/10.1071/WF12087>.
- Hilker, T., Coops, N.C., Gaulton, R., Wulder, M.A., Cranston, J., and Stenhouse, G., 2011, Biweekly disturbance capture and attribution—Case study in western Alberta grizzly bear habitat: *Journal of Applied Remote Sensing*, v. 5, no. 1, article 053568, at <https://doi.org/10.1117/1.3664342>.
- Hilker, T., Wulder, M.A., Coops, N.C., Linke, J., McDermid, G., Masek, J.G., Gao, F., and White, J.C., 2009, A new data fusion model for high spatial- and temporal-resolution mapping of forest disturbance based on Landsat and MODIS: *Remote Sensing of Environment*, v. 113, no. 8, p. 1613–1627, at <https://doi.org/10.1016/j.rse.2009.03.007>.
- Hilker, T., Wulder, M.A., Coops, N.C., Seitz, N., White, J.C., Gao, F., Masek, J.G., and Stenhouse, G., 2009, Generation of dense time series synthetic Landsat data through data blending with MODIS using a spatial and temporal adaptive reflectance fusion model: *Remote Sensing of Environment*, v. 113, no. 9, p. 1988–1999, at <https://doi.org/10.1016/j.rse.2009.05.011>.
- Hill, J., Hostert, P., and Röder, A., 2003, Observation and long-term monitoring of Mediterranean ecosystems with satellite remote sensing and GIS: *Management of Environmental Quality—An International Journal*, v. 14, no. 1, p. 51–68, at <https://doi.org/10.1108/14777830310460388>.
- Hill, J., Hostert, P., and Röder, A., 2005, Long-term observation of mediterranean ecosystems with satellite remote sensing, *in* Mazzoleni, S., Pasquale, G.D., Mulligan, M., Martino, P.D., and Rego, F., eds., *Recent dynamics of the Mediterranean vegetation and landscape*: Chichester, UK, John Wiley & Sons, p. 33–43, at <https://doi.org/10.1002/0470093714.ch4>.
- Hill, M.J., Averill, C., Jiao, Z., Schaaf, C.B., and Armston, J.D., 2008, Relationship of MISR RPV parameters and MODIS BRDF shape indicators to surface vegetation patterns in an Australian tropical savanna: *Canadian Journal of Remote Sensing*, v. 34, no. Suppl. 2, p. S247–S267, at <https://doi.org/10.5589/m08-042>.
- Hinkel, K.M., Lin, Z., Sheng, Y., and Lyons, E.A., 2012, Regional lake ice meltout patterns near Barrow, Alaska: *Polar Geography*, v. 35, no. 1, p. 1–18, at <https://doi.org/10.1080/1088937X.2011.654355>.

- Hipple, J.D., Daugherty, D.J., and Dunajcik, J.M., 2000, Long-term growth visualization and change detection for urban planning applications—A Springfield MO urbanized watershed, *in* 2000 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Honolulu, Hawaii, 24–28 July 2000, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2875–2878, at <https://doi.org/10.1109/IGARSS.2000.860276>.
- Hipple, J.D., Drazkowski, B., and Thorsell, P.M., 2005, Development in the Upper Mississippi Basin—10 Years after the Great Flood of 1993: Landscape and Urban Planning, v. 72, no. 4, p. 313–323, at <https://doi.org/10.1016/j.landurbplan.2004.03.012>.
- Hissa, L.D.B.V., Müller, H., Aguiar, A.P.D., Hostert, P., and Lakes, T., 2018, Historical carbon fluxes in the expanding deforestation frontier of Southern Brazilian Amazonia (1985–2012): Regional Environmental Change, v. 18, no. 1, p. 77–89, at <https://doi.org/10.1007/s10113-016-1076-2>.
- Hively, W.D., Gao, F., McCarty, G.W., Daughtry, C.S.T., Zhang, X., Jennewein, J., Thieme, A., Lamb, B.T., Keppler, J., et al., 2025, Satellite assessment of winter cover crop and conservation tillage outcomes to support adaptive management in working landscapes: Journal of Environmental Quality, v. 54, no. 6, p. 1548–1571, at <https://doi.org/10.1002/jeq2.70082>.
- Hively, W.D., Lamb, B.T., Daughtry, C.S.T., Serbin, G., Dennison, P., Kokaly, R.F., Wu, Z., and Masek, J.G., 2021, Evaluation of SWIR crop residue bands for the Landsat next mission: Remote Sensing, v. 13, no. 18, article 3718, at <https://doi.org/10.3390/rs13183718>.
- Ho, J.C., Michalak, A.M., and Pahlevan, N., 2019, Widespread global increase in intense lake phytoplankton blooms since the 1980s: Nature, v. 574, no. 7780, p. 667–670, at <https://doi.org/10.1038/s41586-019-1648-7>.
- Ho, J.C., Michalak, A.M., and Pahlevan, N., 2021, Reply to—Concerns about phytoplankton bloom trends in global lakes: Nature, v. 590, no. 7846, p. E48–E50, at <https://doi.org/10.1038/s41586-021-03255-2>.
- Hodges, J.C.F., Schaaf, C.B., Muchoney, D.M., Mclver, D., Friedl, M., Chi, H., and Strahler, A.H., 1999, Data simulation impacts on modis land cover classification development, *in* 2013 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Hamburg, Germany, 28 June–2 July 1999, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 904–906, at <https://doi.org/10.1109/IGARSS.1999.774480>.
- Holden, C.E., and Woodcock, C.E., 2016, An analysis of Landsat 7 and Landsat 8 underflight data and the implications for time series investigations: Remote Sensing of Environment, v. 185, p. 16–36, at <https://doi.org/10.1016/j.rse.2016.02.052>.

- Holifield, C.D., Mc Elroy, S., Moran, M.S., Bryant, R., Miura, T., and Emmerich, W.E., 2003, Temporal and spatial changes in grassland transpiration detected using Landsat TM and ETM+ imagery: *Canadian Journal of Remote Sensing*, v. 29, no. 2, p. 259–270, at <https://doi.org/10.5589/m02-093>.
- Holmes, T.R.H., Poulter, B., McCorkel, J., Jennings, D.E., Wu, D.L., Efremova, B., Shiklomanov, A., Johnson, W.R., Jhabvala, M., et al., 2024, On-orbit spatial performance characterization for thermal infrared imagers of Landsat 7, 8, and 9, ECOSTRESS and CTI: *Journal of Geophysical Research Biogeosciences*, v. 129, no. 2, article e2023JG007506, at <https://doi.org/10.1029/2023JG007506>.
- Homer, C.G., Xian, G., Aldridge, C.L., Meyer, D.K., Loveland, T.R., and O'Donnell, M.S., 2015, Forecasting sagebrush ecosystem components and greater sage-grouse habitat for 2050—Learning from past climate patterns and Landsat imagery to predict the future: *Ecological Indicators*, v. 55, p. 131–145, at <https://doi.org/10.1016/j.ecolind.2015.03.002>.
- Hong, F., Hedges, S.B., Yang, Z., Suh, J.W., Qiu, S., Timyan, J., and Zhu, Z., 2025, Decoding primary forest changes in Haiti and the Dominican Republic using Landsat time series: *Remote Sensing of Environment*, v. 318, article 114590, at <https://doi.org/10.1016/j.rse.2024.114590>.
- Hook, S.J., Chander, G., Barsi, J.A., Alley, R.E., Abtahi, A., Palluconi, F.D., Markham, B.L., Richards, R.C., Schladow, S.G., et al., 2004, In-flight validation and recovery of water surface temperature with Landsat-5 thermal infrared data using an automated high-altitude lake validation site at Lake Tahoe: *IEEE Transactions on Geoscience and Remote Sensing*, v. 42, no. 12, p. 2767–2776, at <https://doi.org/10.1109/TGRS.2004.839092>.
- Hosseini, M., Becker-Reshef, I., Sahajpal, R., Fontana, L., Lafluf, P., Leale, G., Puricelli, E., Varela, M., and Justice, C., 2020, Crop yield prediction using integration of polarimetric synthetic aperture radar and optical data, *in* 2020 IEEE India Geoscience and Remote Sensing Symposium, InGARSS 2020, Ahmedabad, India, 1–4 December 2020, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 17–20, at <https://doi.org/10.1109/InGARSS48198.2020.9358978>.
- Hostert, P., 2010, Processing techniques for hyperspectral data, *in* Rashed, R., and Jurgens, C., eds., *Remote sensing of urban and suburban areas*: Dordrecht, Netherlands, Springer, p. 165–179, at [https://doi.org/10.1007/978-1-4020-4385-7\\_9](https://doi.org/10.1007/978-1-4020-4385-7_9).
- Hostert, P., Griffiths, P., Van Der Linden, S., and Pflugmacher, D., 2015, Time series analyses in a new era of optical satellite data, *in* Kuenzer, D., Dech, S., and Wagner, W., eds., *Remote sensing time series—Revealing land surface dynamics*: Cham, Switzerland, Springer, p. 25–42, at [https://doi.org/10.1007/978-3-319-15967-6\\_2](https://doi.org/10.1007/978-3-319-15967-6_2).

- Hostert, P., and Petkov, A., 2004, Sensitivity study for urban change analysis comparing Landsat-ETM+ and Terra-ASTER data, *in* Remote Sensing for Environmental Monitoring, GIS Applications, and Geology III, Barcelona, Spain, 9–11 September 2003, Proceedings of SPIE Vol. 5239: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 285–295, at <https://doi.org/10.1117/12.513302>.
- Hostert, P., Röder, A., and Hill, J., 2003, Coupling spectral unmixing and trend analysis for monitoring of long-term vegetation dynamics in Mediterranean rangelands: Remote Sensing of Environment, v. 87, no. 2–3, p. 183–197, at [https://doi.org/10.1016/80034-4257\(03\)00145-7](https://doi.org/10.1016/80034-4257(03)00145-7).
- Hostert, P., Röder, A., Hill, J., Udelhoven, T., and Tsiourlis, G., 2003, Retrospective studies of grazing-induced land degradation—A case study in central Crete, Greece: International Journal of Remote Sensing, v. 24, no. 20, p. 4019–4034, at <https://doi.org/10.1080/0143116031000103844>.
- Houborg, R., Anderson, M.C., Gao, F., Schull, M., and Cammalleri, C., 2012, Monitoring water and carbon fluxes at fine spatial scales using HypsIRI-like measurements, *in* 2012 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Munich, Germany, 22–27 July 2012, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 7302–7305, at <https://doi.org/10.1109/IGARSS.2012.6351975>.
- Houborg, R., Anderson, M.C., and Kustas, W.P., 2010, Combining observations in the reflective solar and thermal domains for improved carbon and energy flux estimation, *in* Opportunities for Emerging Geospatial Technologies—American Society for Photogrammetry and Remote Sensing Annual Conference 2010, San Diego, Calif., 26–30 April 2010, Proceedings: American Society for Photogrammetry and Remote Sensing, p. 301–307.
- Houborg, R., McCabe, M., Cescatti, A., Gao, F., Schull, M., and Gitelson, A., 2015, Joint leaf chlorophyll content and leaf area index retrieval from Landsat data using a regularized model inversion system (REGFLEC): Remote Sensing of Environment, v. 159, p. 203–221, at <https://doi.org/10.1016/j.rse.2014.12.008>.
- Houborg, R., McCabe, M.F., and Gao, F., 2015, Downscaling of coarse resolution LAI products to achieve both high spatial and temporal resolution for regions of interest, *in* 2015 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Milan, Italy, 26–31 July 2015, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 3317–3320, at <https://doi.org/10.1109/IGARSS.2015.7326528>.
- Houborg, R., McCabe, M.F., and Gao, F., 2016, A spatio-temporal enhancement method for medium resolution LAI (STEM-LAI): International Journal of Applied Earth Observation and Geoinformation, v. 47, p. 15–29, at <https://doi.org/10.1016/j.jag.2015.11.013>.

- House, M.N., and Wynne, R.H., 2018, Identifying forest impacted by development in the Commonwealth of Virginia through the use of Landsat and known change indicators: *Remote Sensing*, v. 10, no. 1, article 135, at <https://doi.org/10.3390/rs10010135>.
- House, M.N., Wynne, R.H., Thomas, V.A., Cook, R.L., Carter, D.R., Van Mullekom, J.H., Rakestraw, J., and Schroeder, T.A., 2024, Effects of establishment fertilization on Landsat-assessed leaf area development of loblolly pine stands: *Forest Ecology and Management*, v. 556, article 121655, at <https://doi.org/10.1016/j.foreco.2023.121655>.
- Hoyos, L.E., Gavier-Pizarro, G.I., Kuemmerle, T., Bucher, E.H., Radeloff, V.C., and Tecco, P.A., 2010, Invasion of glossy privet (*Ligustrum lucidum*) and native forest loss in the Sierras Chicas of Córdoba, Argentina: *Biological Invasions*, v. 12, no. 9, p. 3261–3275, at <https://doi.org/10.1007/s10530-010-9720-0>.
- Hu, C., Muller-Karger, F.E., Andrefouet, S., and Carder, K.L., 2001, Atmospheric correction and cross-calibration of Landsat-7/ETM+ imagery over aquatic environments—A multiplatform approach using SeaWiFS/MODIS: *Remote Sensing of Environment*, v. 78, no. 1–2, p. 99–107, at [https://doi.org/10.1016/S0034-4257\(01\)00252-8](https://doi.org/10.1016/S0034-4257(01)00252-8).
- Huang, C., Goward, S.N., Masek, J.G., Gao, F., Vermote, E.F., Thomas, N., Schleeweis, K., Kennedy, R.E., Zhu, Z., et al., 2009, Development of time series stacks of Landsat images for reconstructing forest disturbance history: *International Journal of Digital Earth*, v. 2, no. 3, p. 195–218, at <https://doi.org/10.1080/17538940902801614>.
- Huang, C., Goward, S.N., Masek, J.G., Thomas, N., Zhu, Z., and Vogelmann, J.E., 2010, An automated approach for reconstructing recent forest disturbance history using dense Landsat time series stacks: *Remote Sensing of Environment*, v. 114, no. 1, p. 183–198, at <https://doi.org/10.1016/j.rse.2009.08.017>.
- Huang, C., Goward, S.N., Schleeweis, K., Thomas, N., Masek, J.G., and Zhu, Z., 2009, Dynamics of national forests assessed using the Landsat record—Case studies in eastern United States: *Remote Sensing of Environment*, v. 113, no. 7, p. 1430–1442, at <https://doi.org/10.1016/j.rse.2008.06.016>.
- Huang, C., Song, K., Kim, S., Townshend, J.R.G., Davis, P., Masek, J.G., and Goward, S.N., 2008, Use of a dark object concept and support vector machines to automate forest cover change analysis: *Remote Sensing of Environment*, v. 112, no. 3, p. 970–985, at <https://doi.org/10.1016/j.rse.2007.07.023>.
- Huang, C., Thomas, N., Goward, S.N., Masek, J.G., Zhu, Z., Townshend, J.R.G., and Vogelmann, J.E., 2010, Automated masking of cloud and cloud shadow for forest change analysis using Landsat images: *International Journal of Remote Sensing*, v. 31, no. 20, p. 5449–5464, at <https://doi.org/10.1080/01431160903369642>.
- Huang, H., Roy, D.P., de Lemos, H., Qiu, Y., and Zhang, H.K., 2025, A global Swin-Unet Sentinel-2 surface reflectance-based cloud and cloud shadow detection algorithm for the NASA Harmonized Landsat Sentinel-2 (HLS) dataset: *Science of Remote Sensing*, v. 11, article 100213, at <https://doi.org/10.1016/j.srs.2025.100213>.

- Hudak, A.T., Bright, B.C., and Kennedy, R.E., 2013, Predicting live and dead basal area from LandTrendr variables in beetle-affected forests, *in* International Conference and Workshop on the Analysis of Multi-Temporal Remote Sensing Images, 7<sup>th</sup>, Alberta, Canada, 25–27 June 2013, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1–4, at <https://doi.org/10.1109/Multi-Temp.2013.6866024>.
- Hudak, A.T., Fekety, P.A., Kane, V.R., Kennedy, R.E., Filippelli, S.K., Falkowski, M.J., Tinkham, W.T., Smith, A.M.S., Crookston, N.L., et al., 2020, A carbon monitoring system for mapping regional, annual aboveground biomass across the northwestern USA: *Environmental Research Letters*, v. 15, no. 9, article 095003, at <https://doi.org/10.1088/1748-9326/ab93f9>.
- Hudak, A.T., Lefsky, M.A., Cohen, W.B., and Berterretche, M., 2002, Integration of lidar and Landsat ETM+ data for estimating and mapping forest canopy height: *Remote Sensing of Environment*, v. 82, no. 2–3, p. 397–416, at [https://doi.org/10.1016/S0034-4257\(02\)00056-1](https://doi.org/10.1016/S0034-4257(02)00056-1).
- Hughes, M.J., and Kennedy, R., 2019, High-quality cloud masking of Landsat 8 imagery using convolutional neural networks: *Remote Sensing*, v. 11, no. 21, article 2591, at <https://doi.org/10.3390/rs11212591>.
- Hui, F., Ci, T., Cheng, X., Scambos, T.A., Liu, Y., Zhang, Y., Chi, Z., Huang, H., Wang, X., et al., 2014, Mapping blue-ice areas in Antarctica using ETM+ and MODIS data: *Annals of Glaciology*, v. 55, no. 66, p. 129–137, at <https://doi.org/10.3189/2014AoG66A069>.
- Hulbe, C.L., Scambos, T.A., Klinger, M., and Fahnestock, M.A., 2016, Flow variability and ongoing margin shifts on Bindschadler and MacAyeal Ice Streams, West Antarctica: *Journal of Geophysical Research Earth Surface*, v. 121, no. 2, p. 273–293, at <https://doi.org/10.1002/2015JF003670>.
- Hunt Jr, E.R., Everitt, J.H., Ritchie, J.C., Moran, M.S., Booth, D.T., Anderson, G.L., Clark, P.E., and Seyfried, M.S., 2003, Applications and research using remote sensing for rangeland management: *Photogrammetric Engineering & Remote Sensing*, v. 69, no. 6, p. 675–693, at <https://doi.org/10.14358/PERS.69.6.675>.
- Huntington, J.L., McGwire, K., Morton, C., Snyder, K., Peterson, S., Erickson, T., Niswonger, R., Carroll, R., Smith, G., et al., 2016, Assessing the role of climate and resource management on groundwater dependent ecosystem changes in arid environments with the Landsat archive: *Remote Sensing of Environment*, v. 185, p. 186–197, at <https://doi.org/10.1016/j.rse.2016.07.004>.
- Illeperuma, N.D., Dixon, M.D., Elliott, C.M., Magnuson, K.I., Hikkaduwa Withanage, M.H., and Vogelmann, J.E., 2023, Spatiotemporal patterns and environmental drivers of eastern redcedar (*Juniperus virginiana*) abundance along the Missouri River, USA: *Landscape Ecology*, v. 38, no. 7, p. 1677–1695, at <https://doi.org/10.1007/s10980-023-01632-y>.

- Ilori, C.O., Pahlevan, N., and Knudby, A., 2019, Analyzing performances of different atmospheric correction techniques for Landsat 8—Application for coastal remote sensing: *Remote Sensing*, v. 11, no. 4, article 469, at <https://doi.org/10.3390/rs11040469>.
- Irish, R.R., Barker, J.L., Goward, S.N., and Arvidson, T., 2006, Characterization of the Landsat-7 ETM+ automated cloud-cover assessment (ACCA) algorithm: *Photogrammetric Engineering & Remote Sensing*, v. 72, no. 10, p. 1179–1188, at <https://doi.org/10.14358/PERS.72.10.1179>.
- Irmak, A., Ratcliffe, I., Ranade, P., Irmak, J.S., Allen, R.G., Kjaersgaard, J., Kamble, B., Choragudi, R., Hubbard, K.G., et al., 2012, Seasonal evapotranspiration mapping using Landsat visible and thermal data with an energy balance approach in central Nebraska, *in Remote Sensing and Hydrology 2010*, Jackson Hole, Wyo., 27–30 September 2010, IAHS Publication 352: Wallingford, UK, International Association of Hydrological Sciences, p. 84–88, at <https://iahs.info/uploads/dms/16200.025-84-88-352-106--Irmak-Seasonal-Evapotranspiration-Mapping.pdf>.
- Irons, J.R., 2000, Present and future of the Landsat program, *in Algorithms for Multispectral, Hyperspectral, and Ultraspectral Imagery VI*, Orlando, Fla., 24–26 April 2000, Proceedings of SPIE Vol. 4049: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 122–133, at <https://doi.org/10.1117/12.410333>.
- Irons, J.R., and Dwyer, J.L., 2010, An overview of the Landsat Data Continuity Mission, *in Algorithms and Technologies for Multispectral, Hyperspectral, and Ultraspectral Imagery XVI*, Orlando, Fla., 5–8 April 2010, Proceedings of SPIE Vol. 7695: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 769508, at <https://doi.org/10.1117/12.850416>.
- Irons, J.R., Dwyer, J.L., and Barsi, J.A., 2012, The next Landsat satellite—The Landsat Data Continuity Mission: *Remote Sensing of Environment*, v. 122, p. 11–21, at <https://doi.org/10.1016/j.rse.2011.08.026>.
- Irons, J.R., and Loveland, T.R., 2013, Eighth Landsat satellite becomes operational: *Photogrammetric Engineering & Remote Sensing*, v. 79, no. 5, p. 399–401, at <https://digitaleditions.walworthprintgroup.com/may-2013?m=9573&i=156782&p=8&ver=html5>.
- Irons, J.R., and Masek, J.G., 2006, Requirements for a Landsat data continuity mission: *Photogrammetric Engineering & Remote Sensing*, v. 72, no. 10, p. 1102–1108.
- Irons, J.R., and Murphy-Morris, J., 2007, An operational land imager for the Landsat data continuity mission, *in 2007 IEEE International Geoscience and Remote Sensing Symposium (IGARSS)*, Barcelona, Spain, 23–28 July 2007, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2808–2810, at <https://doi.org/10.1109/IGARSS.2007.4423426>.

- Irons, J.R., and Ochs, W.R., 2004, Status of the Landsat Data Continuity Mission, *in* 2004 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Anchorage, Alaska, 20–24 September 2004, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1183–1185, at <https://doi.org/10.1109/IGARSS.2004.1368626>.
- Irons, J.R., Speciale, N.J., Douglas McCuiston, J., Masek, J.G., Markham, B.L., Storey, J.C., Lencioni, D.E., and Ryan, R.E., 2003, Data specifications for the Landsat Data Continuity Mission, *in* 2003 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toulouse, France, 21–25 July 2003, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1335–1337, at <https://doi.org/10.1109/IGARSS.2003.1294100>.
- Irons, J.R., Williams, D.L., and Markham, B.L., 1996, Landsat 7 and beyond, *in* 1996 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Lincoln, Nebr., 28–31 May 1996, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2161–2163, at <https://doi.org/10.1109/IGARSS.1996.516922>.
- Islam, M.A., Thenkabail, P.S., Kulawardhana, R.W., Alankara, R., Gunasinghe, S., Edussriya, C., and Gunawardana, A., 2008, Semi-automated methods for mapping wetlands using Landsat ETM+ and SRTM data: *International Journal of Remote Sensing*, v. 29, no. 24, p. 7077–7106, at <https://doi.org/10.1080/01431160802235878>.
- Jackson, T.J., Chen, D., Cosh, M., Li, F., Anderson, M.C., Walthall, C., Doriaswamy, P., and Hunt, E.R., 2004, Vegetation water content mapping using Landsat data derived normalized difference water index for corn and soybeans: *Remote Sensing of Environment*, v. 92, no. 4, p. 475–482, at <https://doi.org/10.1016/j.rse.2003.10.021>.
- Jackson, T.J., Moran, M.S., and O'Neill, P.E., 2008, Introduction to Soil Moisture Experiments 2004 (SMEX04) Special Issue: *Remote Sensing of Environment*, v. 112, no. 2, p. 301–303, at <https://doi.org/10.1016/j.rse.2007.01.021>.
- Jakimow, B., Baumann, M., Salomão, C., Bendini, H., and Hostert, P., 2023, Deforestation and agricultural fires in South-West Pará, Brazil, under political changes from 2014 to 2020: *Journal of Land Use Science*, v. 18, no. 1, p. 176–195, at <https://doi.org/10.1080/1747423X.2023.2195420>.
- Jakimow, B., Griffiths, P., van der Linden, S., and Hostert, P., 2018, Mapping pasture management in the Brazilian Amazon from dense Landsat time series: *Remote Sensing of Environment*, v. 205, p. 453–468, at <https://doi.org/10.1016/j.rse.2017.10.009>.
- Jantz, S.M., Pintea, L., Nackoney, J., and Hansen, M.C., 2016, Landsat ETM+ and SRTM data provide near real-time monitoring of Chimpanzee (*Pan troglodytes*) habitats in Africa: *Remote Sensing*, v. 8, no. 5, article 427, at <https://doi.org/10.3390/rs8050427>.

- Jarron, L.R., Hermosilla, T., Coops, N.C., Wulder, M.A., White, J.C., Hobart, G.W., and Leckie, D.G., 2017, Differentiation of alternate harvesting practices using annual time series of Landsat data: *Forests*, v. 8, no. 1, article 15, at <https://doi.org/10.3390/f8010015>.
- Jean-Claude, R., Vermote, E., Skakun, S., Murphy, E., Holben, B., and Justice, C., 2017, Evaluation of the land surface reflectance fundamental climate data record, *in* 2017 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Fort Worth, Tex., 23–28 July 2017, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 44–47, at <https://doi.org/10.1109/IGARSS.2017.8126889>.
- Jensch, K., Ghazaryan, G., Ernst, S., Hostert, P., and Nendel, C., 2025, Integrating Landsat, Sentinel-2 and Sentinel-1 time series for mapping intermediate crops: *European Journal of Remote Sensing*, v. 58, no. 1, article 2507738, at <https://doi.org/10.1080/22797254.2025.2507738>.
- Jeon, S.B., Olofsson, P., and Woodcock, C.E., 2014, Land use change in New England—A reversal of the forest transition: *Journal of Land Use Science*, v. 9, no. 1, p. 105–130, at <https://doi.org/10.1080/1747423X.2012.754962>.
- Jeon, S.B., Woodcock, C.E., Zhao, F., Yang, X., Houghton, R.A., and Hackler, J.L., 2008, The effects of land use change on the terrestrial carbon budgets of new england, *in* 2008 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Boston, Mass., 7–11 July 2008, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. V204–V207, at <https://doi.org/10.1109/IGARSS.2008.4780063>.
- Jha, N., Healey, S.P., Yang, Z., Ståhl, G., and Betts, M.G., 2024, Vicarious calibration of GEDI biomass with Landsat age data for understanding secondary forest carbon dynamics: *Environmental Research Letters*, v. 19, no. 4, article 044062, at <https://doi.org/10.1088/1748-9326/ad3661>.
- Jhabvala, M., Jennings, D., Turck, K., Tucker, C., Lunsford, A., Jhabvala, C., Cillis, A., McCorkel, J., Hair, J., et al., 2023, Dual and multi-spectral band SLS infrared camera systems, *in* Image Sensing Technologies—Materials, Devices, Systems, and Applications X 2023, Orlando, Fla., 30 April–5 May 2023, Proceedings of SPIE Vol. 12514: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 1251404, at <https://doi.org/10.1117/12.2666075>.
- Jia, X., Dey, C., Fraser, D., Lymburner, L., and Lewis, A., 2010, Controlled spectral unmixing using extended support vector machines, *in* 2<sup>nd</sup> Workshop on Hyperspectral Image and Signal Processing—Evolution in Remote Sensing, WHISPERS 2010, Reykjavik, Iceland, 14–16 June 2010, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), paper 5594843, at <https://doi.org/10.1109/WHISPERS.2010.5594843>.

- Jiao, L., and Wynne, R.H., 2025, Robust identification of vegetation change using shapelet-based temporal segmentation of Landsat time-series stacks—A case study in the Qilian Mountains: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 18, p. 4601–4618, at <https://doi.org/10.1109/JSTARS.2024.3521417>.
- Jiao, L., Wynne, R.H., Han, L., Chen, P., Zhang, Y., and Yang, F., 2025, Attributing vegetation disturbance change agent from Landsat time series in the arid and semi-arid ecosystem of Qilian Mountains, China: *Remote Sensing Applications: Society and Environment*, v. 39, article 101720, at <https://doi.org/10.1016/j.rsase.2025.101720>.
- Jin, S., Dewitz, J., Danielson, P., Granneman, B., Costello, C., Smith, K., and Zhu, Z., 2023, National Land Cover Database 2019—A new strategy for creating clean leaf-on and leaf-off Landsat composite images: *Journal of Remote Sensing*, v. 3, article 0022, at <https://doi.org/10.34133/remotesensing.0022>.
- Jin, S., Dewitz, J., Li, C., Sorenson, D., Zhu, Z., Shogib, M.R.I., Danielson, P., Granneman, B., Costello, C., et al., 2023, National Land Cover Database 2019—A comprehensive strategy for creating the 1986–2019 forest disturbance product: *Journal of Remote Sensing*, v. 3, article 0021, at <https://doi.org/10.34133/remotesensing.0021>.
- Jin, S., Homer, C., Yang, L., Danielson, P., Dewitz, J., Li, C., Zhu, Z., Xian, G., and Howard, D., 2019, Overall methodology design for the United States National Land Cover Database 2016 products: *Remote Sensing*, v. 11, no. 24, article 2971, at <https://doi.org/10.3390/rs11242971>.
- Jin, S., Yang, L., Zhu, Z., and Homer, C., 2017, A land cover change detection and classification protocol for updating Alaska NLCD 2001 to 2011: *Remote Sensing of Environment*, v. 195, p. 44–55, at <https://doi.org/10.1016/j.rse.2017.04.021>.
- Jin, Y., Schaaf, C.B., Woodcock, C.E., Gao, F., Li, X., Strahler, A.H., Lucht, W., and Liang, S., 2003, Consistency of MODIS surface bidirectional reflectance distribution function and albedo retrievals—2. Validation: *Journal of Geophysical Research Atmospheres*, v. 108, no. 5, p. ACL 3–1 ACL 3–15, at <https://doi.org/10.1029/2002JD002804>
- Jing, X., Leigh, L., Helder, D.L., Pinto, C.T., and Aaron, D., 2019, Lifetime absolute calibration of the EO-1 hyperion sensor and its validation: *IEEE Transactions on Geoscience and Remote Sensing*, v. 57, no. 11, p. 9466–9475, at <https://doi.org/10.1109/TGRS.2019.2926663>.
- Jing, X., Leigh, L., Pinto, C.T., and Helder, D., 2019, Evaluation of RadCalNet output data using Landsat 7, Landsat 8, Sentinel 2A, and Sentinel 2B sensors: *Remote Sensing*, v. 11, no. 5, article 541, at <https://doi.org/10.3390/rs11050541>.
- Johnson, D.M., 2008, A comparison of coincident Landsat-5 TM and Resourcesat-1 AWiFS imagery for classifying croplands: *Photogrammetric Engineering & Remote Sensing*, v. 74, no. 11, p. 1413–1423, at <https://doi.org/10.14358/PERS.74.11.1413>.

- Johnson, D.M., 2013, A 2010 map estimate of annually tilled cropland within the conterminous United States: *Agricultural Systems*, v. 114, p. 95–105, at <https://doi.org/10.1016/j.agsy.2012.08.004>.
- Johnson, D.M., 2014, An assessment of pre- and within-season remotely sensed variables for forecasting corn and soybean yields in the United States: *Remote Sensing of Environment*, v. 141, p. 116–128, at <https://doi.org/10.1016/j.rse.2013.10.027>.
- Johnson, D.M., 2016, A comprehensive assessment of the correlations between field crop yields and commonly used MODIS products: *International Journal of Applied Earth Observation and Geoinformation*, v. 52, p. 65–81, at <https://doi.org/10.1016/j.jag.2016.05.010>.
- Johnson, D.M., 2019, Using the Landsat archive to map crop cover history across the United States: *Remote Sensing of Environment*, v. 232, article 111286, at <https://doi.org/10.1016/j.rse.2019.111286>.
- Johnson, D.M., and Mueller, R., 2021, Pre- and within-season crop type classification trained with archival land cover information: *Remote Sensing of Environment*, v. 264, article 112576, at <https://doi.org/10.1016/j.rse.2021.112576>.
- Johnson, L., Nemani, R.R., Melton, F., Michaelis, A., Votava, P., Wang, D., and Trout, T., 2010, Information technology supports integration of satellite imagery with irrigation management in California's Central Valley, *in* National Decennial Irrigation Conference, 5<sup>th</sup>, Phoenix, Ariz., 5–8 December 2010, Proceedings: St. Joseph, Mich., American Society of Agricultural and Biological Engineers, p. 790–797, at <https://doi.org/10.13031/2013.35877>.
- Johnson, L.K., Yang, Z., Erb, A.M., Bright, R.M., Domke, G.M., Frescino, T.S., Schaaf, C.B., and Healey, S., 2025, Integrating albedo offsets in reforestation decisions for climate change mitigation outcomes in 2050—A case study in the USA: *Forest Ecology and Management*, v. 587, article 122699, at <https://doi.org/10.1016/j.foreco.2025.122699>.
- Joshi, N., Baumann, M., Ehammer, A., Fensholt, R., Grogan, K., Hostert, P., Jepsen, M.R., Kuemmerle, T., Meyfroidt, P., et al., 2016, A review of the application of optical and radar remote sensing data fusion to land use mapping and monitoring: *Remote Sensing*, v. 8, no. 1, article 70, at <https://doi.org/10.3390/rs8010070>.
- Joshi, P.P., Wynne, R.H., and Thomas, V.A., 2019, Cloud detection algorithm using SVM with SWIR2 and tasseled cap applied to Landsat 8: *International Journal of Applied Earth Observation and Geoinformation*, v. 82, article 101898, at <https://doi.org/10.1016/j.jag.2019.101898>.
- Ju, J., and Masek, J.G., 2016, The vegetation greenness trend in Canada and US Alaska from 1984-2012 Landsat data: *Remote Sensing of Environment*, v. 176, p. 1–16, at <https://doi.org/10.1016/j.rse.2016.01.001>.

- Ju, J., Neigh, C.S.R., Freitag, B., Zhou, Q., Sridhar, M., and Masek, J., 2024, A pilot study of 10-day composites from the NASA Harmonized Landsat and Sentinel-2 images for terrestrial monitoring, *in* 2024 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Athens, Greece, 7–12 July 2024, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 6864–6866, at <https://doi.org/10.1109/IGARSS53475.2024.10641064>.
- Ju, J., and Roy, D.P., 2008, The availability of cloud-free Landsat ETM+ data over the conterminous United States and globally: *Remote Sensing of Environment*, v. 112, no. 3, p. 1196–1211, at <https://doi.org/10.1016/j.rse.2007.08.011>.
- Ju, J., Roy, D.P., Vermote, E.F., Masek, J.G., and Kovalskyy, V., 2012, Continental-scale validation of MODIS-based and LEDAPS Landsat ETM+ atmospheric correction methods: *Remote Sensing of Environment*, v. 122, p. 175–184, at <https://doi.org/10.1016/j.rse.2011.12.025>.
- Ju, J., Vermote, E.F., Roy, D.P., and Masek, J.G., 2011, Continental scale validation of MODIS-based and LEDAPS Landsat ETM+ atmospheric correction methods, *in* Towards operational environmental monitoring, International Symposium on Remote Sensing of Environment—The GEOSS Era, 34<sup>th</sup>, Sydney, Australia, 10–15 April 2011, Proceedings: Tuscon, Ariz., International Center for Remote Sensing of Environment, p. 1–3, at <https://www.isprs.org/proceedings/2011/ISRSE-34/211104015Final00677.pdf>.
- Ju, J., Zhou, Q., Freitag, B., Roy, D.P., Zhang, H.K., Sridhar, M.K., Mandel, J., Arab, S., Schmidt, G., et al., 2025, The Harmonized Landsat and Sentinel-2 version 2.0 surface reflectance dataset: *Remote Sensing of Environment*, v. 324, article 114723, at <https://doi.org/10.1016/j.rse.2025.114723>.
- Justice, C.O., Vermote, E.F., Privette, J., and Sei, A., 2011, The evolution of U.S. moderate resolution optical land remote sensing from AVHRR to VIIRS, *in* Ramachandran, B., Justice, C.O., and Abrams, M.J., eds., *Land remote sensing and global environmental change*: New York, N.Y., Springer, p. 781–806, at [https://doi.org/10.1007/978-1-4419-6749-7\\_34](https://doi.org/10.1007/978-1-4419-6749-7_34).
- Justice, C.O., Vermote, E.F., Townshend, J.R.G., Defries, R., Roy, D.P., Hall, D.K., Salomonson, V.V., Privette, J.L., Riggs, G., et al., 1998, The moderate resolution imaging spectroradiometer (MODIS)—Land remote sensing for global change research: *IEEE Transactions on Geoscience and Remote Sensing*, v. 36, no. 4, p. 1228–1249, at <https://doi.org/10.1109/36.701075>.
- Kabir, S., Pahlevan, N., O’Shea, R.E., and Barnes, B.B., 2023, Leveraging Landsat-8/-9 underfly observations to evaluate consistency in reflectance products over aquatic environments: *Remote Sensing of Environment*, v. 296, article 113755, at <https://doi.org/10.1016/j.rse.2023.113755>.

- Kaita, E., Arvidson, T., Barsi, J., Choate, M.J., Cook, B., Crawford, C.J., Levy, R., Lubke, M., Markham, B.L., et al., 2026, Landsat Program, *in* Liang, S., ed., *Comprehensive remote sensing*, 2d ed.: Amsterdam, Netherlands, Elsevier, p. 34–109, at <https://doi.org/10.1016/B978-0-443-13220-9.00045-7>.
- Kaita, E., Markham, B., Haque, M.O., Dichmann, D., Gerace, A., Leigh, L., Good, S., Schmidt, M., and Crawford, C.J., 2022, Landsat 9 cross calibration under-fly of Landsat 8—Planning, and execution: *Remote Sensing*, v. 14, no. 21, article 5414, at <https://doi.org/10.3390/rs14215414>.
- Kalecinski, N.I., Skakun, S., Torbick, N., Huang, X., Franch Gras, B., Roger, J.C., and Vermote, E., 2024, Crop yield estimation at different growing stages using a synergy of SAR and optical remote sensing data: *Science of Remote Sensing*, v. 10, article 100153, at <https://doi.org/10.1016/j.srs.2024.100153>.
- Kang, Y., Gao, F., Anderson, M.C., Kustas, W.P., Nieto, H., Knipper, K., Yang, Y., White, W.A., Alfieri, J., et al., 2022, Evaluation of satellite leaf area index in California vineyards for improving water use estimation: *Irrigation Science*, v. 40, no. 4-5, p. 531–551, at <https://doi.org/10.1007/s00271-022-00798-8>.
- Kang, Y., Ozdogan, M., Gao, F., Anderson, M.C., White, W.A., Yang, Y., Yang, Y., and Erickson, T.A., 2021, A data-driven approach to estimate leaf area index for Landsat images over the contiguous US: *Remote Sensing of Environment*, v. 258, article 112383, at <https://doi.org/10.1016/j.rse.2021.112383>.
- Kashongwe, H.B., Roy, D.P., and Bwangoy, J.R.B., 2020, Democratic Republic of the Congo tropical forest canopy height and aboveground biomass estimation with Landsat-8 Operational Land Imager (OLI) and airborne LiDAR data—The effect of seasonal Landsat image selection: *Remote Sensing*, v. 12, no. 9, article 1360, at <https://doi.org/10.3390/RS12091360>.
- Kearney, S.P., Coops, N.C., Stenhouse, G.B., Nielsen, S.E., Hermosilla, T., White, J.C., and Wulder, M.A., 2019, Grizzly bear selection of recently harvested forests is dependent on forest recovery rate and landscape composition: *Forest Ecology and Management*, v. 449, article 117459, at <https://doi.org/10.1016/j.foreco.2019.117459>.
- Kearney, S.P., Porensky, L.M., Augustine, D.J., Derner, J.D., and Gao, F., 2022, Predicting spatial-temporal patterns of diet quality and large herbivore performance using satellite time series: *Ecological Applications*, v. 32, no. 2, article e2503, at <https://doi.org/10.1002/eap.2503>.
- Kennaway, T., and Helmer, E.H., 2007, The forest types and ages cleared for land development in Puerto Rico: *GIScience and Remote Sensing*, v. 44, no. 4, p. 356–382, at <https://doi.org/10.2747/1548-1603.44.4.356>.
- Kennaway, T.A., Helmer, E.H., Lefsky, M.A., Brandeis, T.A., and Sherrill, K.R., 2008, Mapping land cover and estimating forest structure using satellite imagery and coarse resolution lidar in the Virgin Islands: *Journal of Applied Remote Sensing*, v. 2, no. 1, article 023551, at <https://doi.org/10.1117/1.3063939>.

- Kennedy, R.E., 2012, New views on changing Arctic vegetation: *Environmental Research Letters*, v. 7, no. 1, article 011001, at <https://doi.org/10.1088/1748-9326/7/1/011001>.
- Kennedy, R.E., Andréfouët, S., Cohen, W.B., Gómez, C., Griffiths, P., Hais, M., Healey, S.P., Helmer, E.H., Hostert, P., et al., 2014, Bringing an ecological view of change to Landsat-based remote sensing: *Frontiers in Ecology and the Environment*, v. 12, no. 6, p. 339–346, at <https://doi.org/10.1890/130066>.
- Kennedy, R.E., Cohen, W.B., and Schroeder, T.A., 2007, Trajectory-based change detection for automated characterization of forest disturbance dynamics: *Remote Sensing of Environment*, v. 110, no. 3, p. 370–386, at <https://doi.org/10.1016/j.rse.2007.03.010>.
- Kennedy, R.E., Ohmann, J., Gregory, M., Roberts, H., Yang, Z., Bell, D.M., Kane, V., Hughes, M.J., Cohen, W.B., et al., 2018, An empirical, integrated forest biomass monitoring system: *Environmental Research Letters*, v. 13, no. 2, article 025004, at <https://doi.org/10.1088/1748-9326/aa9d9e>.
- Kennedy, R.E., Yang, Z., Braaten, J., Cohen, W.B., Nelson, P., and Pfaff, E., 2013, A satellite's view of recent trends in forest harvest intensity in the Pacific Northwest, *in* Anderson, P.D., and Ronnenberg, K.L., eds., *Density management in the 21<sup>st</sup> century—West side story: Portland, Oreg.*, U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station Gen. Tech. Rep. PNW-GTR-880, p. 38–40, at <https://doi.org/10.2737/PNW-GTR-880>.
- Kennedy, R.E., Yang, Z., Braaten, J., Copass, C., Antonova, N., Jordan, C., and Nelson, P., 2015, Attribution of disturbance change agent from Landsat time-series in support of habitat monitoring in the Puget Sound region, USA: *Remote Sensing of Environment*, v. 166, p. 271–285, at <https://doi.org/10.1016/j.rse.2015.05.005>.
- Kennedy, R.E., Yang, Z., and Cohen, W.B., 2010, Detecting trends in forest disturbance and recovery using yearly Landsat time series—1. LandTrendr - Temporal segmentation algorithms: *Remote Sensing of Environment*, v. 114, no. 12, p. 2897–2910, at <https://doi.org/10.1016/j.rse.2010.07.008>.
- Kennedy, R.E., Yang, Z., Cohen, W.B., Pfaff, E., Braaten, J., and Nelson, P., 2012, Spatial and temporal patterns of forest disturbance and regrowth within the area of the Northwest Forest Plan: *Remote Sensing of Environment*, v. 122, p. 117–133, at <https://doi.org/10.1016/j.rse.2011.09.024>.
- Kennedy, R.E., Yang, Z., Gorelick, N.S., Braaten, J., Cavalcante, L., Cohen, W.B., and Healey, S.P., 2018, Implementation of the LandTrendr algorithm on Google Earth Engine: *Remote Sensing*, v. 10, no. 5, article 691, at <https://doi.org/10.3390/rs10050691>.
- Ketchum, D., Jencso, K., Maneta, M.P., Melton, F., Jones, M.O., and Huntington, J., 2020, IrrMapper—A machine learning approach for high resolution mapping of irrigated agriculture across the Western U.S: *Remote Sensing*, v. 12, no. 14, article 2328, at <https://doi.org/10.3390/rs12142328>.

- Khan, A., Hansen, M.C., Potapov, P., Adusei, B., Stehman, S.V., and Steininger, M.K., 2021, An operational automated mapping algorithm for in-season estimation of wheat area for Punjab, Pakistan: *International Journal of Remote Sensing*, v. 42, no. 10, p. 3833–3849, at <https://doi.org/10.1080/01431161.2021.1883200>.
- Khan, A., Hansen, M.C., Potapov, P., Stehman, S.V., and Chatta, A.A., 2016, Landsat-based wheat mapping in the heterogeneous cropping system of Punjab, Pakistan: *International Journal of Remote Sensing*, v. 37, no. 6, p. 1391–1410, at <https://doi.org/10.1080/01431161.2016.1151572>.
- Khan, A., Hansen, M.C., Potapov, P.V., Adusei, B., Pickens, A., Krylov, A., and Stehman, S.V., 2018, Evaluating Landsat and RapidEye data for winter wheat mapping and area estimation in Punjab, Pakistan: *Remote Sensing*, v. 10, no. 4, article 489, at <https://doi.org/10.3390/rs10040489>.
- Khan, A., Potapov, P., Hansen, M.C., Pickens, A.H., Tyukavina, A., Serna, A.H., Uddin, K., and Ahmad, J., 2024, Perennial snow and ice cover change from 2001 to 2021 in the Hindu-Kush Himalayan region derived from the Landsat analysis-ready data: *Remote Sensing Applications: Society and Environment*, v. 34, article 101192, at <https://doi.org/10.1016/j.rsase.2024.101192>.
- Khan, A.M., Stoy, P.C., Douglas, J.T., Anderson, M., Diak, G., Otkin, J.A., Hain, C., Rehbein, E.M., and McCorkel, J., 2021, Reviews and syntheses—Ongoing and emerging opportunities to improve environmental science using observations from the Advanced Baseline Imager on the Geostationary Operational Environmental Satellites: *Biogeosciences*, v. 18, no. 13, p. 4117–4141, at <https://doi.org/10.5194/bg-18-4117-2021>.
- Kieffer, H., Kargel, J.S., Barry, R., Bindschadler, R.A., Bishop, M., MacKinnon, D., Ohmura, A., Raup, B., Antoninetti, M., et al., 2000, New eyes in the sky measure glaciers and ice sheets: *Eos*, v. 81, no. 24, p. 265–271, at <https://doi.org/10.1029/00EO00187>.
- Kilbride, J.B., and Kennedy, R., 2024, A large-scale inter-comparison and evaluation of spatial feature engineering strategies for forest aboveground biomass estimation using Landsat satellite imagery: *Remote Sensing*, v. 16, no. 23, article 4586, at <https://doi.org/10.3390/rs16234586>.
- Kilbride, J.B., Poortinga, A., Bhandari, B., Thwal, N.S., Quyen, N.H., Silverman, J., Tenneson, K., Bell, D., Gregory, M., et al., 2023, A near real-time mapping of tropical forest disturbance using SAR and semantic segmentation in Google Earth Engine: *Remote Sensing*, v. 15, no. 21, article 5223, at <https://doi.org/10.3390/rs15215223>.
- Kilic, A., Allen, R.G., Trezza, R., Ratcliffe, I., Kamble, B., Robison, C., and Ozturk, D., 2016, Sensitivity of evapotranspiration retrievals from the METRIC processing algorithm to improved radiometric resolution of Landsat 8 thermal data and to calibration bias in Landsat 7 and 8 surface temperature: *Remote Sensing of Environment*, v. 185, p. 198–209, at <https://doi.org/10.1016/j.rse.2016.07.011>.

- Kim, J., Hwang, T., Schaaf, C.L., Kljun, N., and Munger, J.W., 2018, Seasonal variation of source contributions to eddy-covariance CO<sub>2</sub> measurements in a mixed hardwood-conifer forest: *Agricultural and Forest Meteorology*, v. 253–254, p. 71–83, at <https://doi.org/10.1016/j.agrformet.2018.02.004>.
- Kimambo, N.E., and Radeloff, V.C., 2023, Using Landsat and Sentinel-2 spectral time series to detect East African small woodlots: *Science of Remote Sensing*, v. 8, article 100096, at <https://doi.org/10.1016/j.srs.2023.100096>.
- King, L., Adusei, B., Stehman, S.V., Potapov, P.V., Song, X.P., Krylov, A., Di Bella, C., Loveland, T.R., Johnson, D.M., et al., 2017, A multi-resolution approach to national-scale cultivated area estimation of soybean: *Remote Sensing of Environment*, v. 195, p. 13–29, at <https://doi.org/10.1016/j.rse.2017.03.047>.
- Kjaersgaard, J., Allen, R.G., and Irmak, A., 2011, Improved methods for estimating monthly and growing season ET using METRIC applied to moderate resolution satellite imagery: *Hydrological Processes*, v. 25, no. 26, p. 4028–4036, at <https://doi.org/10.1002/hyp.8394>.
- Kjaersgaard, J., Allen, R.G., Robison, C., Irmak, A., Ratcliffe, I., Ranade, P., Trezza, R., Dhungel, R., and Kra, E., 2012, Adjusting for background soil evaporation when interpolating evapotranspiration between satellite overpass dates, *in* *Remote Sensing and Hydrology 2010*, Jackson Hole, Wyo., 27–30 September 2010, IAHS Publication 352: Wallingford, UK, International Association of Hydrological Sciences, p. 94–97, at [https://iahs.info/uploads/dms/16202.027--94-97-352-48.-Kjaersgaard-Background Evaporation CORRECTED.pdf](https://iahs.info/uploads/dms/16202.027--94-97-352-48.-Kjaersgaard-Background%20Evaporation%20CORRECTED.pdf).
- Kjaersgaard, J.H., Allen, R.G., Aggett, G.R., Schneider, C.A., Hattendorf, M.J., Irmak, A., Hergert, G.W., and Robison, C., 2008, Computation of Landsat based evapotranspiration maps along the South Platte and North Platte Rivers, *in* *World Environmental and Water Resources Congress*, Honolulu, Hawaii, 12–16 May 2008, Proceedings: Reston, Va., American Society of Civil Engineers, p. 1–10, at [https://doi.org/10.1061/40976\(316\)97](https://doi.org/10.1061/40976(316)97).
- Kjaersgaard, J.H., Allen, R.G., Garcia, M., Kramber, W., and Trezza, R., 2009, Automated selection of anchor pixels for Landsat based evapotranspiration estimation, *in* *Great rivers*, World Environmental and Water Resources Congress, Kansas City, Mo., 17–21 May 2009, Proceedings: Reston, Va., American Society of Civil Engineers, p. 4400–4410, at [https://doi.org/10.1061/41036\(342\)442](https://doi.org/10.1061/41036(342)442).
- Kjaersgaard, J.H., Gowda, P.H., Allen, R.G., and Howell, T.A., 2009, Independent comparisons among calibration and output of energy balance components estimated by the METRIC procedure, *in* *Great rivers*, World Environmental and Water Resources Congress, Kansas City, Mo., 17–21 May 2009, Proceedings: Reston, Va., American Society of Civil Engineers, p. 4362–4371, at [https://doi.org/10.1061/41036\(342\)438](https://doi.org/10.1061/41036(342)438).

- Klosterman, S., Melaas, E., Wang, J., Martinez, A., Frederick, S., O'Keefe, J., Orwig, D.A., Wang, Z., Sun, Q., et al., 2018, Fine-scale perspectives on landscape phenology from unmanned aerial vehicle (UAV) photography: *Agricultural and Forest Meteorology*, v. 248, p. 397–407, at <https://doi.org/10.1016/j.agrformet.2017.10.015>.
- Kneubühler, M., Schaepman, M., and Thome, K.J., 2006, Long-term vicarious calibration efforts of MERIS at railroad valley playa (NV)—An update, *in* 2<sup>nd</sup> Working Meeting on MERIS and AATSR Calibration and Geophysical Validation, MAVT-2006, Frascati, Italy, 20–24 March 2006, ESA-SP 615: Frascati, Italy, European Space Agency, paper 77949, at <https://doi.org/10.5167/uzh-77949>.
- Kneubühler, M., Schaepman, M.E., Thome, K.J., and Schläpfer, D., 2004, MERIS / ENVISAT Vicarious Calibration Over Land, *in* Sensors, Systems and Next-Generation Satellites VII, Barcelona, Spain, 8–10 September 2003, Proceedings of SPIE Vol. 5234: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 614–623, at <https://doi.org/10.1117/12.510449>.
- Knipper, K., Anderson, M., Bambach, N., Melton, F., Ellis, Z., Yang, Y., Volk, J., McElrone, A.J., Kustas, W., et al., 2024, A comparative analysis of OpenET for evaluating evapotranspiration in California almond orchards: *Agricultural and Forest Meteorology*, v. 355, article 110146, at <https://doi.org/10.1016/j.agrformet.2024.110146>.
- Knipper, K., Anderson, M.C., Bambach, N., Kustas, W.P., Gao, F., Zahn, E., Hain, C., McElrone, A.J., Belfiore, O.R., et al., 2023, Evaluation of partitioned evaporation and transpiration estimates within the DisALEXI modeling framework over irrigated crops in California: *Remote Sensing*, v. 15, no. 1, article 68, at <https://doi.org/10.3390/rs15010068>.
- Knipper, K.R., Kustas, W.P., Anderson, M.C., Alsina, M.M., Hain, C.R., Alfieri, J.G., Prueger, J.H., Gao, F., McKee, L.G., et al., 2019, Using high-spatiotemporal thermal satellite ET retrievals for operational water use and stress monitoring in a California vineyard: *Remote Sensing*, v. 11, no. 18, article 2124, at <https://doi.org/10.3390/rs11182124>.
- Knipper, K.R., Yang, Y., Anderson, M., Bambach, N., Kustas, W.P., McElrone, A.J., Gao, F., and Alsina, M.M., 2023, Decreased latency in Landsat-derived land surface temperature products—A case for near-real-time evapotranspiration estimation in California: *Agricultural Water Management*, v. 283, article 108316, at <https://doi.org/10.1016/j.agwat.2023.108316>.
- Knorn, J., Kuemmerle, T., Radeloff, V.C., Keeton, W.S., Gancz, V., Biriş, I.A., Svoboda, M., Griffiths, P., Hagatis, A., et al., 2013, Continued loss of temperate old-growth forests in the Romanian Carpathians despite an increasing protected area network: *Environmental Conservation*, v. 40, no. 2, p. 182–193, at <https://doi.org/10.1017/S0376892912000355>.

- Knorn, J., Kuemmerle, T., Radeloff, V.C., Szabo, A., Mindrescu, M., Keeton, W.S., Abrudan, I., Griffiths, P., Gancz, V., et al., 2012, Forest restitution and protected area effectiveness in post-socialist Romania: *Biological Conservation*, v. 146, no. 1, p. 204–212, at <https://doi.org/10.1016/j.biocon.2011.12.020>.
- Knorn, J., Rabe, A., Radeloff, V.C., Kuemmerle, T., Kozak, J., and Hostert, P., 2009, Land cover mapping of large areas using chain classification of neighboring Landsat satellite images: *Remote Sensing of Environment*, v. 113, no. 5, p. 957–964, at <https://doi.org/10.1016/j.rse.2009.01.010>.
- Konrad Turlej, C., Ozdogan, M., and Radeloff, V.C., 2022, Mapping forest types over large areas with Landsat imagery partially affected by clouds and SLC gaps: *International Journal of Applied Earth Observation and Geoinformation*, v. 107, article 102689, at <https://doi.org/10.1016/j.jag.2022.102689>.
- Koren, I., Oreopoulos, L., Feingold, G., Remer, L.A., and Altaratz, O., 2008, How small is a small cloud?: *Atmospheric Chemistry and Physics*, v. 8, no. 14, p. 3855–3864, at <https://doi.org/10.5194/acp-8-3855-2008>.
- Korontzi, S., Justice, C.O., and Scholes, R.J., 2003, Influence of timing and spatial extent of savanna fires in southern Africa on atmospheric emissions: *Journal of Arid Environments*, v. 54, no. 2, p. 395–404, at <https://doi.org/10.1006/jare.2002.1098>.
- Kovalskyy, V., and Roy, D.P., 2012, The availability of cloud-free Landsat TM and ETM+ land observations and implications for global Landsat data production, *in* International Conference on Geoinformatics—Theoretical and Applied Aspects, 11<sup>th</sup>, Kiev, Ukraine, 14–17 May 2012, Proceedings: Houton, Netherlands, European Association of Geoscientists and Engineers, paper 14475, at <https://www.earthdoc.org/deliver/fulltext/2214-4609/334/14475.pdf?itemId=/content/papers/10.3997/2214-4609.201403003&imeType=application/pdf>.
- Kovalskyy, V., and Roy, D.P., 2013, The global availability of Landsat 5 TM and Landsat 7 ETM+ land surface observations and implications for global 30m Landsat data product generation: *Remote Sensing of Environment*, v. 130, p. 280–293, at <https://doi.org/10.1016/j.rse.2012.12.003>.
- Kovalskyy, V., and Roy, D.P., 2015, A one year Landsat 8 conterminous United States study of cirrus and non-cirrus clouds: *Remote Sensing*, v. 7, no. 1, p. 564–578, at <https://doi.org/10.3390/rs70100564>.
- Kovalskyy, V., Roy, D.P., Zhang, X.Y., and Ju, J., 2012, The suitability of multi-temporal web-enabled Landsat data NDVI for phenological monitoring - A comparison with flux tower and MODIS NDVI: *Remote Sensing Letters*, v. 3, no. 4, p. 325–334, at <https://doi.org/10.1080/01431161.2011.593581>.

- Kowalski, K., Senf, C., Hostert, P., and Pflugmacher, D., 2020, Characterizing spring phenology of temperate broadleaf forests using Landsat and Sentinel-2 time series: *International Journal of Applied Earth Observation and Geoinformation*, v. 92, article 102172, at <https://doi.org/10.1016/j.jag.2020.102172>.
- Kowalski, K., Senf, C., Okujeni, A., and Hostert, P., 2024, Large-scale remote sensing analysis reveals an increasing coupling of grassland vitality to atmospheric water demand: *Global Change Biology*, v. 30, no. 5, article e17315, at <https://doi.org/10.1111/gcb.17315>.
- Kraemer, R., Prishchepov, A.V., Müller, D., Kuemmerle, T., Radeloff, V.C., Dara, A., Terekhov, A., and Frühauf, M., 2015, Long-term agricultural land-cover change and potential for cropland expansion in the former Virgin Lands area of Kazakhstan: *Environmental Research Letters*, v. 10, no. 5, article 054012, at <https://doi.org/10.1088/1748-9326/10/5/054012>.
- Kramber, W.J., Morse, A., Allen, R.G., Tasumi, M., Trezza, R., and Wright, J.L., 2002, Developing surrogate pixels for comparing SEBAL ET with Lysimeter ET measurements, *in* 2002 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toronto, Canada, 24–28 June 2002, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 119–121, at <https://doi.org/10.1109/IGARSS.2002.1024960>.
- Kramber, W.J., Morse, A., Allen, R.G., and Trezza, R., 2008, Landsat thermal data for water resources management in Idaho, *in* Bridging the horizons—New frontiers in geospatial collaboration, Annual Conference, Portland, Oreg., 28 April–2 May 2008, Proceedings: Bethesda, Md., American Society for Photogrammetry and Remote Sensing p. 394–398, at [https://www.academia.edu/73560355/Landsat\\_Thermal\\_Data\\_for\\_Water\\_Resources\\_Management\\_in\\_Idaho](https://www.academia.edu/73560355/Landsat_Thermal_Data_for_Water_Resources_Management_in_Idaho).
- Krankina, O.N., Harmon, M.E., Cohen, W.B., Oetter, D.R., Olga, Z., and Duane, M.V., 2004, Carbon stores, sinks, and sources in forests of northwestern Russia—Can we reconcile forest inventories with remote sensing results?: *Climatic Change*, v. 67, no. 2–3, p. 257–272, at <https://doi.org/10.1007/s10584-004-3154-6>.
- Krankina, O.N., Pflugmacher, D., Friedl, M., Cohen, W.B., Nelson, P., and Baccini, A., 2008, Meeting the challenge of mapping peatlands with remotely sensed data: *Biogeosciences*, v. 5, no. 6, p. 1809–1820, at <https://doi.org/10.5194/bg-5-1809-2008>.
- Krankina, O.N., Pflugmacher, D., Hayes, D.J., McGuire, A.D., Hansen, M.C., Häme, T., Elsakov, V., and Nelson, P., 2011, Vegetation cover in the Eurasian Arctic—Distribution, monitoring, and role in carbon cycling, *in* Gutman, G., and Reissell, A., eds., *Eurasian arctic land cover and land use in a changing climate*: Dordrecht, Netherlands, Springer, p. 79–108, at [https://doi.org/10.1007/978-90-481-9118-5\\_5](https://doi.org/10.1007/978-90-481-9118-5_5).
- Krause, C.E., Newey, V., Alger, M.J., and Lymburner, L., 2021, Mapping and monitoring the multi-decadal dynamics of Australia’s open waterbodies using Landsat: *Remote Sensing*, v. 13, no. 8, article 1437, at <https://doi.org/10.3390/rs13081437>.

- Krause, K., Biggar, S., Thome, K.J., Eagen, J., and Kenyon, D., 2002, On-orbit radiometric calibration using a solar diffuser, *in* Earth Observing Systems VI, San Diego, Calif., 29 July–3 August 2001, Proceedings of SPIE Vol. 4483: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 135–145, at <https://doi.org/10.1117/12.453447>.
- Krylov, A., McCarty, J.L., Potapov, P., Loboda, T., Tyukavina, A., Turubanova, S., and Hansen, M.C., 2014, Remote sensing estimates of stand-replacement fires in Russia, 2002–2011: *Environmental Research Letters*, v. 9, no. 10, article 105007, at <https://doi.org/10.1088/1748-9326/9/10/105007>.
- Kučera, J., Barbosa, P., and Strobl, P., 2007, Cumulative sum charts—A novel technique for processing daily time series of MODIS data for burnt area mapping in Portugal, *in* 2007 International Workshop on the Analysis of Multi-Temporal Remote Sensing Images, MultiTemp 2007, Leuven, Belgium, 18–20 July 2007, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), paper 4293051, at <https://doi.org/10.1109/MULTITEMP.2007.4293051>.
- Kuczynski, T.K., Field, D.R., Voss, P.R., Radeloff, V.C., and Hagen, A.E., 2000, Integrating demographic and Landsat™ data at a watershed scale: *Journal of the American Water Resources Association*, v. 36, no. 1, p. 215–228, at <https://doi.org/10.1111/j.1752-1688.2000.tb04261.x>.
- Kuemmerle, T., Chaskovskyy, O., Knorn, J., Radeloff, V.C., Kruhlov, I., Keeton, W.S., and Hostert, P., 2009, Forest cover change and illegal logging in the Ukrainian Carpathians in the transition period from 1988 to 2007: *Remote Sensing of Environment*, v. 113, no. 6, p. 1194–1207, at <https://doi.org/10.1016/j.rse.2009.02.006>.
- Kuemmerle, T., Damm, A., and Hostert, P., 2008, A method to detect and correct single-band missing pixels in Landsat TM and ETM+ data: *Computers and Geosciences*, v. 34, no. 5, p. 445–455, at <https://doi.org/10.1016/j.cageo.2007.05.016>.
- Kuemmerle, T., Hostert, P., Radeloff, V.C., Perzanowski, K., and Kruhlov, I., 2007, Post-socialist forest disturbance in the Carpathian border region of Poland, Slovakia, and Ukraine: *Ecological Applications*, v. 17, no. 5, p. 1279–1295, at <https://doi.org/10.1890/06-1661.1>.
- Kuemmerle, T., Hostert, P., Radeloff, V.C., Van Der Linden, S., Perzanowski, K., and Kruhlov, I., 2008, Cross-border comparison of post-socialist farmland abandonment in the Carpathians: *Ecosystems*, v. 11, no. 4, p. 614–628, at <https://doi.org/10.1007/s10021-008-9146-z>.
- Kuemmerle, T., Hostert, P., St-Louis, V., and Radeloff, V.C., 2009, Using image texture to map farmland field size—A case study in Eastern Europe: *Journal of Land Use Science*, v. 4, no. 1–2, p. 85–107, at <https://doi.org/10.1080/17474230802648786>.

- Kuemmerle, T., Kozak, J., Radeloff, V.C., and Hostert, P., 2009, Differences in forest disturbance among land ownership types in Poland during and after socialism: *Journal of Land Use Science*, v. 4, no. 1-2, p. 73–83, at <https://doi.org/10.1080/17474230802645857>.
- Kuemmerle, T., Radeloff, V.C., Perzanowski, K., and Hostert, P., 2006, Cross-border comparison of land cover and landscape pattern in Eastern Europe using a hybrid classification technique: *Remote Sensing of Environment*, v. 103, no. 4, p. 449–464, at <https://doi.org/10.1016/j.rse.2006.04.015>.
- Kuester, M.A., Thome, K.J., Biggar, S.F., and Krause, K.S., 2002, Solar radiation based calibration of an airborne radiometer for vicarious calibration of Earth observing sensors, *in* *Earth Observing Systems VI*, San Diego, Calif., 29 July–3 August 2001, *Proceedings of SPIE Vol. 4483*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 85–92, at <https://doi.org/10.1117/12.453475>.
- Kuhn, C., Bogard, M., Johnston, S.E., John, A., Vermote, E.F., Spencer, R., Dornblaser, M., Wickland, K., Striegl, R., et al., 2020, Satellite and airborne remote sensing of gross primary productivity in boreal Alaskan lakes: *Environmental Research Letters*, v. 15, no. 10, article 105001, at <https://doi.org/10.1088/1748-9326/aba46f>.
- Kuhn, C., de Matos Valerio, A., Ward, N., Loken, L., Sawakuchi, H.O., Kampel, M., Richey, J., Stadler, P., Crawford, J., et al., 2019, Performance of Landsat-8 and Sentinel-2 surface reflectance products for river remote sensing retrievals of chlorophyll-a and turbidity: *Remote Sensing of Environment*, v. 224, p. 104–118, at <https://doi.org/10.1016/j.rse.2019.01.023>.
- Kulawardhana, R.W., Thenkabail, P.S., Masiyandima, M., Biradar, C.M., Vithanage, J.C., Finlayson, M., Gunasinghe, S., and Alankara, R., 2006, Evaluation of different methods for delineation of wetlands in Limpopo River Basin using Landsat ETM+ and SRTM data, *in* *Looking at wetlands from space*, International Symposium on GlobWetland, 1<sup>st</sup>, Frascati, Rome, 19–20 October 2006, *Proceedings: Noordwijk, Netherlands, European Space Agency*, p. 1–4, at <https://hdl.handle.net/10568/38515>.
- Kulawardhana, R.W., Thenkabail, P.S., Vithanage, J., Biradar, C., Islam, M.A., Gunasinghe, S., and Alankara, R., 2007, Evaluation of the wetland mapping methods using Landsat ETM+ and SRTM data: *Journal of Spatial Hydrology*, v. 7, no. 2, p. 62–96, at <https://hdl.handle.net/10568/21603>.
- Kumar, S.S., and Roy, D.P., 2018, Global operational land imager Landsat-8 reflectance-based active fire detection algorithm: *International Journal of Digital Earth*, v. 11, no. 2, p. 154–178, at <https://doi.org/10.1080/17538947.2017.1391341>.
- Kumar, U., Ganguly, S., Nemani, R.R., Raja, K.S., Milesi, C., Sinha, R., Michaelis, A., Votava, P., Hashimoto, H., et al., 2017, Exploring subpixel learning algorithms for estimating global land cover fractions from satellite data using high performance computing: *Remote Sensing*, v. 9, no. 11, article 1105, at <https://doi.org/10.3390/rs9111105>.

- Kumar, U., Milesi, C., Ganguly, S., Raja, S.K., and Nemani, R.R., 2015, Simplex projection for land cover information mining from Landsat-5 TM data, *in* 16<sup>th</sup> IEEE International Conference on Information Reuse and Integration, IRI 2015, San Francisco, Calif., 13–15 August 2015, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 244–251, at <https://doi.org/10.1109/IRI.2015.48>.
- Kumar, U., Milesi, C., Nemani, R.R., and Basu, S., 2015, Multi-sensor multi-resolution image fusion for improved vegetation and urban area classification, *in* ISPRS International Workshop on Image and Data Fusion, IWIDF 2015, Kona, Hawaii, 21–23 July 2015, ISPRS Archives, Vol. XL-7/W4: International Society for Photogrammetry and Remote Sensing, p. 51–58, at <https://doi.org/10.5194/isprsarchives-XL-7-W4-51-2015>.
- Kumar, U., Milesi, C., Nemani, R.R., Raja, S.K., Ganguly, S., and Wang, E., 2015, Sparse unmixing via variable splitting and augmented lagrangian for vegetation and urban area classification using Landsat data, *in* ISPRS International Workshop on Image and Data Fusion, IWIDF 2015, Kona, Hawaii, 21–23 July 2015, ISPRS Archives, Vol. XL-7/W4: International Society for Photogrammetry and Remote Sensing, p. 59–65, at <https://doi.org/10.5194/isprsarchives-XL-7-W4-59-2015>.
- Kumar, U., Milesi, C., Raja, S.K., Ganguly, S., and Nemani, R.R., 2015, Unconstrained linear spectral mixture models for spatial information extraction—A comparative study, *in* 16<sup>th</sup> IEEE International Conference on Information Reuse and Integration, IRI 2015, San Francisco, Calif., 13–15 August 2015, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 574–581, at <https://doi.org/10.1109/IRI.2015.91>.
- Kumar, U., Milesi, C., Raja, S.K., Nemani, R.R., Ganguly, S., and Wang, W., 2015, Land cover fraction estimation with global endmembers using collaborative SUnSAL, *in* Remote Sensing and Modeling of Ecosystems for Sustainability XII, San Diego, Calif., 11–12 August 2015, Proceedings of SPIE Vol. 9610: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 96100b, at <https://doi.org/10.1117/12.2192173>.
- Kustas, W.P., Jackson, T.J., Prueger, J.H., Hatfield, J.L., and Anderson, M.C., 2003, Remote sensing field experiments evaluate retrieval algorithms and land-atmosphere modeling: *Eos*, v. 84, no. 45, p. 485–493, at <https://doi.org/10.1029/2003EO450002>.
- Kwan, C., Budavari, B., Gao, F., and Zhu, X., 2018, A hybrid color mapping approach to fusing MODIS and Landsat images for forward prediction: *Remote Sensing*, v. 10, no. 4, article 520, at <https://doi.org/10.3390/rs10040520>.
- Kwan, C., Zhu, X., Gao, F., Chou, B., Perez, D., Li, J., Shen, Y., Koperski, K., and Marchisio, G., 2018, Assessment of spatiotemporal fusion algorithms for planet and worldview images: *Sensors*, v. 18, no. 4, article 1051, at <https://doi.org/10.3390/s18041051>.

- la Cecilia, D., Toffolon, M., Woodcock, C.E., and Fagherazzi, S., 2016, Interactions between river stage and wetland vegetation detected with a Seasonality Index derived from LANDSAT images in the Apalachicola delta, Florida: *Advances in Water Resources*, v. 89, p. 10–23, at <https://doi.org/10.1016/j.advwatres.2015.12.019>.
- Lachir, A., Bounoua, L., Zhang, P., Thome, K.J., and Messouli, M., 2016, Modeling the urban impact on semiarid surface climate—A case study in Marrakech, Morocco: *Canadian Journal of Remote Sensing*, v. 42, no. 4, p. 379–395, at <https://doi.org/10.1080/07038992.2016.1194746>.
- Lamb, B.T., Dennison, P.E., Hively, W.D., Kokaly, R.F., Serbin, G., Wu, Z., Dabney, P.W., Masek, J.G., Campbell, M., et al., 2022, Optimizing Landsat next shortwave infrared bands for crop residue characterization: *Remote Sensing*, v. 14, no. 23, article 6128, at <https://doi.org/10.3390/rs14236128>.
- Laporte, N.T., Goetz, S.J., Justice, C.O., and Heinicke, M., 1998, A new land cover map of central africa derived from multi-resolution, multi-temporal avhrr data: *International Journal of Remote Sensing*, v. 19, no. 18, p. 3537–3550, at <https://doi.org/10.1080/014311698213803>.
- Laraby, K.G., and Schott, J.R., 2018, Uncertainty estimation method and Landsat 7 global validation for the Landsat surface temperature product: *Remote Sensing of Environment*, v. 216, p. 472–481, at <https://doi.org/10.1016/j.rse.2018.06.026>.
- Laraby, K.G., Schott, J.R., and Raqueno, N., 2016, Developing a confidence metric for the Landsat land surface temperature product, *in* Algorithms and Technologies for Multispectral, Hyperspectral, and Ultraspectral Imagery XXII, Baltimore, Md., 18–21 April 2016, Proceedings of SPIE Vol. 9840: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 98400c, at <https://doi.org/10.1117/12.2222582>.
- Lark, T.J., Mueller, R.M., Johnson, D.M., and Gibbs, H.K., 2017, Measuring land-use and land-cover change using the U.S. department of agriculture’s cropland data layer: Cautions and recommendations: *International Journal of Applied Earth Observation and Geoinformation*, v. 62, p. 224–235, at <https://doi.org/10.1016/j.jag.2017.06.007>.
- Lau, I.C., Ong, C.C.H., Thome, K.J., Mueller, A., Heiden, U., Czaplá-Myers, J., Biggar, S., Anderson, N., McGonigle, L., et al., 2018, Intercomparison of field methods for acquiring ground reflectance at Railroad Valley playa for spectral calibration of satellite data, *in* 2018 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Valencia, Spain, 22–27 July 2018, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 186–188, at <https://doi.org/10.1109/IGARSS.2018.8519109>.

- Le Moigne, J., Netanyahu, N.S., Masek, J.G., Mount, D.M., and Goward, S.N., 2001, Robust matching of wavelet features for sub-pixel registration of Landsat data, *in* 2001 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Sydney, Australia, 9–13 July 2001, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 706–708, at <https://doi.org/10.1109/IGARSS.2001.976609>.
- Le Moigne, J., Netanyahu, N.S., Masek, J.G., Mount, D.M., Goward, S.N., and Honzak, M., 2000, Geo-registration of Landsat data by robust matching of wavelet features, *in* 2000 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Honolulu, Hawaii, 24–28 July 2000, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1610–1612, at <https://doi.org/10.1109/IGARSS.2000.857287>.
- Leckie, D.G., Gillis, M.D., and Wulder, M.A., 2002, Deforestation estimation for Canada under the Kyoto protocol—A design study: *Canadian Journal of Remote Sensing*, v. 28, no. 5, p. 672–678, at <https://doi.org/10.5589/m02-062>.
- Leckie, D.G., Walsworth, N., Dechka, J., and Wulder, M.A., 2002, An investigation of two date unsupervised classification in the context of a national program for Landsat based forest change mapping, *in* 2002 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toronto, Canada, 24–28 June 2002, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1307–1311, at <https://doi.org/10.1109/IGARSS.2002.1026099>.
- LeCompte, M., Bindschadler, R.A., Hayden, L.B., Jefferson, M., Bridgers, Y.S., Lawrence, R., Bevins, J., Brownlow, J., Evans, R., et al., 2013, Reduction and loss of an ice shelf in Elizabeth City State University Bay, Antarctica—1972–2003: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 6, no. 3, p. 1509–1515, at <https://doi.org/10.1109/JSTARS.2013.2258325>.
- Lee, K.S., Cohen, W.B., Kennedy, R.E., Maersperger, T.K., and Gower, S.T., 2004, Hyperspectral versus multispectral data for estimating leaf area index in four different biomes: *Remote Sensing of Environment*, v. 91, no. 3–4, p. 508–520, at <https://doi.org/10.1016/j.rse.2004.04.010>.
- Lefsky, M.A., Cohen, W.B., and Spies, T.A., 2001, An evaluation of alternate remote sensing products for forest inventory, monitoring, and mapping of Douglas-fir forests in western Oregon: *Canadian Journal of Forest Research*, v. 31, no. 1, p. 78–87, at <https://doi.org/10.1139/cjfr-31-1-78>.
- Lefsky, M.A., Turner, D.P., Guzy, M., and Cohen, W.B., 2005, Combining lidar estimates of aboveground biomass and Landsat estimates of stand age for spatially extensive validation of modeled forest productivity: *Remote Sensing of Environment*, v. 95, no. 4, p. 549–558, at <https://doi.org/10.1016/j.rse.2004.12.022>.

- Lehmann, F., Frantz, D., Becker, S., Leser, U., and Hostert, P., 2021, FORCE on Nextflow— Scalable analysis of Earth observation data on commodity clusters, *in* CIKM 2021 Workshops (CIKMW 2021) co-located with 30<sup>th</sup> ACM International Conference on Information and Knowledge Management (CIKM 2021), online virtual and Queensland, Australia, 1–5 November 2021, CEUR Workshop Proceedings, v. 352: at <https://ceur-ws.org/Vol-3052/>.
- Leitão, P.J., Schwieder, M., Suess, S., Catry, I., Milton, E.J., Moreira, F., Osborne, P.E., Pinto, M.J., van der Linden, S., et al., 2015, Mapping beta diversity from space—Sparse Generalised Dissimilarity Modelling (SGDM) for analysing high-dimensional data: *Methods in Ecology and Evolution*, v. 6, no. 7, p. 764–771, at <https://doi.org/10.1111/2041-210X.12378>.
- Lenney, M.P., Woodcock, C.E., Collins, J.B., and Hamdi, H., 1996, The status of agricultural lands in Egypt—The use of multitemporal NDVI features derived from Landsat TM: *Remote Sensing of Environment*, v. 56, no. 1, p. 8–20, at [https://doi.org/10.1016/0034-4257\(95\)00152-2](https://doi.org/10.1016/0034-4257(95)00152-2).
- Levy, R., Miller, J., and Thome, K.J., 2022, Landsat 9 Operational Land Imager2 (OLI2) on-orbit results of new special characterizations, *in* Earth Observing Systems XXVII 2022, San Diego, Calif., 21–26 August 2022, Proceedings of SPIE Vol. 12232: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 122320x, at <https://doi.org/10.1117/12.2633665>.
- Levy, R., Miller, J.A., Barsi, J.A., Thome, K.J., Kaita, E., Montanaro, M., and Markham, B.L., 2023, Landsat 8 decade of on-orbit operation summary of events and current state, *in* Earth Observing Systems XXVIII, San Diego, Calif., 22–24 August 2023, Proceedings of SPIE Vol. 12685: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 126850q, at <https://doi.org/10.1117/12.2678051>.
- Levy, R., Miller, J.A., Barsi, J.A., Thome, K.J., and Markham, B.L., 2024, Landsat 9 transfer to orbit of pre-launch absolute calibration of Operational Land Imager (OLI): *Remote Sensing*, v. 16, no. 8, article 1360, at <https://doi.org/10.3390/rs16081360>.
- Lewińska, K.E., Buchner, J., Bleyhl, B., Hostert, P., Yin, H., Kuemmerle, T., and Radeloff, V.C., 2021, Changes in the grasslands of the Caucasus based on cumulative endmember fractions from the full 1987–2019 Landsat record: *Science of Remote Sensing*, v. 4, article 100035, at <https://doi.org/10.1016/j.srs.2021.100035>.
- Lewińska, K.E., Ernst, S., Frantz, D., Leser, U., and Hostert, P., 2024, Global overview of usable Landsat and Sentinel-2 data for 1982–2023: *Data in Brief*, v. 57, article 111054, at <https://doi.org/10.1016/j.dib.2024.111054>.
- Lewińska, K.E., Frantz, D., Leser, U., and Hostert, P., 2024, Usable observations over Europe—Evaluation of compositing windows for Landsat and Sentinel-2 time series: *European Journal of Remote Sensing*, v. 57, no. 1, article 2372855, at <https://doi.org/10.1080/22797254.2024.2372855>.

- Lewińska, K.E., Hostert, P., Buchner, J., Bleyhl, B., and Radeloff, V.C., 2020, Short-term vegetation loss versus decadal degradation of grasslands in the Caucasus based on Cumulative Endmember Fractions: *Remote Sensing of Environment*, v. 248, article 111969, at <https://doi.org/10.1016/j.rse.2020.111969>.
- Lewińska, K.E., Okujeni, A., Kowalski, K., Lehmann, F., Radeloff, V.C., Leser, U., and Hostert, P., 2025, Impact of data density and endmember definitions on long-term trends in ground cover fractions across European grasslands: *Remote Sensing of Environment*, v. 323, article 114736, at <https://doi.org/10.1016/j.rse.2025.114736>.
- Lewis, A., Lymburner, L., Purss, M.B.J., Brooke, B., Evans, B., Ip, A., Dekker, A.G., Irons, J.R., Minchin, S., et al., 2016, Rapid, high-resolution detection of environmental change over continental scales from satellite data – the Earth Observation Data Cube: *International Journal of Digital Earth*, v. 9, no. 1, p. 106–111, at <https://doi.org/10.1080/17538947.2015.1111952>.
- Lewis, A., Oliver, S., Lymburner, L., Evans, B., Wyborn, L., Mueller, N., Raevksi, G., Hooke, J., Woodcock, R., et al., 2017, The Australian Geoscience Data Cube—Foundations and lessons learned: *Remote Sensing of Environment*, v. 202, p. 276–292, at <https://doi.org/10.1016/j.rse.2017.03.015>.
- Li, A., Huang, C., Sun, G., Shi, H., Toney, C., Zhu, Z., Rollins, M.G., Goward, S.N., and Masek, J.G., 2011, Modeling the height of young forests regenerating from recent disturbances in Mississippi using Landsat and ICESat data: *Remote Sensing of Environment*, v. 115, no. 8, p. 1837–1849, at <https://doi.org/10.1016/j.rse.2011.03.001>.
- Li, F., Anderson, M.C., Kustas, W.P., Scott, R.L., and Prueger, J.H., 2006, Utility of satellite thermal remote sensing for mapping riparian and upland desert water use, *in* Conference on Hydrology, 20<sup>th</sup> and American Meteorological Society, 86<sup>th</sup>, Atlanta, Ga., 29 January–2 February 2006, Proceedings: Boston, Mass., American Meteorological Society, p. 1–4, at [https://ams.confex.com/ams/Annual2006/techprogram/paper\\_103254.htm](https://ams.confex.com/ams/Annual2006/techprogram/paper_103254.htm).
- Li, F., Jupp, D.L.B., Reddy, S., Lymburner, L., Mueller, N., Tan, P., and Islam, A., 2010, An evaluation of the use of atmospheric and BRDF correction to standardize Landsat data: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 3, no. 3, p. 257–270, at <https://doi.org/10.1109/JSTARS.2010.2042281>.
- Li, F., Jupp, D.L.B., Thankappan, M., Lymburner, L., Mueller, N., Lewis, A., and Held, A., 2012, A physics-based atmospheric and BRDF correction for Landsat data over mountainous terrain: *Remote Sensing of Environment*, v. 124, p. 756–770, at <https://doi.org/10.1016/j.rse.2012.06.018>.
- Li, F., Kustas, W.P., Anderson, M.C., Jackson, T.J., Bindlish, R., and Prueger, J.H., 2006, Comparing the utility of microwave and thermal remote-sensing constraints in two-source energy balance modeling over an agricultural landscape: *Remote Sensing of Environment*, v. 101, no. 3, p. 315–328, at <https://doi.org/10.1016/j.rse.2006.01.001>.

- Li, F., Kustas, W.P., Anderson, M.C., Prueger, J.H., and Scott, R.L., 2008, Effect of remote sensing spatial resolution on interpreting tower-based flux observations: *Remote Sensing of Environment*, v. 112, no. 2, p. 337–349, at <https://doi.org/10.1016/j.rse.2006.11.032>.
- Li, F., Zhang, X., Kondragunta, S., and Roy, D.P., 2018, Investigation of the fire radiative energy biomass combustion coefficient—A comparison of polar and geostationary satellite retrievals over the conterminous United States: *Journal of Geophysical Research Biogeosciences*, v. 123, no. 2, p. 722–739, at <https://doi.org/10.1002/2017JG004279>.
- Li, F., Zhang, X., Roy, D.P., and Kondragunta, S., 2019, Estimation of biomass-burning emissions by fusing the fire radiative power retrievals from polar-orbiting and geostationary satellites across the conterminous United States: *Atmospheric Environment*, v. 211, p. 274–287, at <https://doi.org/10.1016/j.atmosenv.2019.05.017>.
- Li, J., and Roy, D.P., 2017, A global analysis of Sentinel-2a, Sentinel-2b and Landsat-8 data revisit intervals and implications for terrestrial monitoring: *Remote Sensing*, v. 9, no. 9, article 902, at <https://doi.org/10.3390/rs9090902>.
- Li, J., and Sheng, Y., 2012, An automated scheme for glacial lake dynamics mapping using Landsat imagery and digital elevation models—A case study in the Himalayas: *International Journal of Remote Sensing*, v. 33, no. 16, p. 5194–5213, at <https://doi.org/10.1080/01431161.2012.657370>.
- Li, J., Zipper, C.E., Donovan, P.F., Wynne, R.H., and Oliphant, A.J., 2015, Reconstructing disturbance history for an intensively mined region by time-series analysis of Landsat imagery: *Environmental Monitoring and Assessment*, v. 187, no. 9, article 557, at <https://doi.org/10.1007/s10661-015-4766-1>.
- Li, J., Zipper, C.E., Li, S., Donovan, P.F., Wynne, R.H., Oliphant, A.J., and Xia, Q., 2015, Character analysis of mining disturbance and reclamation trajectory in surface coal-mine area by time-series NDVI: *Nongye Gongcheng Xuebao/Transactions of the Chinese Society of Agricultural Engineering*, v. 31, no. 16, p. 251–257, at <https://doi.org/10.11975/j.issn.1002-6819.2015.16.033>.
- Li, M., Zhu, Z., Vogelmann, J.E., Xu, D., Wen, W., and Liu, A., 2011, Characterizing fragmentation of the collective forests in southern China from multitemporal Landsat imagery—A case study from Kecheng district of Zhejiang province: *Applied Geography*, v. 31, no. 3, p. 1026–1035, at <https://doi.org/10.1016/j.apgeog.2011.02.004>.
- Li, Y., Wulder, M.A., Zhu, Z., Verbesselt, J., Masiliūnas, D., Liu, Y., Bohrer, G., Cai, Y., Zhou, Y., et al., 2024, DRMAT—A multivariate algorithm for detecting breakpoints in multispectral time series: *Remote Sensing of Environment*, v. 315, article 114402, at <https://doi.org/10.1016/j.rse.2024.114402>.

- Li, Z., Erb, A., Sun, Q., Liu, Y., Shuai, Y., Wang, Z., Boucher, P., and Schaaf, C., 2018, Preliminary assessment of 20-m surface albedo retrievals from sentinel-2A surface reflectance and MODIS/VIIRS surface anisotropy measures: *Remote Sensing of Environment*, v. 217, p. 352–365, at <https://doi.org/10.1016/j.rse.2018.08.025>.
- Li, Z., Huang, C., Zhu, Z., Gao, F., Tang, H., Xin, X., Ding, L., Shen, B., Liu, J., et al., 2018, Mapping daily leaf area index at 30 m resolution over a meadow steppe area by fusing Landsat, Sentinel-2A and MODIS data: *International Journal of Remote Sensing*, v. 39, no. 23, p. 9025–0953, at <https://doi.org/10.1080/01431161.2018.1504342>.
- Li, Z., Roy, D.P., Zhang, H.K., Vermote, E.F., and Huang, H., 2019, Evaluation of Landsat-8 and Sentinel-2A aerosol optical depth retrievals across Chinese cities and implications for medium spatial resolution urban aerosol monitoring: *Remote Sensing*, v. 11, no. 2, article 122, at <https://doi.org/10.3390/rs11020122>.
- Li, Z., White, J.C., Wulder, M.A., Hermosilla, T., Davidson, A.M., and Comber, A.J., 2021, Land cover harmonization using Latent Dirichlet Allocation: *International Journal of Geographical Information Science*, v. 35, no. 2, p. 348–374, at <https://doi.org/10.1080/13658816.2020.1796131>.
- Li, Z., Zhang, H.K., Roy, D.P., Yan, L., Huang, H., and Li, J., 2017, Landsat 15-m Panchromatic-Assisted Downscaling (LPAD) of the 30-m reflective wavelength bands to Sentinel-2 20-m resolution: *Remote Sensing*, v. 9, no. 7, article 755, at <https://doi.org/10.3390/rs9070755>.
- Liang, L., Schwartz, M.D., Wang, Z., Gao, F., Schaaf, C.B., Tan, B., Morisette, J.T., and Zhang, X., 2014, A cross comparison of spatiotemporally enhanced springtime phenological measurements from satellites and ground in a northern U.S. mixed forest: *IEEE Transactions on Geoscience and Remote Sensing*, v. 52, no. 12, p. 7513 – 7526, at <https://doi.org/10.1109/TGRS.2014.2313558>.
- Liang, S., Fang, H., Chen, M., Shuey, C.J., Walthall, C., Daughtry, C., Morisette, J., Schaaf, C.B., and Strahler, A., 2002, Validating MODIS land surface reflectance and albedo products—Methods and preliminary results: *Remote Sensing of Environment*, v. 83, no. 1–2, p. 149–162, at [https://doi.org/10.1016/S0034-4257\(02\)00092-5](https://doi.org/10.1016/S0034-4257(02)00092-5).
- Liew, S.W., and Helder, D.L., 2003, Landsat-5 Thematic Mapper cold focal plane characterization: *International Journal of Remote Sensing*, v. 24, no. 2, p. 249–263, at <https://doi.org/10.1080/01431160304976>.
- Lindquist, E.J., Hansen, M.C., Roy, D.P., and Justice, C.O., 2008, The suitability of decadal image data sets for mapping tropical forest cover change in the Democratic Republic of Congo—Implications for the global land survey: *International Journal of Remote Sensing*, v. 29, no. 24, p. 7269–7275, at <https://doi.org/10.1080/01431160802275890>.

- Liu, H., Zhang, H.K., Huang, B., Yan, L., Tran, K.K., Qiu, Y., Zhang, X., and Roy, D.P., 2024, Reconstruction of seamless harmonized Landsat Sentinel-2 (HLS) time series via self-supervised learning: *Remote Sensing of Environment*, v. 308, article 114191, at <https://doi.org/10.1016/j.rse.2024.114191>.
- Liu, M., Yang, W., Zhu, X., Chen, J., Chen, X., Yang, L., and Helmer, E.H., 2019, An Improved Flexible Spatiotemporal DATA Fusion (IFSDAF) method for producing high spatiotemporal resolution Normalized Difference Vegetation Index time series: *Remote Sensing of Environment*, v. 227, p. 74–89, at <https://doi.org/10.1016/j.rse.2019.03.012>.
- Liu, S., Loveland, T.R., and Kurtz, R.M., 2004, Contemporary carbon dynamics in terrestrial ecosystems in the Southeastern Plains of the United States: *Environmental Management*, v. 33, no. S 1, p. S442–S456, at <https://doi.org/10.1007/s00267-003-9152-z>.
- Liu, W., Song, C., Schroeder, T.A., and Cohen, W.B., 2008, Predicting forest successional stages using multitemporal Landsat imagery with forest inventory and analysis data: *International Journal of Remote Sensing*, v. 29, no. 13, p. 3855–3872, at <https://doi.org/10.1080/01431160701840166>.
- Liu, Y., Hill, M.J., Zhang, X., Wang, Z., Richardson, A.D., Hufkens, K., Filippa, G., Baldocchi, D.D., Ma, S., et al., 2017, Using data from Landsat, MODIS, VIIRS and PhenoCams to monitor the phenology of California oak/grass savanna and open grassland across spatial scales: *Agricultural and Forest Meteorology*, v. 237-238, p. 311–325, at <https://doi.org/10.1016/j.agrformet.2017.02.026>.
- Liu, Y., McDonough MacKenzie, C., Primack, R.B., Hill, M.J., Zhang, X., Wang, Z., and Schaaf, C.B., 2021, Using remote sensing to monitor the spring phenology of Acadia National Park across elevational gradients: *Ecosphere*, v. 12, no. 12, article e03888, at <https://doi.org/10.1002/ecs2.3888>.
- Lobert, F., Löw, J., Schwieder, M., Gocht, A., Schlund, M., Hostert, P., and Erasmi, S., 2023, A deep learning approach for deriving winter wheat phenology from optical and SAR time series at field level: *Remote Sensing of Environment*, v. 298, article 113800, at <https://doi.org/10.1016/j.rse.2023.113800>.
- Lobert, F., Schwieder, M., Alslleben, J., Broeg, T., Kowalski, K., Okujeni, A., Hostert, P., and Erasmi, S., 2025, Unveiling year-round cropland cover by soil-specific spectral unmixing of Landsat and Sentinel-2 time series: *Remote Sensing of Environment*, v. 318, article 114594, at <https://doi.org/10.1016/j.rse.2024.114594>.
- Lobert, F., Schwieder, M., Hostert, P., Gocht, A., and Erasmi, S., 2025, Characterizing spatio-temporal patterns of winter cropland cover in Germany based on Landsat and Sentinel-2 time series: *International Journal of Applied Earth Observation and Geoinformation*, v. 142, article 104728, at <https://doi.org/10.1016/j.jag.2025.104728>.
- Lobser, S.E., and Cohen, W.B., 2007, MODIS tasselled cap—Land cover characteristics expressed through transformed MODIS data: *International Journal of Remote Sensing*, v. 28, no. 22, p. 5079–5101, at <https://doi.org/10.1080/01431160701253303>.

- Loveland, T.R., 2012, History of land-cover mapping, *in* Giri, C.P., ed., Remote sensing of land use and land cover—Principles and applications: Boca Raton, Fla., CRC Press, p. 13–22, at <https://doi.org/10.1201/b11964-4>.
- Loveland, T.R., Anderson, M.C., Huntington, J.L., Irons, J.R., Johnson, D.M., Rocchio, L.E.P., Woodcock, C.E., and Wulder, M.A., 2022, Seeing our planet anew—Fifty years of Landsat: Photogrammetric Engineering & Remote Sensing, v. 88, no. 7, p. 429–436, at <https://doi.org/10.14358/PERS.88.7.429>.
- Loveland, T.R., Cochrane, M.A., and Henebry, G.M., 2008, Landsat still contributing to environmental research: Trends in Ecology and Evolution, v. 23, no. 4, p. 182–183, at <https://doi.org/10.1016/j.tree.2008.01.002>.
- Loveland, T.R., and DeFries, R.S., 2004, Observing and monitoring land use and land cover change, *in* Defries, R.S., Asner, G.P., and Houghton, R.A., eds., Ecosystems and land use change, v. 153: Washington, D.C., American Geophysical Union, p. 231–246, at <https://doi.org/10.1029/153GM18>.
- Loveland, T.R., and Dwyer, J.L., 2012, Landsat—Building a strong future: Remote Sensing of Environment, v. 122, p. 22–29, at <https://doi.org/10.1016/j.rse.2011.09.022>.
- Loveland, T.R., and Irons, J.R., 2016, Landsat 8—The plans, the reality, and the legacy: Remote Sensing of Environment, v. 185, p. 1–6, at <https://doi.org/10.1016/j.rse.2016.07.033>.
- Loveland, T.R., Sohl, T.L., Stehman, S.V., Gallant, A.L., Sayler, K.L., and Napton, D.E., 2002, A strategy for estimating the rates of recent United States land-cover changes: Photogrammetric Engineering & Remote Sensing, v. 68, no. 10, p. 1091–1099.
- Lucas, R., Mueller, N., Siggins, A., Owers, C., Clewley, D., Bunting, P., Kooymans, C., Tissot, B., Lewis, B., et al., 2019, Land cover mapping using digital earth Australia: Data, v. 4, no. 4, article 143, at <https://doi.org/10.3390/data4040143>.
- Lunetta, R.S., Ediriwickrema, J., Johnson, D.M., Lyon, J.G., and McKerrow, A., 2002, Impacts of vegetation dynamics on the identification of land-cover change in a biologically complex community in North Carolina, USA: Remote Sensing of Environment, v. 82, no. 2–3, p. 258–270, at [https://doi.org/10.1016/S0034-4257\(02\)00042-1](https://doi.org/10.1016/S0034-4257(02)00042-1).
- Lunetta, R.S., Johnson, D.M., Lyon, J.G., and Crotwell, J., 2004, Impacts of imagery temporal frequency on land-cover change detection monitoring: Remote Sensing of Environment, v. 89, no. 4, p. 444–454, at <https://doi.org/10.1016/j.rse.2003.10.022>.
- Lyapustin, A.I., Williams, D.L., Markham, B., Irons, J.R., Holben, B., and Wang, Y., 2004, A method for unbiased high-resolution aerosol retrieval from Landsat: Journal of the Atmospheric Sciences, v. 61, no. 11, p. 1233–1244, at [https://doi.org/10.1175/1520-0469\(2004\)061<1233:AMFUHA>2.0.CO;2](https://doi.org/10.1175/1520-0469(2004)061<1233:AMFUHA>2.0.CO;2).
- Lymburner, L., Beggs, P.J., and Jacobson, C.R., 2000, Estimation of canopy-average surface-specific leaf area using Landsat TM data: Photogrammetric Engineering & Remote Sensing, v. 66, no. 2, p. 183–191.

- Lymburner, L., Botha, E., Hestir, E., Anstee, J., Sagar, S., Dekker, A., and Malthus, T., 2016, Landsat 8—Providing continuity and increased precision for measuring multi-decadal time series of total suspended matter: *Remote Sensing of Environment*, v. 185, p. 108–118, at <https://doi.org/10.1016/j.rse.2016.04.011>.
- Lymburner, L., Bunting, P., Lucas, R., Scarth, P., Alam, I., Phillips, C., Ticehurst, C., and Held, A., 2020, Mapping the multi-decadal mangrove dynamics of the Australian coastline: *Remote Sensing of Environment*, v. 238, article 111185, at <https://doi.org/10.1016/j.rse.2019.05.004>.
- Lymburner, L., McIntyre, A., Li, F., Ip, A., Thankappan, M., and Sixsmith, J., 2013, Creating multi-sensor time series using data from Landsat-5 TM and Landsat-7 ETM+ to characterise vegetation dynamics, *in* 2013 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Melbourne, Australia, 21–26 July 2013, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 961–963, at <https://doi.org/10.1109/IGARSS.2013.6721321>.
- Lymburner, L., Ticehurst, C., Adame, M.F., Sengupta, A., and Khavei, E., 2024, Seeing the floods through the trees—Using adaptive shortwave infrared thresholds to map inundation under wooded wetlands: *Hydrological Processes*, v. 38, no. 6, article e15174, at <https://doi.org/10.1002/hyp.15174>.
- Lyons, E.A., and Sheng, Y., 2018, LakeTime—Automated seasonal scene selection for global lake mapping using Landsat ETM+ and OLI: *Remote Sensing*, v. 10, no. 1, article 54, at <https://doi.org/10.3390/rs10010054>.
- Lyons, E.A., Sheng, Y., Smith, L.C., Li, J., Hinkel, K.M., Lenters, J.D., and Wang, J., 2013, Quantifying sources of error in multitemporal multisensor lake mapping: *International Journal of Remote Sensing*, v. 34, no. 22, p. 7887–7905, at <https://doi.org/10.1080/01431161.2013.827343>.
- Maciel, D.A., Pahlevan, N., Barbosa, C.C.F., de Novo, E.M.L.D.M., Paulino, R.S., Martins, V.S., Vermote, E., and Crawford, C.J., 2023, Validity of the Landsat surface reflectance archive for aquatic science—Implications for cloud-based analysis: *Limnology And Oceanography Letters*, v. 8, no. 6, p. 850–858, at <https://doi.org/10.1002/lol2.10344>.
- Maciel, D.A., Pahlevan, N., Barbosa, C.C.F., Martins, V.S., Smith, B., O’Shea, R.E., Balasubramanian, S.V., Saranathan, A.M., and Novo, E.M.L.M., 2023, Towards global long-term water transparency products from the Landsat archive: *Remote Sensing of Environment*, v. 299, article 113889, at <https://doi.org/10.1016/j.rse.2023.113889>.
- Madson, A., and Sheng, Y., 2021, Automated water level monitoring at the continental scale from ICESat-2 photons: *Remote Sensing*, v. 13, no. 18, article 3631, at <https://doi.org/10.3390/rs13183631>.

- Madson, A., Sheng, Y., and Song, C., 2017, ICESat-derived lithospheric flexure as caused by an endorheic lake's expansion on the Tibetan Plateau and the comparison to modeled flexural responses: *Journal of Asian Earth Sciences*, v. 148, p. 142–152, at <https://doi.org/10.1016/j.jseaes.2017.08.028>.
- Magnussen, S., Boudewyn, P., and Wulder, M.A., 2004, Contextual classification of Landsat TM images to forest inventory cover types: *International Journal of Remote Sensing*, v. 25, no. 12, p. 2421–2440, at <https://doi.org/10.1080/01431160310001642296>.
- Magnussen, S., Boudewyn, P., Wulder, M.A., and Seemann, D., 2000, Predictions of forest inventory cover type proportions using Landsat TM: *Silva Fennica*, v. 34, no. 4, p. 351–370, at <https://doi.org/10.14214/sf.618>.
- Magnussen, S., Næsset, E., and Wulder, M.A., 2007, Efficient multiresolution spatial predictions for large data arrays: *Remote Sensing of Environment*, v. 109, no. 4, p. 451–463, at <https://doi.org/10.1016/j.rse.2007.01.018>.
- Mah, G.R., Vogelmann, J.E., and Choate, M., 2000, Landsat 5/Landsat 7 underfly cross-calibration experiment, *in* Algorithms for Multispectral, Hyperspectral, and Ultraspectral Imagery VI, Orlando, Fla., 24–26 April 2000, Proceedings of SPIE Vol. 4049: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 167–174, at <https://doi.org/10.1117/12.410337>.
- Maiersperger, T.K., Cohen, W.B., and Ganio, L.M., 2001, A TM-based hardwood-conifer mixture index for closed canopy forests in the Oregon Coast Range: *International Journal of Remote Sensing*, v. 22, no. 6, p. 1053–1066, at <https://doi.org/10.1080/01431160117436>.
- Maiersperger, T.K., Scaramuzza, P.L., Leigh, L., Shrestha, S., Gallo, K.P., Jenkerson, C.B., and Dwyer, J.L., 2013, Characterizing LEDAPS surface reflectance products by comparisons with AERONET, field spectrometer, and MODIS data: *Remote Sensing of Environment*, v. 136, p. 1–13, at <https://doi.org/10.1016/j.rse.2013.04.007>.
- Main-Knorn, M., Cohen, W.B., Kennedy, R.E., Grodzki, W., Pflugmacher, D., Griffiths, P., and Hostert, P., 2013, Monitoring coniferous forest biomass change using a Landsat trajectory-based approach: *Remote Sensing of Environment*, v. 139, p. 277–290, at <https://doi.org/10.1016/j.rse.2013.08.010>.
- Main-Knorn, M., Hostert, P., Kozak, J., and Kuemmerle, T., 2009, How pollution legacies and land use histories shape post-communist forest cover trends in the Western Carpathians: *Forest Ecology and Management*, v. 258, no. 2, p. 60–70, at <https://doi.org/10.1016/j.foreco.2009.03.034>.
- Main-Knorn, M., Moisen, G.G., Healey, S.P., Keeton, W.S., Freeman, E.A., and Hostert, P., 2011, Evaluating the remote sensing and inventory-based estimation of biomass in the western Carpathians: *Remote Sensing*, v. 3, no. 7, p. 1427–1446, at <https://doi.org/10.3390/rs3071427>.

- Malakar, N.K., Hulley, G.C., Hook, S.J., Laraby, K., Cook, M., and Schott, J.R., 2018, An operational land surface temperature product for Landsat thermal data— Methodology and validation: *IEEE Transactions on Geoscience and Remote Sensing*, v. 56, no. 10, p. 5717–5735, at <https://doi.org/10.1109/TGRS.2018.2824828>.
- Malla, R., and Helder, D.L., 2008, Radiometric calibration of reflective bands of Landsat 4 Thematic Mapper using pseudo-invariant site technique, *in* 2008 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Boston, Mass., 7–11 July 2008, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. IV1344–IV1347, at <https://doi.org/10.1109/IGARSS.2008.4779980>.
- Maltman, J.C., Hermosilla, T., Wulder, M.A., Coops, N.C., and White, J.C., 2023, Estimating and mapping forest age across Canada’s forested ecosystems: *Remote Sensing of Environment*, v. 290, article 113529, at <https://doi.org/10.1016/j.rse.2023.113529>.
- Margolis, H.A., Nelson, R.F., Montesano, P.M., Beaudoin, A., Sun, G., Andersen, H.E., and Wulder, M.A., 2015, Combining satellite lidar, airborne lidar, and ground plots to estimate the amount and distribution of aboveground biomass in the boreal forest of North America: *Canadian Journal of Forest Research*, v. 45, no. 7, p. 838–855, at <https://doi.org/10.1139/cjfr-2015-0006>.
- Margono, B.A., Bwangoy, J.R.B., Potapov, P.V., and Hansen, M.C., 2014, Mapping wetlands in Indonesia using Landsat and PALSAR data-sets and derived topographical indices: *Geo-Spatial Information Science*, v. 17, no. 1, p. 60–71, at <https://doi.org/10.1080/10095020.2014.898560>.
- Margono, B.A., Turubanova, S., Zhuravleva, I., Potapov, P., Tyukavina, A., Baccini, A., Goetz, S., and Hansen, M.C., 2012, Mapping and monitoring deforestation and forest degradation in Sumatra (Indonesia) using Landsat time series data sets from 1990 to 2010: *Environmental Research Letters*, v. 7, no. 3, article 034010, at <https://doi.org/10.1088/1748-9326/7/3/034010>.
- Mariotto, I., Thenkabail, P.S., Huete, A., Slonecker, E.T., and Platonov, A., 2013, Hyperspectral versus multispectral crop-productivity modeling and type discrimination for the HypSIIRI mission: *Remote Sensing of Environment*, v. 139, p. 291–305, at <https://doi.org/10.1016/j.rse.2013.08.002>.
- Markham, B., Barsi, J., Kvaran, G., Ong, L., Kaita, E., Biggar, S., Czaplá-Myers, J., Mishra, N., and Helder, D.L., 2014, Landsat-8 operational land imager radiometric calibration and stability: *Remote Sensing*, v. 6, no. 12, p. 12275–12308, at <https://doi.org/10.3390/rs61212275>.

- Markham, B., Barsi, J., Montanaro, M., McCorkel, J., Gerace, A., Pedelty, J., Hook, S., Raqueno, N., Anderson, C., et al., 2018, Landsat-8 on-orbit and Landsat-9 pre-launch sensor radiometric characterization, *in* Earth Observing Missions and Sensors—Development, Implementation, and Characterization V, Honolulu, Hawaii, 24–26 September 2018, Proceedings of SPIE Vol. 10781: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 1078104, at <https://doi.org/10.1117/12.2324715>.
- Markham, B., Goward, S.N., Arvidson, T., Barsi, J., and Scaramuzza, P., 2006, Landsat-7 long-term acquisition plan radiometry—Evolution over time: Photogrammetric Engineering & Remote Sensing, v. 72, no. 10, p. 1129–1135, at <https://doi.org/10.14358/PERS.72.10.1129>.
- Markham, B., Jenstrom, D., Sauer, B., Pszcolka, S., Dulski, V., Hair, J., McCorkel, J., Kvaran, G., Thome, K., et al., 2020, Landsat 9 mission update and status, *in* Earth Observing Systems XXV 2020, online virtual meeting, 24 August–4 September 2020, Proceedings of SPIE Vol. 11501: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 115010o, at <https://doi.org/10.1117/12.2569748>.
- Markham, B.L., Anderson, C.H., Choate, M.J., Crawford, C.J., Jenstrom, D.T., Masek, J.A., Pedelty, J.A., Sauer, B.K., and Thome, K.J., 2021, Landsat 9—Ready for launch, *in* Earth Observing Systems XXVI 2021, San Diego, Calif., 1–5 August 2021, Proceedings of SPIE Vol. 11829: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 118290j, at <https://doi.org/10.1117/12.2595885>.
- Markham, B.L., Barker, J.L., Barsi, J.A., Kaita, E., Thome, K.J., Helder, D.L., Palluconi, F.D., Schott, J.R., and Scaramuzza, P., 2002, Landsat-7 ETM+ radiometric stability and absolute calibration, *in* Sensors, Systems, and Next-Generation Satellites VI, Agia Pelagia, Crete, 23–26 September 2002, Proceedings of SPIE Vol. 4881: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 308–318, at <https://doi.org/10.1117/12.462998>.
- Markham, B.L., Barker, J.L., Boncyk, W.C., Kaita, E., and Helder, D.L., 1996, Landsat-7 Enhanced Thematic Mapper Plus in-flight radiometric calibration, *in* 1996 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Lincoln, Nebr., 28–31 May 1996, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1273–1275, at <https://doi.org/10.1109/IGARSS.1996.516635>.
- Markham, B.L., Barker, J.L., Kaita, E., Barsi, J.A., Helder, D.L., Palluconi, F.D., Schott, J.R., Thome, K.J., Morfitt, R., et al., 2001, Landsat-7 ETM+ radiometric calibration—Two years on-orbit, *in* 2001 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Sydney, Australia, 9–13 July 2001, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 518–520, at <https://doi.org/10.1109/IGARSS.2001.976208>.

- Markham, B.L., Barker, J.L., Pedelty, J.A., Irons, J.R., and Williams, D.L., 1999, Landsat-7 mission update and on-orbit ETM+ radiometric performance, *in* 1999 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Hamburg, Germany, 28 June–2 July 1999, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1494–1496, at <https://doi.org/10.1109/IGARSS.1999.771998>.
- Markham, B.L., Barsi, J.A., Helder, D.L., Thome, K.J., and Barker, J.L., 2006, Evaluation of the Landsat-5 TM radiometric calibration history using desert test sites, *in* Sensors, Systems, and Next-Generation Satellites X, Stockholm, Sweden, 11–13 September 2006, Proceedings of SPIE Vol. 6361: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 63610V, at <https://doi.org/10.1117/12.690065>.
- Markham, B.L., Barsi, J.A., Kaita, E., Ong, L., Haque, M.O., Mishra, N., Czaplá-Myers, J., Pahlevan, N., and Helder, D.L., 2014, Landsat-8 Operational Land Imager on-orbit radiometric calibration and stability, *in* Earth Observing Systems XIX, San Diego, Calif., 18–20 August 2014, Proceedings of SPIE Vol. 9218: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 921815, at <https://doi.org/10.1117/12.2063159>.
- Markham, B.L., Barsi, J.A., Morfitt, R., Choate, M., Montanaro, M., Arvidson, T., and Irons, J.R., 2015, Landsat 8—Status and on-orbit performance, *in* Sensors, Systems, and Next-Generation Satellites XIX, Toulouse, France, 21–24 September 2015, Proceedings of SPIE Vol. 9639: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 963908, at <https://doi.org/10.1117/12.2194905>.
- Markham, B.L., Barsi, J.A., Thome, K.J., Barker, J.L., Scaramuzza, P.L., and Helder, D.L., 2005, SLC-off Landsat-7 ETM+ reflective band radiometric calibration, *in* Earth Observing Systems X, San Diego, Calif., 31 July–1 August 2005, Proceedings of SPIE Vol. 5882: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 58820d, at <https://doi.org/10.1117/12.620021>.
- Markham, B.L., Boncyk, W.E., Helder, D.L., and Barker, J.L., 1997, Landsat-7 Enhanced Thematic Mapper Plus radiometric calibration: Canadian Journal of Remote Sensing, v. 23, no. 4, p. 318–332, at <https://doi.org/10.1080/07038992.1997.10855218>.
- Markham, B.L., Dabney, P.W., Reuter, D., Thome, K.J., Irons, J.R., Barsi, J.A., and Montanaro, M., 2011, Landsat Data Continuity Mission operational land imager and thermal infrared sensor performance, *in* Earth Observing Systems XVI, San Diego, Calif., 23–25 August 2011, Proceedings of SPIE Vol. 8153: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 81530D, at <https://doi.org/10.1117/12.895542>.
- Markham, B.L., Haque, M.O., Barsi, J.A., Micijevic, E., Helder, D.L., Thome, K.J., Aaron, D.B., and Czaplá-Myers, J.S., 2012, Landsat-7 ETM+—12 years on-orbit reflective-band radiometric performance: IEEE Transactions on Geoscience and Remote Sensing, v. 50, no. 5 PART 2, p. 2056–2062, at <https://doi.org/10.1109/TGRS.2011.2169803>.

- Markham, B.L., and Helder, D.L., 2012, Forty-year calibrated record of Earth-reflected radiance from Landsat—A review: *Remote Sensing of Environment*, v. 122, p. 30–40, at <https://doi.org/10.1016/j.rse.2011.06.026>.
- Markham, B.L., Knight, E.J., Canova, B., Donley, E., Kvaran, G., Lee, K., Barsi, J.A., Pedelty, J.A., Dabney, P.W., et al., 2012, The Landsat Data Continuity Mission Operational Land Imager (OLI) sensor, *in* 2012 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Munich, Germany, 22–27 July 2012, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 6995–6998, at <https://doi.org/10.1109/IGARSS.2012.6351961>.
- Markham, B.L., Ong, L., Barsi, J.A., Mendenhall, J.A., Lencioni, D.E., Helder, D.L., Hollaren, D.M., and Morfitt, R., 2006, Radiometric calibration stability of the EO-1 Advanced Land Imager—5 years on-orbit, *in* Sensors, Systems, and Next-Generation Satellites X, Stockholm, Sweden, 11–13 September 2006, Proceedings of SPIE Vol. 6361: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 63610U, at <https://doi.org/10.1117/12.690058>.
- Markham, B.L., Storey, J.C., and Irons, J.R., 2013, Landsat Data Continuity Mission - now Landsat-8—six months on orbit, *in* Earth Observing Systems XVIII, San Diego, Calif., 26–29 August 2013, Proceedings of SPIE Vol. 8866: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 88661B, at <https://doi.org/10.1117/12.2025290>.
- Markham, B.L., Storey, J.C., Williams, D.L., and Irons, J.R., 2004, Landsat sensor performance—History and current status: *IEEE Transactions on Geoscience and Remote Sensing*, v. 42, no. 12, p. 2691–2694, at <https://doi.org/10.1109/TGRS.2004.840720>.
- Markham, B.L., Thome, K.J., Barsi, J.A., Kaita, E., Helder, D.L., Barker, J.L., and Scaramuzza, P.L., 2004, Landsat-7 ETM+ on-orbit reflective-band radiometric stability and absolute calibration: *IEEE Transactions on Geoscience and Remote Sensing*, v. 42, no. 12, p. 2810–2820, at <https://doi.org/10.1109/TGRS.2004.836389>.
- Marshak, A., Davis, A., Cahalan, R.F., and Wiscombe, W., 1998, Nonlocal independent pixel approximation—Direct and inverse problems: *IEEE Transactions on Geoscience and Remote Sensing*, v. 36, no. 1, p. 192–205, at <https://doi.org/10.1109/36.655329>.
- Marshall, M., and Thenkabail, P.S., 2015, Advantage of hyperspectral EO-1 Hyperion over multispectral IKONOS, GeoEye-1, WorldView-2, Landsat ETM+, and MODIS vegetation indices in crop biomass estimation: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 108, p. 205–218, at <https://doi.org/10.1016/j.isprsjprs.2015.08.001>.

- Martin, T.C., Allen, R.G., Brazil, L.E., Burkhalter, J.P., and Polly, J.S., 2013, Evapotranspiration estimates from remote sensing for irrigation water management, *in* Qu, J., Powell, A., and Sivakumar, M.V.K., eds., *Satellite-based applications on climate change*: Dordrecht, Netherlands, Springer, p. 195–216, at [https://doi.org/10.1007/978-94-007-5872-8\\_13](https://doi.org/10.1007/978-94-007-5872-8_13).
- Martínez Pastur, G., Aravena Acuña, M.C., Silveira, E.M.O., Von Müller, A., La Manna, L., González-Polo, M., Chaves, J.E., Cellini, J.M., Lencinas, M.V., et al., 2022, Mapping soil organic carbon content in patagonian forests based on climate, topography and vegetation metrics from satellite imagery: *Remote Sensing*, v. 14, no. 22, article 5702, at <https://doi.org/10.3390/rs14225702>.
- Martins, V.S., Roy, D.P., Huang, H., Boschetti, L., Zhang, H.K., and Yan, L., 2022, Deep learning high resolution burned area mapping by transfer learning from Landsat-8 to PlanetScope: *Remote Sensing of Environment*, v. 280, article 113203, at <https://doi.org/10.1016/j.rse.2022.113203>.
- Masek, J., Ju, J., Roger, J.C., Skakun, S., Claverie, M., and Dungan, J., 2018, Harmonized Landsat/Sentinel-2 products for land monitoring, *in* 2018 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Valencia, Spain, 22–27 July 2018, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 8163–8165, at <https://doi.org/10.1109/IGARSS.2018.8517760>.
- Masek, J.G., 2001, Stability of boreal forest stands during recent climate change—Evidence from Landsat satellite imagery: *Journal of Biogeography*, v. 28, no. 8, p. 967–976, at <https://doi.org/10.1046/j.1365-2699.2001.00612.x>.
- Masek, J.G., and Collatz, G.J., 2006, Estimating forest carbon fluxes in a disturbed southeastern landscape—Integration of remote sensing, forest inventory, and biogeochemical modeling: *Journal of Geophysical Research Biogeosciences*, v. 111, no. 1, article G01006, at <https://doi.org/10.1029/2005JG000062>.
- Masek, J.G., Goward, S.N., Kennedy, R.E., Cohen, W.B., Moisen, G.G., Schleeweis, K., and Huang, C., 2013, United States forest disturbance trends observed using Landsat time series: *Ecosystems*, v. 16, no. 6, p. 1087–1104, at <https://doi.org/10.1007/s10021-013-9669-9>.
- Masek, J.G., Goward, S.N., and Shock, C.T., 2000, REALM—An image database for Landsat-7 data, *in* Algorithms for Multispectral, Hyperspectral, and Ultraspectral Imagery VI, Orlando, Fla., 24–26 April 2000, Proceedings of SPIE Vol. 4049: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 328–335, at <https://doi.org/10.1117/12.410356>.
- Masek, J.G., Honzak, M., Goward, S.N., Liu, P., and Pak, E., 2001, Landsat-7 ETM+ as an observatory for land cover initial radiometric and geometric comparisons with Landsat-5 Thematic Mapper: *Remote Sensing of Environment*, v. 78, no. 1–2, p. 118–130, at [https://doi.org/10.1016/S0034-4257\(01\)00254-1](https://doi.org/10.1016/S0034-4257(01)00254-1).

- Masek, J.G., Huang, C., Wolfe, R., Cohen, W.B., Hall, F., Kutler, J., and Nelson, P., 2008, North American forest disturbance mapped from a decadal Landsat record: Remote Sensing of Environment, v. 112, no. 6, p. 2914–2926, at <https://doi.org/10.1016/j.rse.2008.02.010>.
- Masek, J.G., Lindsay, F.E., and Goward, S.N., 2000, Dynamics of urban growth in the Washington DC metropolitan area, 1973-1996, from Landsat observations: International Journal of Remote Sensing, v. 21, no. 18, p. 3473–3486, at <https://doi.org/10.1080/014311600750037507>.
- Masek, J.G., Shock, C.T., and Goward, S.N., 2001, Research Environment for Advanced Landsat Monitoring (REALM)—A computational approach for Landsat-7 global science: Remote Sensing of Environment, v. 78, no. 1–2, p. 204–216, at [https://doi.org/10.1016/S0034-4257\(01\)00260-7](https://doi.org/10.1016/S0034-4257(01)00260-7).
- Masek, J.G., and Sun, G., 2004, A spectral-angle methodology for mapping net forest cover change in northeastern China: International Journal of Remote Sensing, v. 25, no. 24, p. 5629–5636, at <https://doi.org/10.1080/01431160410001709066>.
- Masek, J.G., Vermote, E.F., Saleous, N.E., Wolfe, R., Hall, F.G., Huemmrich, K.F., Gao, F., Kutler, J., and Lim, T.K., 2006, A Landsat surface reflectance dataset for North America, 1990-2000: IEEE Geoscience and Remote Sensing Letters, v. 3, no. 1, p. 68–72, at <https://doi.org/10.1109/LGRS.2005.857030>.
- Masek, J.G., Wolfe, R., Hall, F., Cohen, W.B., Kennedy, R.E., Powell, S., Goward, S.N., Huang, C., Healey, S.P., et al., 2007, Assessing North American forest disturbance from the Landsat archive, in 2007 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Barcelona, Spain, 23–28 July 2007, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 5294–5297, at <https://doi.org/10.1109/IGARSS.2007.4424057>.
- Masek, J.G., Wulder, M.A., Markham, B., McCorkel, J., Crawford, C.J., Storey, J., and Jenstrom, D.T., 2020, Landsat 9—Empowering open science and applications through continuity: Remote Sensing of Environment, v. 248, article 111968, at <https://doi.org/10.1016/j.rse.2020.111968>.
- Matasci, G., Hermosilla, T., Wulder, M.A., White, J.C., Coops, N.C., Hobart, G.W., Bolton, D.K., Tompalski, P., and Bater, C.W., 2018, Three decades of forest structural dynamics over Canada’s forested ecosystems using Landsat time-series and lidar plots: Remote Sensing of Environment, v. 216, p. 697–714, at <https://doi.org/10.1016/j.rse.2018.07.024>.
- Matasci, G., Hermosilla, T., Wulder, M.A., White, J.C., Coops, N.C., Hobart, G.W., and Zald, H.S.J., 2018, Large-area mapping of Canadian boreal forest cover, height, biomass and other structural attributes using Landsat composites and lidar plots: Remote Sensing of Environment, v. 209, p. 90–106, at <https://doi.org/10.1016/j.rse.2017.12.020>.

- Matasci, G., Hermosilla, T., Wulder, M.A., White, J.C., Hobart, G.W., Zald, H.S.J., and Coops, N.C., 2017, A space-time data cube—Multi-temporal forest structure maps from Landsat and lidar, *in* 2017 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Fort Worth, Tex., 23–28 July 2017, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2581–2584, at <https://doi.org/10.1109/IGARSS.2017.8127523>.
- Matricardi, E.A.T., Skole, D.L., Cochrane, M.A., Pedlowski, M., and Chomentowski, W., 2007, Multi-temporal assessment of selective logging in the Brazilian Amazon using Landsat data: *International Journal of Remote Sensing*, v. 28, no. 1, p. 63–82, at <https://doi.org/10.1080/01431160600763014>.
- Matricardi, E.A.T., Skole, D.L., Cochrane, M.A., Qi, J., and Chomentowski, W., 2005, Monitoring selective logging in tropical evergreen forests using Landsat—Multitemporal regional analyses in Mato Grosso, Brazil: *Earth Interactions*, v. 9, no. 24, article 24, at <https://doi.org/10.1175/EI142.1>.
- Matricardi, E.A.T., Skole, D.L., Pedlowski, M.A., and Chomentowski, W., 2013, Assessment of forest disturbances by selective logging and forest fires in the Brazilian Amazon using Landsat data: *International Journal of Remote Sensing*, v. 34, no. 4, p. 1057–1086, at <https://doi.org/10.1080/01431161.2012.717182>.
- Matricardi, E.A.T., Skole, D.L., Pedlowski, M.A., Chomentowski, W., and Fernandes, L.C., 2010, Assessment of tropical forest degradation by selective logging and fire using Landsat imagery: *Remote Sensing of Environment*, v. 114, no. 5, p. 1117–1129, at <https://doi.org/10.1016/j.rse.2010.01.001>.
- Maxwell, S.K., 2004, Filling Landsat ETM+ SLC-off gaps using a segmentation model approach: *Photogrammetric Engineering & Remote Sensing*, v. 70, no. 10, p. 1109–1111, at <https://citeseerx.ist.psu.edu/document?repid=rep1&type=pdf&doi=8e60413d7a5bcdad61784af34faebfb910e0805>.
- Maxwell, S.K., 2010, Generating land cover boundaries from remotely sensed data using object-based image analysis—Overview and epidemiological application: *Spatial and Spatio-temporal Epidemiology*, v. 1, no. 4, p. 231–237, at <https://doi.org/10.1016/j.sste.2010.09.005>.
- Maxwell, S.K., 2011, Downscaling pesticide use data to the crop field level in California using Landsat satellite imagery—Paraquat case study: *Remote Sensing*, v. 3, no. 9, p. 1805–1816, at <https://doi.org/10.3390/rs3091805>.
- Maxwell, S.K., Airola, M., and Nuckols, J.R., 2010, Using Landsat satellite data to support pesticide exposure assessment in California: *International Journal of Health Geographics*, v. 9, no. 46, p. 1–14, at <https://doi.org/10.1186/1476-072X-9-46>.
- Maxwell, S.K., and Craig, M.E., 2008, Use of Landsat ETM+ SLC-off segment-based gap-filled imagery for crop type mapping: *Geocarto International*, v. 23, no. 3, p. 169–179, at <https://doi.org/10.1080/10106040701207399>.

- Maxwell, S.K., Meliker, J.R., and Goovaerts, P., 2010, Use of land surface remotely sensed satellite and airborne data for environmental exposure assessment in cancer research: *Journal of Exposure Science and Environmental Epidemiology*, v. 20, no. 2, p. 176–185, at <https://doi.org/10.1038/jes.2009.7>.
- Maxwell, S.K., Nuckols, J.R., and Ward, M.H., 2006, A method for mapping corn using the US Geological Survey 1992 National Land Cover Dataset: *Computers and Electronics in Agriculture*, v. 51, no. 1-2, p. 54–65, at <https://doi.org/10.1016/j.compag.2005.11.003>.
- Maxwell, S.K., Nuckols, J.R., Ward, M.H., and Hoffer, R.M., 2004, An automated approach to mapping corn from Landsat imagery: *Computers and Electronics in Agriculture*, v. 43, no. 1, p. 43–54, at <https://doi.org/10.1016/j.compag.2003.09.001>.
- Maxwell, S.K., Schmidt, G.L., and Storey, J.C., 2007, A multi-scale segmentation approach to filling gaps in Landsat ETM+ SLC-off images: *International Journal of Remote Sensing*, v. 28, no. 23, p. 5339–5356, at <https://doi.org/10.1080/01431160601034902>.
- Maxwell, S.K., and Sylvester, K.M., 2012, Identification of “ever-cropped” land (1984-2010) using Landsat annual maximum NDVI image composites—Southwestern Kansas case study: *Remote Sensing of Environment*, v. 121, p. 186–195, at <https://doi.org/10.1016/j.rse.2012.01.022>.
- Mayaux, P., Bartholomé, E., Fritz, S., and Belward, A.S., 2004, A new land-cover map of Africa for the year 2000: *Journal of Biogeography*, v. 31, no. 6, p. 861–877, at <https://doi.org/10.1111/j.1365-2699.2004.01073.x>.
- Mayaux, P., Pekel, J.F., Desclée, B., Donnay, F., Lupi, A., Achard, F., Clerici, M., Bodart, C., Brink, A., et al., 2013, State and evolution of the African rainforests between 1990 and 2010: *Philosophical Transactions of the Royal Society B—Biological Sciences*, v. 368, no. 1625, article 20120300, at <https://doi.org/10.1098/rstb.2012.0300>.
- McCabe, J.D., Yin, H., Cruz, J., Radeloff, V., Pidgeon, A., Bonter, D.N., and Zuckerberg, B., 2018, Prey abundance and urbanization influence the establishment of avian predators in a metropolitan landscape: *Proceedings of the Royal Society B—Biological Sciences*, v. 285, no. 1890, article rspb.2018.2120, at <https://doi.org/10.1098/rspb.2018.2120>.
- McCorkel, J., Montanaro, M., Efremova, B., Pearlman, A., Wenny, B., Lunsford, A., Simon, A., Hair, J., and Reuter, D., 2018, Landsat 9 thermal infrared sensor 2 characterization plan overview, in 2018 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Valencia, Spain, 22–27 July 2018, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 8845–8848, at <https://doi.org/10.1109/IGARSS.2018.8518798>.
- McCorkel, J.T., Bachmann, C.M., Coburn, C., Gerace, A., Leigh, L., Czapla-Myers, J., Helder, D.L., and Cook, B., 2018, Overview of the 2015 Algodones Sand Dunes field campaign to support sensor intercalibration: *Journal of Applied Remote Sensing*, v. 12, no. 1, article 012003, at <https://doi.org/10.1117/1.JRS.12.012003>.

- McCorkel, J.T., Cairns, B., and Wasilewski, A., 2016, Imager-to-radiometer in-flight cross calibration—RSP radiometric comparison with airborne and satellite sensors: *Atmospheric Measurement Techniques*, v. 9, no. 3, p. 955–962, at <https://doi.org/10.5194/amt-9-955-2016>.
- McCorkel, J.T., Thome, K.J., Biggar, S., and Kuester, M., 2006, Radiometric calibration of advanced land imager using reflectance-based results between 2001 and 2005, *in* *Earth Observing Systems XI*, San Diego, Calif., 14–16 August 2006, *Proceedings of SPIE Vol. 6296*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 62960G, at <https://doi.org/10.1117/12.679892>.
- McCormick, R., Thenkabail, P.S., Aneece, I., Teluguntla, P., Oliphant, A., and Foley, D., 2025, Artificial neural network multi-layer perceptron models to classify California's crops using Harmonized Landsat Sentinel (HLS) data: *Photogrammetric Engineering & Remote Sensing*, v. 91, no. 2, p. 91–100, at <https://doi.org/10.14358/PERS.24-00072R3>.
- McMahon, G., Benjamin, S.P., Clarke, K., Findley, J.E., Fisher, R.N., Graf, W.L., Gundersen, L.C., Jones, J.W., Loveland, T.R., et al., 2005, *Geography for a changing world—A science strategy for the geographic research of the U.S. Geological Survey, 2005-2015*: Reston, Va., U.S. Geological Survey Circular 1281, 74 p., at <https://doi.org/10.3133/cir1281>.
- McManus, K.M., Morton, D.C., Masek, J.G., Wang, D., Sexton, J.O., Nagol, J.R., Ropars, P., and Boudreau, S., 2012, Satellite-based evidence for shrub and graminoid tundra expansion in northern Quebec from 1986 to 2010: *Global Change Biology*, v. 18, no. 7, p. 2313–2323, at <https://doi.org/10.1111/j.1365-2486.2012.02708.x>.
- Meigs, G.W., Kennedy, R.E., and Cohen, W.B., 2011, A Landsat time series approach to characterize bark beetle and defoliator impacts on tree mortality and surface fuels in conifer forests: *Remote Sensing of Environment*, v. 115, no. 12, p. 3707–3718, at <https://doi.org/10.1016/j.rse.2011.09.009>.
- Meigs, G.W., Kennedy, R.E., Gray, A.N., and Gregory, M.J., 2015, Spatiotemporal dynamics of recent mountain pine beetle and western spruce budworm outbreaks across the Pacific Northwest Region, USA: *Forest Ecology and Management*, v. 339, no. 1, p. 71–86, at <https://doi.org/10.1016/j.foreco.2014.11.030>.
- Melaas, E.K., Friedl, M.A., and Zhu, Z., 2013, Detecting interannual variation in deciduous broadleaf forest phenology using Landsat TM/ETM+ data: *Remote Sensing of Environment*, v. 132, p. 176–185, at <https://doi.org/10.1016/j.rse.2013.01.011>.
- Melchiorre, A., Boschetti, L., and Roy, D.P., 2020, Global evaluation of the suitability of MODIS-Terra detected cloud cover as a proxy for Landsat 7 cloud conditions: *Remote Sensing*, v. 12, no. 2, article 202, at <https://doi.org/10.3390/rs12020202>.

- Melton, F., Huntington, J.L., Grimm, R., Herring, J., Hall, M., Rollison, D., Erickson, T., Allen, R.G., Anderson, M.C., et al., 2022, OpenET—Filling a critical data gap in water management for the western United States: *Journal of the American Water Resources Association*, v. 58, no. 6, p. 971–994, at <https://doi.org/10.1111/1752-1688.12956>.
- Melton, F.S., Johnson, L.F., Lund, C.P., Pierce, L.L., Michaelis, A.R., Hiatt, S.H., Guzman, A., Adhikari, D.D., Purdy, A.J., et al., 2012, Satellite irrigation management support with the terrestrial observation and prediction system—A framework for integration of satellite and surface observations to support improvements in agricultural water resource management: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 5, no. 6, p. 1709–1721, at <https://doi.org/10.1109/JSTARS.2012.2214474>.
- Mettler, C., and Helder, D.L., 2005, Cross-calibration of the Landsat-4 and Landsat-5 thematic mappers, *in* *Earth Observing Systems X*, San Diego, Calif., 31 July–1 August 2005, *Proceedings of SPIE Vol. 5882*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 588207, at <https://doi.org/10.1117/12.619539>.
- Micijevic, E., Barsi, J., Haque, M.O., Levy, R., Anderson, C., Thome, K., Czaplak-Myers, J., and Helder, D., 2022, Radiometric performance of the Landsat 9 Operational Land Imager over the first 8 months on orbit, *in* *Earth Observing Systems XXVII 2022*, San Diego, Calif., 21–26 August 2022, *Proceedings of SPIE Vol. 12232*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 122320w, at <https://doi.org/10.1117/12.2634301>.
- Micijevic, E., and Helder, D.L., 2005, Outgassing models for Landsat-4 Thematic Mapper short wave infrared bands, *in* *Earth Observing Systems X*, San Diego, Calif., 31 July–1 August 2005, *Proceedings of SPIE Vol. 5882*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 588208, at <https://doi.org/10.1117/12.620160>.
- Micijevic, E., Rengarajan, R., Haque, M.O., Lubke, M., Tuli, F.T.Z., Shaw, J.L., Hasan, N., Denevan, A., Franks, S., et al., 2022, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 3, 2021: Reston, Va., U.S. Geological Survey Open-File Report 2022–1025, 38 p., at <https://doi.org/10.3133/ofr20221025>.
- Micijevic, E., Rengarajan, R., Haque, M.O., Lubke, M., Tuz Zafrin Tuli, F., Shaw, J.L., Hasan, M.N., Denevan, A., Franks, S., et al., 2021, ECCOE Landsat Quarterly Calibration and Validation Report—Quarter 2, 2021: U.S. Geological Survey Open-File Report 2021–1105, 40 p., at <https://doi.org/10.3133/ofr20211105>.
- Milesi, C., Elvidge, C.D., Nemani, R.R., and Running, S.W., 2002, Impact of urban sprawl on net primary productivity in the Southeastern United States, *in* 2002 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toronto, Canada, 24–28 June 2002, *Proceedings*: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2971–2973, at <https://doi.org/10.1109/IGARSS.2002.1026839>.

- Milesi, C., Elvidge, C.D., Nemani, R.R., and Running, S.W., 2003, Assessing the impact of urban land development on net primary productivity in the southeastern United States: *Remote Sensing of Environment*, v. 86, no. 3, p. 401–410, at [https://doi.org/10.1016/S0034-4257\(03\)00081-6](https://doi.org/10.1016/S0034-4257(03)00081-6).
- Mishra, N., Haque, M.O., Leigh, L., Aaron, D.B., Helder, D.L., and Markham, B., 2014, Radiometric cross calibration of Landsat 8 Operational Land Imager (OLI) and Landsat 7 Enhanced Thematic Mapper Plus (ETM+): *Remote Sensing*, v. 6, no. 12, p. 12619–12638, at <https://doi.org/10.3390/rs61212619>.
- Mishra, N., Helder, D.L., Angal, A., Choi, J., and Xiong, X., 2014, Absolute calibration of optical satellite sensors using Libya 4 pseudo invariant calibration site: *Remote Sensing*, v. 6, no. 2, p. 1327–1346, at <https://doi.org/10.3390/rs6021327>.
- Mishra, N., Helder, D.L., Barsi, J., and Markham, B., 2016, Continuous calibration improvement in solar reflective bands—Landsat 5 through Landsat 8: *Remote Sensing of Environment*, v. 185, p. 7–15, at <https://doi.org/10.1016/j.rse.2016.07.032>.
- Mitchell, S.W., Rempel, T.K., Csillag, F., and Wulder, M.A., 2008, Distance to second cluster as a measure of classification confidence: *Remote Sensing of Environment*, v. 112, no. 5, p. 2615–2626, at <https://doi.org/10.1016/j.rse.2007.12.006>.
- Mithal, V., Nayak, G., Khandelwal, A., Kumar, V., Nemani, R.R., and Oza, N.C., 2018, Mapping burned areas in tropical forests using a novel machine learning framework: *Remote Sensing*, v. 10, no. 1, article 69, at <https://doi.org/10.3390/rs10010069>.
- Moeur, M., Martin, J.R., Demeo, T., Alegria, J., Spies, T., Cohen, W.B., Healey, S.P., Hemstrom, M., Cissel, J., et al., 2005, Northwest Forest Plan—The first 10 years (1994–2003)—Status and trend of late-successional and old-growth forest: Portland, Oreg., U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station Gen. Tech. Rep. PNW-GTR-646, 142 p., at <https://doi.org/10.2737/PNW-GTR-646>.
- Moeur, M., Ohmann, J.L., Kennedy, R.E., Cohen, W.B., Gregory, M.J., Yang, Z., Roberts, H.M., Spies, T.A., and Fiorella, M., 2011, Northwest Forest Plan—The first 15 years (1994–2008)—Status and trends of late-successional and old-growth forests: Portland, Oreg., U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station Gen. Tech. Rep. PNW-GTR-853, 48 p., at <https://doi.org/10.2737/PNW-GTR-853>.
- Moisen, G.G., McConville, K.S., Schroeder, T.A., Healey, S.P., Finco, M.V., and Frescino, T.S., 2020, Estimating land use and land cover change in north central Georgia—Can remote sensing observations augment traditional forest inventory data?: *Forests*, v. 11, no. 8, article 856, at <https://doi.org/10.3390/F11080856>.

- Molinier, M., Astola, H., Rätty, T., and Woodcock, C., 2018, Timely and semi-automatic detection of forest logging events in boreal forest using all available Landsat data, *in* 2018 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Valencia, Spain, 22–27 July 2018, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1730–1733, at <https://doi.org/10.1109/IGARSS.2018.8518112>.
- Möller, M., Gerstmann, H., Gao, F., Dahms, T.C., and Förster, M., 2017, Coupling of phenological information and simulated vegetation index time series—Limitations and potentials for the assessment and monitoring of soil erosion risk: *Catena*, v. 150, p. 192–205, at <https://doi.org/10.1016/j.catena.2016.11.016>.
- Möller, M., Gerstmann, H., Thürkow, D., Gao, F., and Förster, M., 2015, Coupling of phenological information and synthetically generated time-series for crop types as indicator for vegetation coverage information, *in* Analysis of Multitemporal Remote Sensing Images (Multi-Temp), International Workshop, 8<sup>th</sup>, Annecy, France, 22–24 July 2015, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), paper 7245802, at <https://doi.org/10.1109/Multi-Temp.2015.7245802>.
- Möller, M., Lymburner, L., and Volk, M., 2007, The comparison index—A tool for assessing the accuracy of image segmentation: *International Journal of Applied Earth Observation and Geoinformation*, v. 9, no. 3, p. 311–321, at <https://doi.org/10.1016/j.jag.2006.10.002>.
- Montanaro, M., McCorkel, J., Tveekrem, J., Stauder, J., Lunsford, A., Mentzell, E., Hair, J., and Reuter, D., 2018, Landsat 9 thermal infrared sensor 2 preliminary stray light assessment, *in* 2018 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Valencia, Spain, 22–27 July 2018, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 8853–8856, at <https://doi.org/10.1109/IGARSS.2018.8519394>.
- Montanaro, M., McCorkel, J.T., Tveekrem, J., Stauder, J., Mentzell, E., Lunsford, A., Hair, J., and Reuter, D., 2022, Landsat 9 Thermal Infrared Sensor 2 (TIRS-2) stray light mitigation and assessment: *IEEE Transactions on Geoscience and Remote Sensing*, v. 60, article 5002408, at <https://doi.org/10.1109/TGRS.2022.3177312>.
- Montanaro, M., Reuter, D.C., Markham, B.L., Thome, K.J., Lunsford, A.W., Jhabvala, M.D., Rohrbach, S.O., and Gerace, A.D., 2011, Spectral analysis of the primary flight focal plane arrays for the thermal infrared sensor, *in* Algorithms and Technologies for Multispectral, Hyperspectral, and Ultraspectral Imagery XVII, Orlando, Fla., 25–28 April 2011, Proceedings of SPIE Vol. 8048: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 804816, at <https://doi.org/10.1117/12.889265>.

- Montanaro, M., Tesfaye, Z., Lunsford, A., Wenny, B., Reuter, D., Markham, B., Smith, R., and Thome, K.J., 2013, Preliminary on-orbit performance of the thermal infrared sensor (TIRS) on board Landsat 8, *in* Earth Observing Systems XVIII, San Diego, Calif., 26–29 August 2013, Proceedings of SPIE Vol. 8866: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 88661d, at <https://doi.org/10.1117/12.2025650>.
- Montes, M., Pahlevan, N., Giles, D.M., Roger, J.C., Zhai, P., Smith, B., Levy, R., Werdell, P.J., and Smirnov, A., 2022, Augmenting heritage ocean-color aerosol models for enhanced remote sensing of inland and nearshore coastal waters: *Frontiers in Remote Sensing*, v. 3, article 860816, at <https://doi.org/10.3389/frsen.2022.860816>.
- Moody, A., and Johnson, D.M., 2001, Land-surface phenologies from AVHRR using the discrete fourier transform: *Remote Sensing of Environment*, v. 75, no. 3, p. 305–323, at [https://doi.org/10.1016/S0034-4257\(00\)00175-9](https://doi.org/10.1016/S0034-4257(00)00175-9).
- Mora, B., Wulder, M.A., and White, J.C., 2013, An approach using Dempster-Shafer theory to fuse spatial data and satellite image derived crown metrics for estimation of forest stand leading species: *Information Fusion*, v. 14, no. 4, p. 384–395, at <https://doi.org/10.1016/j.inffus.2012.05.004>.
- Mora, B., Wulder, M.A., White, J.C., and Hobart, G., 2013, Modeling stand height, volume, and biomass from very high spatial resolution satellite imagery and samples of airborne LIDAR: *Remote Sensing*, v. 5, no. 5, p. 2308–2326, at <https://doi.org/10.3390/rs5052308>.
- Moran, M.S., Bryant, R., Holifield, C.D., and McElroy, S., 2003, Refined empirical line approach for retrieving surface reflectance from EO-1 ALI images: *IEEE Transactions on Geoscience and Remote Sensing*, v. 41, p. 1411–1414, at <https://doi.org/10.1109/TGRS.2003.813207>.
- Moran, M.S., Bryant, R., Thome, K.J., Ni, W., Nouvellon, Y., Gonzalez-Dugo, M.P., Qi, J., and Clarke, T.R., 2001, A refined empirical line approach for reflectance factor retrieval from Landsat-5 TM and Landsat-7 ETM+: *Remote Sensing of Environment*, v. 78, no. 1–2, p. 71–82, at [https://doi.org/10.1016/S0034-4257\(01\)00250-4](https://doi.org/10.1016/S0034-4257(01)00250-4).
- Moran, M.S., Hutchinson, B.S., Marsh, S.E., McClaran, M.P., and Olsson, A.D., 2009, Archiving and distributing three long-term interconnected geospatial data sets: *IEEE Transactions on Geoscience and Remote Sensing*, v. 47, no. 1, p. 59–71, at <https://doi.org/10.1109/TGRS.2008.2002815>.
- Moran, M.S., Hymer, D.C., Qi, J., and Kerr, Y., 2002, Comparison of ERS-2 SAR and Landsat TM imagery for monitoring agricultural crop and soil conditions: *Remote Sensing of Environment*, v. 79, no. 2–3, p. 243–252, at [https://doi.org/10.1016/S0034-4257\(01\)00276-0](https://doi.org/10.1016/S0034-4257(01)00276-0).

- Moran, M.S., Rahman, A.F., Washburne, J.C., Goodrich, D.C., Wertz, M.A., and Kustas, W.P., 1996, Combining the Penman-Monteith equation with measurements of surface temperature and reflectance to estimate evaporation rates of semiarid grassland: *Agricultural and Forest Meteorology*, v. 80, no. 2–4, p. 87–109, at [https://doi.org/10.1016/0168-1923\(95\)02292-9](https://doi.org/10.1016/0168-1923(95)02292-9).
- Moris, J.V., Reilly, M.J., Yang, Z., Cohen, W.B., Motta, R., and Ascoli, D., 2022, Using a trait-based approach to assess fire resistance in forest landscapes of the Inland Northwest, USA: *Landscape Ecology*, v. 37, no. 8, p. 2149–2164, at <https://doi.org/10.1007/s10980-022-01478-w>.
- Morse, A., Kramber, W.J., Allen, R.G., and Tasumi, M., 2004, Use of the METRIC evapotranspiration model to compute water use by irrigated agriculture in Idaho, *in* 2004 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Anchorage, Alaska, 20–24 September 2004, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2134–2137, at <https://doi.org/10.1109/IGARSS.2004.1370780>.
- Morse, A., Kramber, W.J., Wilkins, M., Allen, R.G., and Tasumi, M., 2003, Preliminary computation of evapotranspiration by land cover type using Landsat TM data and SEBAL, *in* 2003 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toulouse, France, 21–25 July 2003, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2956–2958, at <https://doi.org/10.1109/IGARSS.2003.1294644>.
- Morstad, D.L., and Helder, D.L., 2008, Use of pseudo-invariant sites for long-term sensor calibration, *in* 2008 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Boston, Mass., 7–11 July 2008, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. I253–I256, at <https://doi.org/10.1109/IGARSS.2008.4778841>.
- Morton, D.C., DeFries, R.S., Shimabukuro, Y.E., Anderson, L.O., Del Bon Espírito-Santo, F., Hansen, M.C., and Carroll, M., 2005, Rapid assessment of annual deforestation in the Brazilian Amazon using MODIS data: *Earth Interactions*, v. 9, no. 8, article 8, at <https://doi.org/10.1175/EI139.1>.
- Morway, E.D., Buto, S.G., Niswonger, R.G., and Huntington, J.L., 2023, Assessing potential effects of changes in water use in the middle Carson River Basin with a numerical groundwater-flow model, Eagle, Dayton, and Churchill Valleys, West-Central Nevada: Reston, Va., U.S. Geological Survey Scientific Investigations Report 2023–5008, 112 p., at <https://doi.org/10.3133/sir20235008>.
- Mourad, R., Jaafar, H., Anderson, M., and Gao, F., 2020, Assessment of leaf area index models using harmonized Landsat and Sentinel-2 surface reflectance data over a semi-arid irrigated landscape: *Remote Sensing*, v. 12, no. 19, article 3121, at <https://doi.org/10.3390/RS12193121>.

- Mueller, N., Lewis, A., Roberts, D., Ring, S., Melrose, R., Sixsmith, J., Lymburner, L., McIntyre, A., Tan, P., et al., 2016, Water observations from space—Mapping surface water from 25 years of Landsat imagery across Australia: *Remote Sensing of Environment*, v. 174, p. 341–352, at <https://doi.org/10.1016/j.rse.2015.11.003>.
- Müller, H., Rufin, P., Griffiths, P., Barros Siqueira, A.J., and Hostert, P., 2015, Mining dense Landsat time series for separating cropland and pasture in a heterogeneous Brazilian savanna landscape: *Remote Sensing of Environment*, v. 156, p. 490–499, at <https://doi.org/10.1016/j.rse.2014.10.014>.
- Müller, H., Rufin, P., Griffiths, P., de Barros Viana Hissa, L., and Hostert, P., 2016, Beyond deforestation—Differences in long-term regrowth dynamics across land use regimes in southern Amazonia: *Remote Sensing of Environment*, v. 186, p. 652–662, at <https://doi.org/10.1016/j.rse.2016.09.012>.
- Mulverhill, C., Coops, N.C., Wulder, M.A., White, J.C., Hermosilla, T., and Bater, C.W., 2024, Multidecadal mapping of status and trends in annual burn probability over Canada's forested ecosystems: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 209, p. 279–295, at <https://doi.org/10.1016/j.isprsjprs.2024.02.006>.
- Murali Krishna, G., Thenkabail, P., Pardhasaradhi, T., and Oliphant, A., 2020, Agricultural cropland extent and areas of South Asia derived using Landsat satellite 30-m time-series big-data using random forest machine learning algorithms on the Google Earth Engine cloud: *GIScience and Remote Sensing*, v. 57, no. 3, p. 302–322, at <https://doi.org/10.1080/15481603.2019.1690780>.
- Murillo-Sandoval, P.J., Gjerdseth, E., Correa-Ayram, C., Wrathall, D., Van Den Hoek, J., Dávalos, L.M., and Kennedy, R., 2021, No peace for the forest—Rapid, widespread land changes in the Andes-Amazon region following the Colombian civil war: *Global Environmental Change*, v. 69, article 102283, at <https://doi.org/10.1016/j.gloenvcha.2021.102283>.
- Murillo-Sandoval, P.J., van Dexter, K., Van Den Hoek, J., Wrathall, D., and Kennedy, R.E., 2020, The end of gunpoint conservation—Forest disturbance after the Colombian peace agreement: *Environmental Research Letters*, v. 15, no. 3, article 034033, at <https://doi.org/10.1088/1748-9326/ab6ae3>.
- Murphy-Morris, J.E., Irons, J.R., Markham, B.L., Barnes, R.A., and Schweiss, R.J., 2003, Performance requirements and trade-offs for the Landsat Data Continuity Mission, *in* *Earth Observing Systems VIII*, San Diego, Calif., 3–6 August 2003, *Proceedings of SPIE Vol. 5151: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE)*, p. 9–19, at <https://doi.org/10.1117/12.507484>.
- Musy, R.F., Wynne, R.H., Binn, C.E., Scriverani, J.A., and McRoberts, R.E., 2006, Automated forest area estimation using iterative guided spectral class rejection: *Photogrammetric Engineering & Remote Sensing*, v. 72, no. 8, p. 949–960, at <https://doi.org/10.14358/PERS.72.8.949>.

- Nackoney, J., Demol, M., Akpona, H.A., Bauters, M., Boeckx, P., Dupain, J., Facheux, C., Hansen, M.C., Kalemba, J.C., et al., 2022, Coupled forest zoning and agricultural intervention yields conflicting outcomes for tropical forest conservation in the Democratic Republic of the Congo (DRC): *Environmental Research Letters*, v. 17, no. 6, article 064002, at <https://doi.org/10.1088/1748-9326/ac6ad8>.
- Nackoney, J., Molinario, G., Potapov, P., Turubanova, S., Hansen, M.C., and Furuichi, T., 2014, Impacts of civil conflict on primary forest habitat in northern Democratic Republic of the Congo, 1990-2010: *Biological Conservation*, v. 170, p. 321–328, at <https://doi.org/10.1016/j.biocon.2013.12.033>.
- Nadal, J.L.V., Franch, B., Roger, J.C., Skakun, S., Vermote, E., and Justice, C., 2018, Spectrally adjusted surface reflectance and its dependence with NDVI for passive optical sensors, in 2018 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Valencia, Spain, 22–27 July 2018, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 6452–6455, at <https://doi.org/10.1109/IGARSS.2018.8517306>.
- Nagol, J.R., Sexton, J.O., Kim, D.H., Anand, A., Morton, D., Vermote, E.F., and Townshend, J.R., 2015, Bidirectional effects in Landsat reflectance estimates—Is there a problem to solve?: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 103, p. 129–135, at <https://doi.org/10.1016/j.isprsjprs.2014.09.006>.
- Nakalembe, C., Justice, C., Kerner, H., Justice, C.J., and Becker-Reshef, I., 2021, Sowing seeds of food security in Africa: *Eos*, v. 102, no. 2, p. 29–33, at <https://doi.org/10.1029/2021eo153329>.
- Nanson, R., Bishop-Taylor, R., Sagar, S., and Lymburner, L., 2022, Geomorphic insights into Australia’s coastal change using a national dataset derived from the multi-decadal Landsat archive: *Estuarine, Coastal and Shelf Science*, v. 265, article 107712, at <https://doi.org/10.1016/j.ecss.2021.107712>.
- Nardin, W., Locatelli, S., Pasquarella, V., Rulli, M.C., Woodcock, C.E., and Fagherazzi, S., 2016, Dynamics of a fringe mangrove forest detected by Landsat images in the Mekong River Delta, Vietnam: *Earth Surface Processes and Landforms*, v. 41, no. 14, p. 2024–2037, at <https://doi.org/10.1002/esp.3968>.
- Nardin, W., Woodcock, C.E., and Fagherazzi, S., 2016, Bottom sediments affect *Sonneratia* mangrove forests in the prograding Mekong delta, Vietnam: *Estuarine, Coastal and Shelf Science*, v. 177, p. 60–70, at <https://doi.org/10.1016/j.ecss.2016.04.019>.
- Nascimento Bendini, H.D., Maria Garcia Fonseca, L., Schwieder, M., Korting, T.S., Rufin, P., Arco Sanches, I.D., Leitão, P.J., and Hostert, P., 2019, Comparing phenometrics extracted from dense Landsat-like image time series for crop classification, in 2019 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Yokohama, Japan, 28 July–2 August 2019, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 469–472, at <https://doi.org/10.1109/IGARSS.2019.8898139>.

- Neigh, C.S.R., Masek, J.G., Bourget, P., Rishmawi, K., Zhao, F., Huang, C., Cook, B.D., and Nelson, R.F., 2016, Regional rates of young US forest growth estimated from annual Landsat disturbance history and IKONOS stereo imagery: *Remote Sensing of Environment*, v. 173, p. 282–293, at <https://doi.org/10.1016/j.rse.2015.09.007>.
- Nelson, M.D., Healey, S.P., Moser, W.K., Masek, J.G., and Cohen, W.B., 2011, Consistency of forest presence and biomass predictions modeled across overlapping spatial and temporal extents: *Mathematical and Computational Forestry and Natural-Resource Sciences*, v. 3, no. 2, p. 102–113, at <https://www.fs.usda.gov/research/treesearch/38889>.
- Nelson, S.A.C., Soranno, P.A., Cheruvilil, K.S., Batzli, S.A., and Skole, D.L., 2003, Regional Assessment of lake water clarity using satellite remote sensing: *Journal of Limnology*, v. 62, no. 1s, p. 27–32, at <https://doi.org/10.4081/jlimnol.2003.s1.27>.
- Nelson, T., Wilson, H.G., Boots, B., and Wulder, M.A., 2005, Use of ordinal conversion for radiometric normalization and change detection: *International Journal of Remote Sensing*, v. 26, no. 3, p. 535–541, at <https://doi.org/10.1080/01431160512331314065>.
- Netanyahu, N.S., Le Moigne, J., and Masek, J.G., 2004, Georegistration of Landsat data via robust matching of multiresolution features: *IEEE Transactions on Geoscience and Remote Sensing*, v. 42, no. 7, p. 1586–1600, at <https://doi.org/10.1109/TGRS.2004.826822>.
- Neumann, W., Martinuzzi, S., Estes, A.B., Pidgeon, A.M., Dettki, H., Ericsson, G., and Radeloff, V.C., 2015, Opportunities for the application of advanced remotely-sensed data in ecological studies of terrestrial animal movement: *Movement Ecology*, v. 3, no. 1, article 8, at <https://doi.org/10.1186/s40462-015-0036-7>.
- Newswander, T., Bergen, Z., Hancock, J., Hansen, S., Shumway, A., Stauder, J., and Williams, D.L., 2015, Thermal Earth Resource Monitoring Instrument (THERMI) size, weight and power reduction, *in* *Infrared Remote Sensing and Instrumentation XXIII*, San Diego, Calif., 9–13 August 2015, *Proceedings of SPIE Vol. 9608*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 96080s, at <https://doi.org/10.1117/12.2193212>.
- Nguyen, H.T.T., Doan, T.M., and Radeloff, V.C., 2018, Applying Random Forest classification to map land use/land cover using Landsat 8 OLI, *in* *Geoinformation for Disaster Management Conference, Gi4DM 2018*, Istanbul, Turkey, 18–21 March 2018, *ISPRS Archives*, Vol. XLII-3/W4: International Society for Photogrammetry and Remote Sensing, p. 363–367, at <https://doi.org/10.5194/isprs-archives-XLII-3-W4-363-2018>.
- Nickeson, J.E., Morissette, J.T., Privette, J.L., Justice, C.O., and Wickland, D.E., 2007, Coordinating Earth observing system land validation: *Eos*, v. 88, no. 7, p. 81–82, at <https://doi.org/10.1029/2007EO070002>.
- Nie, Y., Sheng, Y., Liu, Q., Liu, L., Liu, S., Zhang, Y., and Song, C., 2017, A regional-scale assessment of Himalayan glacial lake changes using satellite observations from 1990 to 2015: *Remote Sensing of Environment*, v. 189, p. 1–13, at <https://doi.org/10.1016/j.rse.2016.11.008>.

- Nietupski, T.C., Kennedy, R.E., Temesgen, H., and Kerns, B.K., 2021, Spatiotemporal image fusion in Google Earth Engine for annual estimates of land surface phenology in a heterogeneous landscape: *International Journal of Applied Earth Observation and Geoinformation*, v. 99, article 102323, at <https://doi.org/10.1016/j.jag.2021.102323>.
- Nijland, W., Nielsen, S.E., Coops, N.C., Wulder, M.A., and Stenhouse, G.B., 2014, Fine-spatial scale predictions of understory species using climate- and LiDAR-derived terrain and canopy metrics: *Journal of Applied Remote Sensing*, v. 8, no. 1, article 083572, at <https://doi.org/10.1117/1.JRS.8.083572>.
- Nil, L., Grünberg, I., Ullmann, T., Gessner, M., Boike, J., and Hostert, P., 2022, Arctic shrub expansion revealed by Landsat-derived multitemporal vegetation cover fractions in the Western Canadian Arctic: *Remote Sensing of Environment*, v. 281, article 113228, at <https://doi.org/10.1016/j.rse.2022.113228>.
- Niu, Z., Zhang, H., Wang, X., Yao, W., Zhou, D., Zhao, K., Zhao, H., Li, N., Huang, H., et al., 2012, Mapping wetland changes in China between 1978 and 2008: *Chinese Science Bulletin*, v. 57, no. 22, p. 2813–2823, at <https://doi.org/10.1007/s11434-012-5093-3>.
- Norman, J.M., Anderson, M.C., Kustas, W.P., French, A.N., Mecikalski, J., Torn, R., Diak, G.R., Schmugge, T.J., and Tanner, B.C.W., 2003, Remote sensing of surface energy fluxes at 101-m pixel resolutions: *Water Resources Research*, v. 39, no. 8, p. SWC91–SWC917, at <https://doi.org/10.1029/2002WR001775>.
- Nouvellon, Y., Moran, M.S., Chehbouni, A., Lo Seen, D., Bryant, R., Nichols, M., Prevo, L., Rambal, S., Ni, W., et al., 2000, Assimilating Landsat data in an ecosystem model for multi-year simulation of grassland carbon, water and energy budget, in 2000 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Honolulu, Hawaii, 24–28 July 2000, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1966–1968, at <https://doi.org/10.1109/IGARSS.2000.858203>.
- Nouvellon, Y., Moran, M.S., Seen, D.L., Bryant, R., Rambal, S., Ni, W., Bégué, A., Chehbouni, A., Emmerich, W.E., et al., 2001, Coupling a grassland ecosystem model with Landsat imagery for a 10-year simulation of carbon and water budgets: *Remote Sensing of Environment*, v. 78, no. 1–2, p. 131–149, at [https://doi.org/10.1016/S0034-4257\(01\)00255-3](https://doi.org/10.1016/S0034-4257(01)00255-3).
- Nyamuryekung'e, S., Cibils, A.F., Estell, R.E., McIntosh, M., VanLeeuwen, D., Steele, C., González, A.L., Spiegel, S., Reyes, L.A., et al., 2021, Foraging behavior and body temperature of heritage vs. commercial beef cows in relation to desert ambient heat: *Journal of Arid Environments*, v. 193, article 104565, at <https://doi.org/10.1016/j.jaridenv.2021.104565>.
- O'Connell, J., Connolly, J., Vermote, E.F., and Holden, N.M., 2013, Radiometric normalization for change detection in peatlands—A modified temporal invariant cluster approach: *International Journal of Remote Sensing*, v. 34, no. 8, p. 2905–2924, at <https://doi.org/10.1080/01431161.2012.752886>.

- O'Donnell, E.M., Schott, J.R., and Raqueno, N.G., 2002, Calibration history of Landsat thermal data, *in* 2002 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toronto, Canada, 24–28 June 2002, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 27–29, at <https://doi.org/10.1109/IGARSS.2002.1024930>.
- Obenschain, A., Williams, D.L., and Andary, J., 1998, Landsat 7—Extending the Landsat tradition into the next century: *Space Technology*, v. 18, no. 1–2, p. 3–10, at [https://doi.org/10.1016/S0892-9270\(97\)00045-6](https://doi.org/10.1016/S0892-9270(97)00045-6).
- Ochwat, N., Scambos, T., Fahnestock, M., and Stammerjohn, S., 2023, Characteristics, recent evolution, and ongoing retreat of Hunt Fjord Ice Shelf, northern Greenland: *Journal of Glaciology*, v. 69, no. 273, p. 57–70, at <https://doi.org/10.1017/jog.2022.44>.
- Oeser, J., Pflugmacher, D., Senf, C., Heurich, M., and Hostert, P., 2017, Using intra-annual Landsat time series for attributing forest disturbance agents in Central Europe: *Forests*, v. 8, no. 7, article 251, at <https://doi.org/10.3390/f8070251>.
- Oetter, D.R., Cohen, W.B., Berterretche, M., Maiersperger, T.K., and Kennedy, R.E., 2001, Land cover mapping in an agricultural setting using multiseasonal Thematic Mapper data: *Remote Sensing of Environment*, v. 76, no. 2, p. 139–155, at [https://doi.org/10.1016/S0034-4257\(00\)00202-9](https://doi.org/10.1016/S0034-4257(00)00202-9).
- Ohmann, J.L., Gregory, M.J., Roberts, H.M., Cohen, W.B., Kennedy, R.E., and Yang, Z., 2012, Mapping change of older forest with nearest-neighbor imputation and Landsat time-series: *Forest Ecology and Management*, v. 272, p. 13–25, at <https://doi.org/10.1016/j.foreco.2011.09.021>.
- Ojima, D.S., DeFries, R.S., Goward, S.N., Hansen, A., Hansen, M.C., Loveland, T., Skole, D., and Vogeler, J., 2022, Landsat@50: *Frontiers in Ecology and the Environment*, v. 20, no. 6, p. 340–342, at <https://doi.org/10.1002/fee.2541>.
- Okujeni, A., Jänicke, C., Cooper, S., Frantz, D., Hostert, P., Clark, M., Segl, K., and van der Linden, S., 2021, Multi-season unmixing of vegetation class fractions across diverse Californian ecoregions using simulated spaceborne imaging spectroscopy data: *Remote Sensing of Environment*, v. 264, article 112558, at <https://doi.org/10.1016/j.rse.2021.112558>.
- Okujeni, A., Kowalski, K., Lewińska, K.E., Schneidereit, S., and Hostert, P., 2024, Multidecadal grassland fractional cover time series retrieval for Germany from the Landsat and Sentinel-2 archives: *Remote Sensing of Environment*, v. 302, article 113980, at <https://doi.org/10.1016/j.rse.2023.113980>.
- Okujeni, A., van der Linden, S., and Hostert, P., 2015, Extending the vegetation-impervious-soil model using simulated EnMAP data and machine learning: *Remote Sensing of Environment*, v. 158, p. 69–80, at <https://doi.org/10.1016/j.rse.2014.11.009>.

- Olah, A., Radeloff, V.C., Anand, A., Silveira, E., Politi, N., Rivera, L., Martinuzzi, S., Martínez Pastur, G.M., and Pidgeon, A.M., 2025, Landscape scale effects of primary productivity on forest bird species occurrence and abundance in Argentina: *Landscape Ecology*, v. 40, no. 3, article 68, at <https://doi.org/10.1007/s10980-025-02081-5>.
- Oliphant, A., Thenkabail, P., and Teluguntla, P., 2022, Global Food-Security-Support-Analysis Data at 30-m Resolution (GFSAD30) Cropland-Extent Products—Download analysis: Reston, Va., U.S. Geological Survey 2022 Open-File Report 1001, 30 p., at <https://doi.org/10.3133/ofr20221001>.
- Oliphant, A.J., Li, J., Wynne, R.H., Donovan, P.F., and Zipper, C.E., 2014, Identifying woody vegetation on coal surface mines using phenological indicators with multitemporal Landsat imagery, *in* ISPRS Technical Commission I Symposium, Denver, Colo., 17–20 November 2014, ISPRS Archives, XL-1: Bethesda, Md., International Society for Photogrammetry and Remote Sensing, p. 339–345, at <https://doi.org/10.5194/isprsarchives-XL-1-339-2014>.
- Oliphant, A.J., Thenkabail, P.S., Teluguntla, P.G., Xiong, J., Gumma, M.K., Congalton, R.G., and Yadav, K., 2019, Mapping cropland extent of Southeast and Northeast Asia using multi-year time-series Landsat 30-m data using a random forest classifier on the Google Earth Engine Cloud: *International Journal of Applied Earth Observation and Geoinformation*, v. 81, p. 110–124, at <https://doi.org/10.1016/j.jag.2018.11.014>.
- Oliphant, A.J., Wynne, R.H., Zipper, C.E., Ford, W.M., Donovan, P.F., and Li, J., 2016, Autumn olive (*Elaeagnus umbellata*) presence and proliferation on former surface coal mines in Eastern USA: *Biological Invasions*, v. 19, no. 1, p. 179–195, at <https://doi.org/10.1007/s10530-016-1271-6>.
- Olofsson, P., Holden, C.E., Bullock, E.L., and Woodcock, C.E., 2016, Time series analysis of satellite data reveals continuous deforestation of New England since the 1980s: *Environmental Research Letters*, v. 11, no. 6, article 064002, at <https://doi.org/10.1088/1748-9326/11/6/064002>.
- Olofsson, P., Kuemmerle, T., Griffiths, P., Knorn, J., Baccini, A., Gancz, V., Blujdea, V., Houghton, R.A., Abrudan, I.V., et al., 2011, Carbon implications of forest restitution in post-socialist Romania: *Environmental Research Letters*, v. 6, no. 4, article 045202, at <https://doi.org/10.1088/1748-9326/6/4/045202>.
- Olofsson, P., Torchinava, P., Woodcock, C.E., Baccini, A., Houghton, R.A., Ozdogan, M., Zhao, F., and Yang, X., 2010, Implications of land use change on the national terrestrial carbon budget of Georgia: *Carbon Balance and Management*, v. 5, no. 4, p. 1–13, at <https://doi.org/10.1186/1750-0680-5-4>.
- Oreopoulos, L., and Davies, R., 1998, Plane parallel albedo biases from satellite observations. Part I—dependence on resolution and other factors: *Journal of Climate*, v. 11, no. 5, p. 919–932, at [https://doi.org/10.1175/1520-0442\(1998\)011<0919:PPABFS>2.0.CO;2](https://doi.org/10.1175/1520-0442(1998)011<0919:PPABFS>2.0.CO;2).

- Oreopoulos, L., Marshak, A., Cahalan, R.F., and Wen, G., 2000, Cloud three-dimensional effects evidenced in Landsat spatial power spectra and autocorrelation functions: *Journal of Geophysical Research Atmospheres*, v. 105, no. D11, p. 14777–14788, at <https://doi.org/10.1029/2000JD900153>.
- Oreopoulos, L., Wilson, M.J., and Várnai, T., 2011, Implementation on Landsat data of a simple cloud-mask algorithm developed for MODIS land bands: *IEEE Geoscience and Remote Sensing Letters*, v. 8, no. 4, p. 597–601, at <https://doi.org/10.1109/LGRS.2010.2095409>.
- Oreopoulos, L., Cahalan, R.F., Marshak, A., and Wen, G., 2000, A new normalized difference cloud retrieval technique applied to Landsat radiances over the Oklahoma ARM site: *Journal of Applied Meteorology*, v. 39, no. 12 pt. 2, p. 2305–2321, at [https://doi.org/10.1175/1520-0450\(2000\)039<2305:ANNDCR>2.0.CO;2](https://doi.org/10.1175/1520-0450(2000)039<2305:ANNDCR>2.0.CO;2).
- Ørka, H.O., Wulder, M.A., Gobakken, T., and Næsset, E., 2012, Subalpine zone delineation using LiDAR and Landsat imagery: *Remote Sensing of Environment*, v. 119, p. 11–20, at <https://doi.org/10.1016/j.rse.2011.11.023>.
- Ortega-Salazar, S., Ortega-Farías, S., Kilic, A., and Allen, R., 2021, Performance of the METRIC model for mapping energy balance components and actual evapotranspiration over a superintensive drip-irrigated olive orchard: *Agricultural Water Management*, v. 251, article 106861, at <https://doi.org/10.1016/j.agwat.2021.106861>.
- Ota, T., Ahmed, O.S., Franklin, S.E., Wulder, M.A., Kajisa, T., Mizoue, N., Yoshida, S., Takao, G., Hirata, Y., et al., 2014, Estimation of airborne lidar-derived tropical forest canopy height using Landsat time series in Cambodia: *Remote Sensing*, v. 6, no. 11, p. 10750–10772, at <https://doi.org/10.3390/rs61110750>.
- Ott, T.J., Majumdar, S., Huntington, J.L., Pearson, C., Bromley, M., Minor, B.A., ReVelle, P., Morton, C.G., Sueki, S., et al., 2024, Toward field-scale groundwater pumping and improved groundwater management using remote sensing and climate data: *Agricultural Water Management*, v. 302, article 109000, at <https://doi.org/10.1016/j.agwat.2024.109000>.
- Ouaidrari, H., and Vermote, E.F., 1999, Operational atmospheric correction of Landsat TM data: *Remote Sensing of Environment*, v. 70, no. 1, p. 4–15, at [https://doi.org/10.1016/S0034-4257\(99\)00054-1](https://doi.org/10.1016/S0034-4257(99)00054-1).
- Ozdogan, M., Woodcock, C.E., and Salvucci, G.D., 2003, Monitoring changes in irrigated lands in southeastern Turkey with remote sensing, *in* 2003 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toulouse, France, 21–25 July 2003, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1570–1572, at <https://doi.org/10.1109/IGARSS.2003.1294178>.

- Ozdogan, M., Woodcock, C.E., Salvucci, G.D., and Demir, H., 2006, Changes in summer irrigated crop area and water use in Southeastern Turkey from 1993 to 2002— Implications for current and future water resources: *Water Resources Management*, v. 20, no. 3, p. 467–488, at <https://doi.org/10.1007/s11269-006-3087-0>.
- Padula, F.P., and Schott, J.R., 2010, Historic calibration of the thermal infrared band of Landsat-5 TM: *Photogrammetric Engineering & Remote Sensing*, v. 76, no. 11, p. 1225–1238, at <https://doi.org/10.14358/PERS.76.11.1225>.
- Padula, F.P., Schott, J.R., Barsi, J.A., Raqueno, N.G., and Hook, S.J., 2010, Calibration of Landsat 5 thermal infrared channel—Updated calibration history and assessment of the errors associated with the methodology: *Canadian Journal of Remote Sensing*, v. 36, no. 5, p. 617–630, at <https://doi.org/10.5589/m10-084>.
- Padula, F.P., Schott, J.R., and Raqueño, N.G., 2008, New methodology for an improved thermal calibration of Landsat 5 through fusion of environmental data sources, *in* 2008 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Boston, Mass., 7–11 July 2008, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. IV1340–IV1343, at <https://doi.org/10.1109/IGARSS.2008.4779979>.
- Page, B., Crawford, C.J., Arab, S., Schmidt, G.L., Barnes, C.A., and Wellington, D.F., 2026, Origins, evolutions, and future directions of Landsat science products for advancing global inland water and coastal ocean observations: *Earth System Science Data*, v. 18, no. 2, p. 779–800, at <https://doi.org/10.5194/essd-18-779-2026>.
- Pahlevan, N., Balasubramanian, S.V., Sarkar, S., and Franz, B.A., 2018, Toward long-term aquatic science products from heritage Landsat missions: *Remote Sensing*, v. 10, no. 9, article 1337, at <https://doi.org/10.3390/rs10091337>.
- Pahlevan, N., Chittimalli, S.K., Balasubramanian, S.V., and Vellucci, V., 2019, Sentinel-2/Landsat-8 product consistency and implications for monitoring aquatic systems: *Remote Sensing of Environment*, v. 220, p. 19–29, at <https://doi.org/10.1016/j.rse.2018.10.027>.
- Pahlevan, N., Garrett, A.J., Gerace, A.D., and Schott, J.R., 2012, Integrating Landsat-7 imagery with physics-based models for quantitative mapping of coastal waters near river discharges: *Photogrammetric Engineering & Remote Sensing*, v. 78, no. 11, p. 1163–1174, at <https://doi.org/10.14358/PERS.78.11.1163>.
- Pahlevan, N., Gerace, A.D., and Schott, J.R., 2011, Using thermal remote sensing as a tool for calibrating a hydrodynamic model in inland waters, *in* Ocean Sensing and Monitoring III, Orlando, Fla., 26–27 April 2011, Proceedings of SPIE Vol. 8030: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 80300i, at <https://doi.org/10.1117/12.887212>.

- Pahlevan, N., Lee, Z., Wei, J., Schaaf, C.B., Schott, J.R., and Berk, A., 2014, On-orbit radiometric characterization of OLI (Landsat-8) for applications in aquatic remote sensing: *Remote Sensing of Environment*, v. 154, p. 272–284, at <https://doi.org/10.1016/j.rse.2014.08.001>.
- Pahlevan, N., Mangin, A., Balasubramanian, S.V., Smith, B., Alikas, K., Arai, K., Barbosa, C., Bélanger, S., Binding, C., et al., 2021, ACIX-Aqua—A global assessment of atmospheric correction methods for Landsat-8 and Sentinel-2 over lakes, rivers, and coastal waters: *Remote Sensing of Environment*, v. 258, article 112366, at <https://doi.org/10.1016/j.rse.2021.112366>.
- Pahlevan, N., Raqueno, N.G., and Schott, J.R., 2012, Cross-calibration of Landsat-7's visible-near-infrared bands with Terra-MODIS over dark waters, *in* *Ocean Sensing and Monitoring IV*, Baltimore, Md., 24–26 April 2012, *Proceedings of SPIE Vol. 8372*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 837210, at <https://doi.org/10.1117/12.919161>.
- Pahlevan, N., Sarkar, S., Devadiga, S., Wolfe, R.E., Roman, M., Vermote, E.F., Lin, G., and Xiong, X., 2017, Impact of spatial sampling on continuity of MODIS–VIIRS land surface reflectance products—A simulation approach: *IEEE Transactions on Geoscience and Remote Sensing*, v. 55, no. 1, p. 183–196, at <https://doi.org/10.1109/TGRS.2016.2604214>.
- Pahlevan, N., Sarkar, S., and Franz, B.A., 2016, Uncertainties in coastal ocean color products—Impacts of spatial sampling: *Remote Sensing of Environment*, v. 181, p. 14–26, at <https://doi.org/10.1016/j.rse.2016.03.022>.
- Pahlevan, N., Sarkar, S., Franz, B.A., Balasubramanian, S.V., and He, J., 2017, Sentinel-2 MultiSpectral Instrument (MSI) data processing for aquatic science applications—Demonstrations and validations: *Remote Sensing of Environment*, v. 201, p. 47–56, at <https://doi.org/10.1016/j.rse.2017.08.033>.
- Pahlevan, N., and Schott, J.R., 2012, Characterizing the relative calibration of Landsat-7 (ETM+) visible bands with Terra (MODIS) over clear waters—The implications for monitoring water resources: *Remote Sensing of Environment*, v. 125, p. 167–180, at <https://doi.org/10.1016/j.rse.2012.07.013>.
- Pahlevan, N., and Schott, J.R., 2013, Leveraging EO-1 to evaluate capability of new generation of Landsat sensors for coastal/inland water studies: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 6, no. 2, p. 360–374, at <https://doi.org/10.1109/JSTARS.2012.2235174>.
- Pahlevan, N., Schott, J.R., Franz, B.A., Zibordi, G., Markham, B., Bailey, S., Schaaf, C.B., Ondrusek, M., Greb, S., et al., 2017, Landsat 8 remote sensing reflectance (Rrs) products—Evaluations, intercomparisons, and enhancements: *Remote Sensing of Environment*, v. 190, p. 289–301, at <https://doi.org/10.1016/j.rse.2016.12.030>.

- Pahlevan, N., Sheldon, P., Peri, F., Wei, J., Shang, Z., Sun, Q., Chen, R.F., Lee, Z., Schaaf, C.B., et al., 2016, Calibration/validation of Landsat-derived ocean colour products in Boston harbour, *in* XXIII ISPRS Congress, Commission VIII, Prague, Czech Republic, 12–19 July 2016, ISPRS Archives, XLI-B8: Lemmer, Netherlands, International Society for Photogrammetry and Remote Sensing, p. 1165–1168, at <https://doi.org/10.5194/isprsarchives-XLI-B8-1165-2016>.
- Pahlevan, N., Smith, B., Alikas, K., Anstee, J., Barbosa, C., Binding, C., Bresciani, M., Cremella, B., Giardino, C., et al., 2022, Simultaneous retrieval of selected optical water quality indicators from Landsat-8, Sentinel-2, and Sentinel-3: Remote Sensing of Environment, v. 270, article 112860, at <https://doi.org/10.1016/j.rse.2021.112860>.
- Pahlevan, N., Wei, J., Schaaf, C.B., and Schott, J.R., 2014, Evaluating radiometric sensitivity of Landsat 8 over coastal/inland waters, *in* Joint 2014 IEEE International Geoscience and Remote Sensing Symposium (IGARSS) and the 35<sup>th</sup> Canadian Symposium on Remote Sensing (CSRS 2014), Quebec City, Canada, 13–18 July 2014, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1393–1396, at <https://doi.org/10.1109/IGARSS.2014.6946695>.
- Pakat, A., Hui, D., Kaewmanee, M., Helder, D.L., and Puangjaktha, P., 2017, Cross calibration Thaichote & Landsat 8 over Libya4 using pseudo invariant calibration sites (PICS), *in* International Conference on Applied System Innovation—Applied System Innovation for Modern Technology, ICASI 2017, Sapporo, Japan, 13–17 May 2017, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 834–837, at <https://doi.org/10.1109/ICASI.2017.7988563>.
- Palluconi, F.D., Hook, S., Abtahi, A., and Alley, R., 2005, Validation of Landsat 7 ETM+ band 6 radiometric performance, *in* Earth Observing Systems X, San Diego, Calif., 31 July–1 August 2005, Proceedings of SPIE Vol. 5882: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 58820c, at <https://doi.org/10.1117/12.620013>.
- Parmenter, A.W., Hansen, A., Kennedy, R.E., Cohen, W.B., Langner, U., Lawrence, R., Maxwell, B., Gallant, A., and Aspinall, R., 2003, Land use and land cover change in the Greater Yellowstone Ecosystem—1975-1995: Ecological Applications, v. 13, no. 3, p. 687–703, at [https://doi.org/10.1890/1051-0761\(2003\)013\[0687:LUALCC\]2.0.CO;2](https://doi.org/10.1890/1051-0761(2003)013[0687:LUALCC]2.0.CO;2).
- Pascual, C., García-Abril, A., Cohen, W.B., and Martín-Fernández, S., 2010, Relationship between LiDAR-derived forest canopy height and Landsat images: International Journal of Remote Sensing, v. 31, no. 5, p. 1261–1280, at <https://doi.org/10.1080/01431160903380656>.
- Pasquarella, V.J., Arévalo, P., Bratley, K.H., Bullock, E.L., Gorelick, N., Yang, Z., and Kennedy, R., 2022, Demystifying LandTrendr and CCDC temporal segmentation: International Journal of Applied Earth Observation and Geoinformation, v. 110, article 102806, at <https://doi.org/10.1016/j.jag.2022.102806>.

- Pasquarella, V.J., Bradley, B.A., and Woodcock, C.E., 2017, Near-real-time monitoring of insect defoliation using Landsat time series: *Forests*, v. 8, no. 8, article 275, at <https://doi.org/10.3390/f8080275>.
- Pasquarella, V.J., Holden, C.E., Kaufman, L., and Woodcock, C.E., 2016, From imagery to ecology—Leveraging time series of all available Landsat observations to map and monitor ecosystem state and dynamics: *Remote Sensing in Ecology and Conservation*, v. 2, no. 3, p. 152–170, at <https://doi.org/10.1002/rse2.24>.
- Pasquarella, V.J., Holden, C.E., and Woodcock, C.E., 2018, Improved mapping of forest type using spectral-temporal Landsat features: *Remote Sensing of Environment*, v. 210, p. 193–207, at <https://doi.org/10.1016/j.rse.2018.02.064>.
- Pax-Lenney, M., and Woodcock, C.E., 1997, The effect of spatial resolution on the ability to monitor the status of agricultural lands: *Remote Sensing of Environment*, v. 61, no. 2, p. 210–220, at [https://doi.org/10.1016/S0034-4257\(97\)00003-5](https://doi.org/10.1016/S0034-4257(97)00003-5).
- Pax-Lenney, M., and Woodcock, C.E., 1997, Monitoring agricultural lands in Egypt with multitemporal Landsat TM imagery—How many images are needed?: *Remote Sensing of Environment*, v. 59, no. 3, p. 522–529, at [https://doi.org/10.1016/S0034-4257\(96\)00124-1](https://doi.org/10.1016/S0034-4257(96)00124-1).
- Pax-Lenney, M., Woodcock, C.E., Macomber, S.A., Gopal, S., and Song, C., 2001, Forest mapping with a generalized classifier and Landsat TM data: *Remote Sensing of Environment*, v. 77, no. 3, p. 241–250, at [https://doi.org/10.1016/S0034-4257\(01\)00208-5](https://doi.org/10.1016/S0034-4257(01)00208-5).
- Pearlman, A., Efremova, B., Montanaro, M., Lunsford, A., Reuter, D., and McCorkel, J., 2022, Landsat 9 Thermal Infrared Sensor 2 on-orbit calibration and initial performance: *IEEE Transactions on Geoscience and Remote Sensing*, v. 60, article 1002608, at <https://doi.org/10.1109/TGRS.2022.3183551>.
- Pearlman, A., McCorkel, J., Montanaro, M., Efremova, B., Wenny, B., Lunsford, A., Simon, A., Hair, J., and Reuter, D., 2018, Landsat 9 Thermal Infrared Sensor 2 pre-launch characterization—Initial imaging and spectral performance results, *in* *Earth Observing Systems XXIII*, San Diego, Calif., 19–23 August 2018, *Proceedings of SPIE Vol. 10764*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 1076406, at <https://doi.org/10.1117/12.2321084>.
- Pearlman, A., Montanaro, M., Efremova, B., McCorkel, J., Wenny, B., Lunsford, A., and Reuter, D., 2021, Prelaunch radiometric calibration and uncertainty analysis of Landsat Thermal Infrared Sensor 2: *IEEE Transactions on Geoscience and Remote Sensing*, v. 59, no. 4, p. 2715–2726, at <https://doi.org/10.1109/TGRS.2020.3008655>.
- Pearlman, A.J., Efremova, B., Lunsford, A., McCorkel, J., Simon, A., and Reuter, D., 2019, Landsat 9 thermal infrared sensor 2 spectral response test—Updates and perspective, *in* *2019 IEEE International Geoscience and Remote Sensing Symposium (IGARSS)*, Yokohama, Japan, 28 July–2 August 2019, *Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE)*, p. 8534–8537, at <https://doi.org/10.1109/IGARSS.2019.8899118>.

- Peddle, D.R., Franklin, S.E., Johnson, R.L., Lavigne, M.B., and Wulder, M.A., 2003, Structural change detection in a disturbed conifer forest using a geometric optical reflectance model in multiple-forward mode: *IEEE Transactions on Geoscience and Remote Sensing*, v. 41, no. 1, p. 163–166, at <https://doi.org/10.1109/TGRS.2002.807756>.
- Peddle, D.R., Huemmrich, K.F., Hall, F.G., Masek, J.G., Soenen, S.A., and Jackson, C.D., 2011, Applications of the BIOPHYS algorithm for physically-based retrieval of biophysical, structural and forest disturbance information: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 4, no. 4, p. 971–982, at <https://doi.org/10.1109/JSTARS.2011.2164899>.
- Pedlowski, M.A., Matricardi, E.A.T., Skole, D.L., Cameron, S.R., Chomentowski, W., Fernandes, C., and Lisboa, A., 2005, Conservation units—A new deforestation frontier in the Amazonian state of Rondônia, Brazil: *Environmental Conservation*, v. 32, no. 2, p. 149–155, at <https://doi.org/10.1017/S0376892905002134>.
- Peduzzi, A., Allen, H.L., and Wynne, R.H., 2010, Leaf area of overstory and understory in pine plantations in the flatwoods: *Southern Journal of Applied Forestry*, v. 34, no. 4, p. 154–160, at <https://doi.org/10.1093/sjaf/34.4.154>.
- Pekel, J.F., Cottam, A., Gorelick, N.S., and Belward, A.S., 2016, High-resolution mapping of global surface water and its long-term changes: *Nature*, v. 540, no. 7633, p. 418–422, at <https://doi.org/10.1038/nature20584>.
- Pekkarinen, A., Reithmaier, L., and Strobl, P., 2009, Pan-European forest/non-forest mapping with Landsat ETM+ and CORINE Land Cover 2000 data: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 64, no. 2, p. 171–183, at <https://doi.org/10.1016/j.isprsjprs.2008.09.004>.
- Pelletier, D., Lapointe, M.É., Wulder, M.A., White, J.C., and Cardille, J.A., 2017, Forest connectivity regions of Canada using circuit theory and image analysis: *PLoS ONE*, v. 12, no. 2, article e0169428, at <https://doi.org/10.1371/journal.pone.0169428>.
- Pelletier, F., Cardille, J.A., Wulder, M.A., White, J.C., and Hermosilla, T., 2024, Inter- and intra-year forest change detection and monitoring of aboveground biomass dynamics using Sentinel-2 and Landsat: *Remote Sensing of Environment*, v. 301, article 113931, at <https://doi.org/10.1016/j.rse.2023.113931>.
- Pelletier, F., Cardille, J.A., Wulder, M.A., White, J.C., and Hermosilla, T., 2024, Revisiting the 2023 wildfire season in Canada: *Science of Remote Sensing*, v. 10, article 100145, at <https://doi.org/10.1016/j.srs.2024.100145>.
- Pengra, B., Gallant, A.L., Zhu, Z., and Dahal, D., 2016, Evaluation of the initial thematic output from a continuous change-detection algorithm for use in automated operational land-change mapping by the U.S. geological survey: *Remote Sensing*, v. 8, no. 10, article 811, at <https://doi.org/10.3390/rs8100811>.

- Pengra, B., Long, J., Dahal, D., Stehman, S.V., and Loveland, T.R., 2015, A global reference database from very high resolution commercial satellite data and methodology for application to Landsat derived 30m continuous field tree cover data: *Remote Sensing of Environment*, v. 165, p. 234–248, at <https://doi.org/10.1016/j.rse.2015.01.018>.
- Pengra, B.W., Stehman, S.V., Horton, J.A., Dockter, D.J., Schroeder, T.A., Yang, Z., Cohen, W.B., Healey, S.P., and Loveland, T.R., 2020, Quality control and assessment of interpreter consistency of annual land cover reference data in an operational national monitoring program: *Remote Sensing of Environment*, v. 238, article 111261, at <https://doi.org/10.1016/j.rse.2019.111261>.
- Pesta, F., Bhatta, S., Helder, D.L., and Mishra, N., 2015, Radiometric non-uniformity characterization and correction of Landsat 8 OLI using Earth imagery-based techniques: *Remote Sensing*, v. 7, no. 1, p. 430–446, at <https://doi.org/10.3390/rs70100430>.
- Petitcolin, F., and Vermote, E.F., 2002, Land surface reflectance, emissivity and temperature from MODIS middle and thermal infrared data: *Remote Sensing of Environment*, v. 83, no. 1–2, p. 112–134, at [https://doi.org/10.1016/S0034-4257\(02\)00094-9](https://doi.org/10.1016/S0034-4257(02)00094-9).
- Pflugmacher, D., Cohen, W.B., and Kennedy, R.E., 2012, Using Landsat-derived disturbance history (1972–2010) to predict current forest structure: *Remote Sensing of Environment*, v. 122, p. 146–165, at <https://doi.org/10.1016/j.rse.2011.09.025>.
- Pflugmacher, D., Cohen, W.B., Kennedy, R.E., and Yang, Z., 2014, Using Landsat-derived disturbance and recovery history and lidar to map forest biomass dynamics: *Remote Sensing of Environment*, v. 151, p. 124–137, at <https://doi.org/10.1016/j.rse.2013.05.033>.
- Pflugmacher, D., Krankina, O.N., Cohen, W.B., Friedl, M.A., Sulla-Menashe, D., Kennedy, R.E., Nelson, P., Loboda, T.V., Kuemmerle, T., et al., 2011, Comparison and assessment of coarse resolution land cover maps for Northern Eurasia: *Remote Sensing of Environment*, v. 115, no. 12, p. 3539–3553, at <https://doi.org/10.1016/j.rse.2011.08.016>.
- Pflugmacher, D., Rabe, A., Peters, M., and Hostert, P., 2019, Mapping pan-European land cover using Landsat spectral-temporal metrics and the European LUCAS survey: *Remote Sensing of Environment*, v. 221, p. 583–595, at <https://doi.org/10.1016/j.rse.2018.12.001>.
- Phalke, A.R., Özdoğan, M., Thenkabail, P.S., Erickson, T., Gorelick, N., Yadav, K., and Congalton, R.G., 2020, Mapping croplands of Europe, Middle East, Russia, and Central Asia using Landsat, Random Forest, and Google Earth Engine: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 167, p. 104–122, at <https://doi.org/10.1016/j.isprsjprs.2020.06.022>.

- Pham, Q.V., Ha, N.T.T., Pahlevan, N., Oanh, L.T., Nguyen, T.B., and Nguyen, N.T., 2018, Using Landsat-8 images for quantifying suspended sediment concentration in red river (Northern Vietnam): *Remote Sensing*, v. 10, no. 11, article 1841, at <https://doi.org/10.3390/rs10111841>.
- Phillips, R.D., Watson, L.T., and Wynne, R.H., 2007, Hybrid image classification and parameter selection using a shared memory parallel algorithm: *Computers and Geosciences*, v. 33, no. 7, p. 875–897, at <https://doi.org/10.1016/j.cageo.2006.10.014>.
- Phillips, R.D., Watson, L.T., and Wynne, R.H., 2008, A study of fuzzy clustering within the IGSCR framework, *in* Annual Southeast Regional Conference, 46<sup>th</sup>, Auburn, Ala., 28–29 March 2008, Proceedings: New York, N.Y., Association for Computing Machinery, p. 140–145, at <https://doi.org/10.1145/1593105.1593142>.
- Phillips, R.D., Watson, L.T., Wynne, R.H., and Blinn, C.E., 2009, Feature reduction using a singular value decomposition for the iterative guided spectral class rejection hybrid classifier: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 64, no. 1, p. 107–116, at <https://doi.org/10.1016/j.isprsjprs.2008.03.004>.
- Pickell, P.D., Hermosilla, T., Coops, N.C., Masek, J.G., Franks, S., and Huang, C., 2014, Monitoring anthropogenic disturbance trends in an industrialized boreal forest with Landsat time series: *Remote Sensing Letters*, v. 5, no. 9, p. 783–792, at <https://doi.org/10.1080/2150704X.2014.967881>.
- Pickell, P.D., Hermosilla, T., Frazier, R.J., Coops, N.C., and Wulder, M.A., 2016, Forest recovery trends derived from Landsat time series for North American boreal forests: *International Journal of Remote Sensing*, v. 37, no. 1, p. 138–149, at <https://doi.org/10.1080/2150704X.2015.1126375>.
- Pickens, A.H., Hansen, M., Song, Z., Poulson, A., Komarova, A., Baggett, A., Kerr, T., Mikus, A., Ortiz Dominguez, C., et al., 2025, Rapid monitoring of global land change: *Nature Communications*, v. 16, no. 1, article 8948, at <https://doi.org/10.1038/s41467-025-64014-9>.
- Pickens, A.H., Hansen, M.C., Hancher, M., Stehman, S.V., Tyukavina, A., Potapov, P., Marroquin, B., and Sherani, Z., 2020, Mapping and sampling to characterize global inland water dynamics from 1999 to 2018 with full Landsat time-series: *Remote Sensing of Environment*, v. 243, article 111792, at <https://doi.org/10.1016/j.rse.2020.111792>.
- Pickens, A.H., Hansen, M.C., Stehman, S.V., Tyukavina, A., Potapov, P., Zalles, V., and Higgins, J., 2022, Global seasonal dynamics of inland open water and ice: *Remote Sensing of Environment*, v. 272, article 112963, at <https://doi.org/10.1016/j.rse.2022.112963>.

- Pickering, J., Stehman, S.V., Tyukavina, A., Potapov, P., Watt, P., Jantz, S.M., Bholanath, P., and Hansen, M.C., 2019, Quantifying the trade-off between cost and precision in estimating area of forest loss and degradation using probability sampling in Guyana: *Remote Sensing of Environment*, v. 221, p. 122–135, at <https://doi.org/10.1016/j.rse.2018.11.018>.
- Pickering, J., Tyukavina, A., Lima, A., Khan, A., Potapov, P., Adusei, B., and Hansen, M.C., 2021, Using multi-resolution satellite data to quantify land dynamics—Applications of planetscope imagery for cropland and tree-cover loss area estimation: *Remote Sensing*, v. 13, no. 11, article 2191, at <https://doi.org/10.3390/rs13112191>.
- Pinheiro, T.F., Escada, M.I.S., Valeriano, D.M., Hostert, P., Gollnow, F., and Müller, H., 2016, Forest degradation associated with logging frontier expansion in the Amazon—The BR-163 region in southwestern Pará, Brazil: *Earth Interactions*, v. 20, no. 17, article 17, at <https://doi.org/10.1175/EI-D-15-0016.1>.
- Pinto, C., Ponzoni, F., Castro, R., Leigh, L., Mishra, N., Aaron, D.B., and Helder, D.L., 2016, First in-flight radiometric calibration of MUX and WFI on-board CBERS-4: *Remote Sensing*, v. 8, no. 5, article 405, at <https://doi.org/10.3390/rs8050405>.
- Pinto, C.T., Haque, O.M., Micijevic, E., and Helder, D.L., 2019, Landsats 1-5 Multispectral Scanner system sensors radiometric calibration update: *IEEE Transactions on Geoscience and Remote Sensing*, v. 57, no. 10, p. 7378–7394, at <https://doi.org/10.1109/TGRS.2019.2913106>.
- Pinto, C.T., Leigh, L., and Helder, D., 2019, SDSU vegetative site analysis from 2013 to 2017 for radiometric calibration of Earth observation sensors, *in* Anais do XIX Simposio Brasileiro de Sensoriamento Remoto, Santos-SP, Brazil, 14–17 April 2019, Proceedings: San Jose dos Campos, Brazil, Instituto Nacional de Pesquisas Espaciais, p. 979–982, at <https://proceedings.science/sbsr-2019/papers/sdsu-vegetative-site-analysis-from-2013-to-2017-for-radiometric-calibration-of-earth-observation-sensors-?lang=en>.
- Pinto, C.T., Ponzoni, F.J., Castro, R.M., Leigh, L., Kaewmanee, M., Aaron, D.B., and Helder, D.L., 2016, Evaluation of the uncertainty in the spectral band adjustment factor (SBAF) for cross-calibration using Monte Carlo simulation: *Remote Sensing Letters*, v. 7, no. 9, p. 837–846, at <https://doi.org/10.1080/2150704X.2016.1190474>.
- Platonov, A., Thenkabail, P.S., Biradar, C.M., Cai, X., Gumma, M., Dheeravath, V., Cohen, Y., Alchanatis, V., Goldshlager, N., et al., 2008, Water productivity mapping (WPM) using Landsat ETM+ data for the irrigated croplands of the Syrdarya river basin in Central Asia: *Sensors*, v. 8, no. 12, p. 8156–8180, at <https://doi.org/10.3390/s8128156>.
- Platt, R.V., and Goetz, A.F.H., 2004, A comparison of AVIRIS and Landsat for land use classification at the urban fringe: *Photogrammetric Engineering & Remote Sensing*, v. 70, no. 7, p. 813–819, at <https://doi.org/10.14358/PERS.70.7.813>.

- Pôças, I., Paço, T.A., Cunha, M., Andrade, J.A., Silvestre, J., Sousa, A., Santos, F.L., Pereira, L.S., and Allen, R.G., 2014, Satellite-based evapotranspiration of a super-intensive olive orchard—Application of METRIC algorithms: *Biosystems Engineering*, v. 128, p. 69–81, at <https://doi.org/10.1016/j.biosystemseng.2014.06.019>.
- Počasa, I., Cunha, M., Pereira, L.S., and Allen, R.G., 2012, Using remote sensing energy balance and evapotranspiration to characterize montane landscape vegetation with focus on grass and pasture lands: *International Journal of Applied Earth Observation and Geoinformation*, v. 21, no. 1, p. 159–172, at <https://doi.org/10.1016/j.jag.2012.08.017>.
- Poley, A.F., Bourgeau-Chavez, L.L., Graham, J.A., Vander Bilt, D.J.L., Redhuis, D., Battaglia, M.J., Kennedy, R.E., and French, N.H.F., 2024, Using radiometric and categorical change to create high-accuracy maps of historical land cover change in watersheds of the Great Lakes Basin: *Land*, v. 13, no. 7, article 920, at <https://doi.org/10.3390/land13070920>.
- Pope, A., Scambos, T.A., Moussavi, M., Tedesco, M., Willis, M., Shean, D., and Grigsby, S., 2016, Estimating supraglacial lake depth in West Greenland using Landsat 8 and comparison with other multispectral methods: *Cryosphere*, v. 10, no. 1, p. 15–27, at <https://doi.org/10.5194/tc-10-15-2016>.
- Potapov, P., Hansen, M.C., Gerrand, A.M., Lindquist, E.J., Pittman, K., Turubanova, S., and Wilkie, M.L., 2011, The global Landsat imagery database for the FAO FRA remote sensing survey: *International Journal of Digital Earth*, v. 4, no. 1, p. 2–21, at <https://doi.org/10.1080/17538947.2010.492244>.
- Potapov, P., Hansen, M.C., Kommareddy, I., Kommareddy, A., Turubanova, S., Pickens, A., Adusei, B., Tyukavina, A., and Ying, Q., 2020, Landsat analysis ready data for global land cover and land cover change mapping: *Remote Sensing*, v. 12, no. 3, article 426, at <https://doi.org/10.3390/rs12030426>.
- Potapov, P., Hansen, M.C., Pickens, A.H., Hernandez-Serna, A., Tyukavina, A., Turubanova, S., Zalles, V., Li, X., Khan, A., et al., 2022, The Global 2000-2020 Land Cover and Land Use Change Dataset derived from the Landsat archive—First results: *Frontiers in Remote Sensing*, v. 3, article 856903, at <https://doi.org/10.3389/frsen.2022.856903>.
- Potapov, P., Hansen, M.C., Stehman, S.V., Loveland, T.R., and Pittman, K., 2008, Combining MODIS and Landsat imagery to estimate and map boreal forest cover loss: *Remote Sensing of Environment*, v. 112, no. 9, p. 3708–3719, at <https://doi.org/10.1016/j.rse.2008.05.006>.
- Potapov, P., Hansen, M.C., Stehman, S.V., Pittman, K., and Turubanova, S., 2009, Gross forest cover loss in temperate forests—Biome-wide monitoring results using MODIS and Landsat data: *Journal of Applied Remote Sensing*, v. 3, no. 1, article 033569, at <https://doi.org/10.1117/1.3283904>.

- Potapov, P., Li, X., Hernandez-Serna, A., Turubanova, S., Tyukavina, A., Hansen, M.C., Tang, H., and Nguyen, Q.H., 2021, Tropical forest canopy structure and change assessment using Landsat, GEDI, and airborne lidar data, *in* 2021 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Brussels, Belgium, 12–16 July 2021, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 666–669, at <https://doi.org/10.1109/IGARSS47720.2021.9554814>.
- Potapov, P., Li, X., Hernandez-Serna, A., Tyukavina, A., Hansen, M.C., Kommareddy, A., Pickens, A.H., Turubanova, S., Tang, H., et al., 2021, Mapping global forest canopy height through integration of GEDI and Landsat data: Remote Sensing of Environment, v. 253, article 112165, at <https://doi.org/10.1016/j.rse.2020.112165>.
- Potapov, P., Siddiqui, B.N., Iqbal, Z., Aziz, T., Zzaman, B., Islam, A., Pickens, A., Talero, Y., Tyukavina, A., et al., 2017, Comprehensive monitoring of Bangladesh tree cover inside and outside of forests, 2000-2014: Environmental Research Letters, v. 12, no. 10, article 104015, at <https://doi.org/10.1088/1748-9326/aa84bb>.
- Potapov, P., Turubanova, S., and Hansen, M.C., 2011, Regional-scale boreal forest cover and change mapping using Landsat data composites for European Russia: Remote Sensing of Environment, v. 115, no. 2, p. 548–561, at <https://doi.org/10.1016/j.rse.2010.10.001>.
- Potapov, P., Tyukavina, A., Turubanova, S., Talero, Y., Hernandez-Serna, A., Hansen, M.C., Saah, D., Tenneson, K., Poortinga, A., et al., 2019, Annual continuous fields of woody vegetation structure in the Lower Mekong region from 2000-2017 Landsat time-series: Remote Sensing of Environment, v. 232, article 111278, at <https://doi.org/10.1016/j.rse.2019.111278>.
- Potapov, P.V., Dempewolf, J., Talero, Y., Hansen, M.C., Stehman, S.V., Vargas, C., Rojas, E.J., Castillo, D., Mendoza, E., et al., 2014, National satellite-based humid tropical forest change assessment in Peru in support of REDD+ implementation: Environmental Research Letters, v. 9, no. 12, article 124012, at <https://doi.org/10.1088/1748-9326/9/12/124012>.
- Potapov, P.V., Turubanova, S.A., Hansen, M.C., Adusei, B., Broich, M., Altstatt, A., Mane, L., and Justice, C.O., 2012, Quantifying forest cover loss in Democratic Republic of the Congo, 2000-2010, with Landsat ETM+ data: Remote Sensing of Environment, v. 122, p. 106–116, at <https://doi.org/10.1016/j.rse.2011.08.027>.
- Potapov, P.V., Turubanova, S.A., Tyukavina, A., Krylov, A.M., McCarty, J.L., Radeloff, V.C., and Hansen, M.C., 2015, Eastern Europe's forest cover dynamics from 1985 to 2012 quantified from the full Landsat archive: Remote Sensing of Environment, v. 159, p. 28–43, at <https://doi.org/10.1016/j.rse.2014.11.027>.
- Potere, D., Woodcock, C.E., Schneider, A., Ozdogan, M., and Baccini, A., 2007, Patterns in forest clearing along the Appalachian Trail Corridor: Photogrammetric Engineering & Remote Sensing, v. 73, no. 7, p. 783–791, at <https://doi.org/10.14358/PERS.73.7.783>.

- Powell, S.L., Cohen, W.B., Healey, S.P., Kennedy, R.E., Moisen, G.G., Pierce, K.B., and Ohmann, J.L., 2010, Quantification of live aboveground forest biomass dynamics with Landsat time-series and field inventory data—A comparison of empirical modeling approaches: *Remote Sensing of Environment*, v. 114, no. 5, p. 1053–1068, at <https://doi.org/10.1016/j.rse.2009.12.018>.
- Powell, S.L., Cohen, W.B., Kennedy, R.E., Healey, S.P., and Huang, C., 2014, Observation of trends in biomass loss as a result of disturbance in the conterminous U.S.—1986–2004: *Ecosystems*, v. 17, no. 1, p. 142–157, at <https://doi.org/10.1007/s10021-013-9713-9>.
- Powell, S.L., Cohen, W.B., Yang, Z., Pierce, J.D., and Alberti, M., 2008, Quantification of impervious surface in the Snohomish Water Resources Inventory Area of Western Washington from 1972–2006: *Remote Sensing of Environment*, v. 112, no. 4, p. 1895–1908, at <https://doi.org/10.1016/j.rse.2007.09.010>.
- Powell, S.L., Pflugmacher, D., Kirschbaum, A.A., Kim, Y., and Cohen, W.B., 2007, Moderate resolution remote sensing alternatives—A review of Landsat-like sensors and their applications: *Journal of Applied Remote Sensing*, v. 1, no. 1, article 012506, at <https://doi.org/10.1117/1.2819342>.
- Price, J.C., 1999, Combining multispectral data of differing spatial resolution: *IEEE Transactions on Geoscience and Remote Sensing*, v. 37, no. 3, p. 1199–1203, at <https://doi.org/10.1109/36.763272>.
- Price, J.C., 2003, Comparing MODIS and ETM+ data for regional and global land classification: *Remote Sensing of Environment*, v. 86, no. 4, p. 491–499, at [https://doi.org/10.1016/S0034-4257\(03\)00127-5](https://doi.org/10.1016/S0034-4257(03)00127-5).
- Prishchepov, A.V., Müller, D., Baumann, M., Kuemmerle, T., Alcantara, C., and Radeloff, V.C., 2016, Underlying drivers and spatial determinants of post-Soviet agricultural land abandonment in temperate Eastern Europe, *in* Gutman, G., and Radeloff, V.C., eds., *Land-cover and land-use changes in Eastern Europe after the collapse of the Soviet Union in 1991*: Cham, Switzerland, Springer, p. 91–117, at [https://doi.org/10.1007/978-3-319-42638-9\\_5](https://doi.org/10.1007/978-3-319-42638-9_5).
- Prishchepov, A.V., Müller, D., Butsic, V., and Radeloff, V.C., 2012, Sensitivity of spatially explicit land-use logistic regression models to the errors land-use change maps, *in* *Managing Resources of a Limited Planet, iEMSs 2012—6<sup>th</sup> Biennial Meeting of the International Environmental Modelling and Software Society*, Leipzig, Germany, 1–5 July 2012, *Proceedings*: Manno, Switzerland, International Environmental Modelling and Software Society, p. 2008–2015, at <https://scholarsarchive.byu.edu/iemssconference/2012/Stream-B/24/>.

- Prishchepov, A.V., Radeloff, V.C., Baumann, M., Kuemmerle, T., and Müller, D., 2012, Effects of institutional changes on land use—Agricultural land abandonment during the transition from state-command to market-driven economies in post-Soviet Eastern Europe: *Environmental Research Letters*, v. 7, no. 2, article 024021, at <https://doi.org/10.1088/1748-9326/7/2/024021>.
- Prishchepov, A.V., Radeloff, V.C., Dubinin, M., and Alcantara, C., 2012, The effect of Landsat ETM/ETM+ image acquisition dates on the detection of agricultural land abandonment in Eastern Europe: *Remote Sensing of Environment*, v. 126, p. 195–209, at <https://doi.org/10.1016/j.rse.2012.08.017>.
- Prishchepov, V.A., Müller, D., Dubinin, M., Baumann, M., and Radeloff, V.C., 2013, Determinants of agricultural land abandonment in post-Soviet European Russia: *Land Use Policy*, v. 30, no. 1, p. 873–884, at <https://doi.org/10.1016/j.landusepol.2012.06.011>.
- Privette, J.L., Asner, G.P., Conel, J., Huemmrich, K.F., Olson, R., Rango, A., Rahman, A.F., Thome, K.J., and Walter-Shea, E.A., 2000, The EOS Prototype Validation Exercise (PROVE) at Jornada—Overview and lessons learned: *Remote Sensing of Environment*, v. 74, no. 1, p. 1–12, at [https://doi.org/10.1016/S0034-4257\(00\)00117-6](https://doi.org/10.1016/S0034-4257(00)00117-6).
- Qi, J., Marsett, R., Heilman, P., Biedenbender, S., Moran, M.S., Goodrich, D., and Weltz, M., 2002, RANGES improves satellite-based information and land cover assessments in Southwest United States: *Eos*, v. 83, no. 51, p. 601–606, at <https://doi.org/10.1029/2002EO000411>
- Qi, J., Marsett, R.C., Moran, M.S., Goodrich, D.C., Heilman, P., Kerr, Y.H., Dedieu, G., Chehbouni, A., and Zhang, X.X., 2000, Spatial and temporal dynamics of vegetation in the San Pedro River basin area: *Agricultural and Forest Meteorology*, v. 105, no. 1–3, p. 55–68, at [https://doi.org/10.1016/S0168-1923\(00\)00195-7](https://doi.org/10.1016/S0168-1923(00)00195-7).
- Qi, J., Wang, C., Matricardi, E., and Skole, D.L., 2002, Improved selective logging detection with Landsat images in tropical regions, *in* 2002 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toronto, Canada, 24–28 June 2002, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2078–2080, at <https://doi.org/10.1109/IGARSS.2002.1026450>.
- Qiao, C., Luo, J., Sheng, Y., Shen, Z., and Li, J., 2010, Lake shrinkage analysis using spectral-spatial coupled remote sensing on Tibetan Plateau, *in* 2010 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Honolulu, Hawaii, 25–30 July 2010, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 926–929, at <https://doi.org/10.1109/IGARSS.2010.5653706>.
- Qiao, C., Luo, J., Sheng, Y., Shen, Z., Zhu, Z., and Ming, D., 2012, An adaptive water extraction method from remote sensing image based on NDWI: *Journal of the Indian Society of Remote Sensing*, v. 40, no. 3, p. 421–433, at <https://doi.org/10.1007/s12524-011-0162-7>.

- Qin, Y., Xiao, X., Dong, J., Zhou, Y., Zhu, Z., Zhang, G., Du, G., Jin, C., Kou, W., et al., 2015, Mapping paddy rice planting area in cold temperate climate region through analysis of time series Landsat 8 (OLI), Landsat 7 (ETM+) and MODIS imagery: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 105, p. 220–233, at <https://doi.org/10.1016/j.isprsjprs.2015.04.008>.
- Qin, Y., Xiao, X., Wang, J., Dong, J., Ewing, K., Hoagland, B., Hough, D.J., Fagin, T.D., Zou, Z., et al., 2016, Mapping annual forest cover in sub-humid and semi-arid regions through analysis of Landsat and PALSAR imagery: *Remote Sensing*, v. 8, no. 11, article 933, at <https://doi.org/10.3390/rs8110933>.
- Qiu, S., He, B., Zhu, Z., Liao, Z., and Quan, X., 2017, Improving Fmask cloud and cloud shadow detection in mountainous area for Landsats 4–8 images: *Remote Sensing of Environment*, v. 199, p. 107–119, at <https://doi.org/10.1016/j.rse.2017.07.002>.
- Qiu, S., Lin, Y., Shang, R., Zhang, J., Ma, L., and Zhu, Z., 2019, Making Landsat time series consistent—Evaluating and improving Landsat analysis ready data: *Remote Sensing*, v. 11, no. 1, article 51, at <https://doi.org/10.3390/rs11010051>.
- Qiu, S., Zhu, Z., and He, B., 2019, Fmask 4.0—Improved cloud and cloud shadow detection in Landsats 4–8 and Sentinel-2 imagery: *Remote Sensing of Environment*, v. 231, article 111205, at <https://doi.org/10.1016/j.rse.2019.05.024>.
- Qiu, S., Zhu, Z., Olofsson, P., Woodcock, C.E., and Jin, S., 2023, Evaluation of Landsat image compositing algorithms: *Remote Sensing of Environment*, v. 285, article 113375, at <https://doi.org/10.1016/j.rse.2022.113375>.
- Qiu, S., Zhu, Z., Shang, R., and Crawford, C.J., 2021, Can Landsat 7 preserve its science capability with a drifting orbit?: *Science of Remote Sensing*, v. 4, article 100026, at <https://doi.org/10.1016/j.srs.2021.100026>.
- Qiu, S., Zhu, Z., and Woodcock, C.E., 2020, Cirrus clouds that adversely affect Landsat 8 images—What are they and how to detect them?: *Remote Sensing of Environment*, v. 246, article 111884, at <https://doi.org/10.1016/j.rse.2020.111884>.
- Qiu, S., Zhu, Z., Yang, X., Woodcock, C.E., Fahey, R.T., Stehman, S., Zhang, Y., Cullerton, M., Grinstead, A., et al., 2025, A shift from human-directed to undirected wild land disturbances in the USA: *Nature Geoscience*, v. 18, no. 10, p. 989–996, at <https://doi.org/10.1038/s41561-025-01792-3>.
- Radeloff, V.C., Mladenoff, D.J., and Boyce, M.S., 1999, Detecting jack pine budworm defoliation using spectral mixture analysis—Separating effects from determinants: *Remote Sensing of Environment*, v. 69, no. 2, p. 156–169, at [https://doi.org/10.1016/S0034-4257\(99\)00008-5](https://doi.org/10.1016/S0034-4257(99)00008-5).
- Radeloff, V.C., Mladenoff, D.J., and Boyce, M.S., 2000, The changing relation of landscape patterns and jack pine budworm populations during an outbreak: *Oikos*, v. 90, no. 3, p. 417–430, at <https://doi.org/10.1034/j.1600-0706.2000.900301.x>.

- Radeloff, V.C., Mladenoff, D.J., and Boyce, M.S., 2000, Effects of interacting disturbances on landscape patterns—Budworm defoliation and salvage logging: *Ecological Applications*, v. 10, no. 1, p. 233–247, at [https://doi.org/10.1890/1051-0761\(2000\)010\[0233:EOIDOL\]2.0.CO;2](https://doi.org/10.1890/1051-0761(2000)010[0233:EOIDOL]2.0.CO;2).
- Radeloff, V.C., Mladenoff, D.J., He, H.S., and Boyce, M.S., 1999, Forest landscape change in the northwestern Wisconsin Pine Barrens from pre-European settlement to the present: *Canadian Journal of Forest Research*, v. 29, no. 11, p. 1649–1659, at <https://doi.org/10.1139/x99-089>.
- Radeloff, V.C., Roy, D.P., Wulder, M.A., Anderson, M., Cook, B., Crawford, C.J., Friedl, M., Gao, F., Gorelick, N., et al., 2024, Need and vision for global medium-resolution Landsat and Sentinel-2 data products: *Remote Sensing of Environment*, v. 300, article 113918, at <https://doi.org/10.1016/j.rse.2023.113918>.
- Ramírez-Cuesta, J.M., Kilic, A., Allen, R.G., Santos, C., and Lorite, I.J., 2017, Evaluating the impact of adjusting surface temperature derived from Landsat 7 ETM+ in crop evapotranspiration assessment using high-resolution Airborne data: *International Journal of Remote Sensing*, v. 38, no. 14, p. 4177–4205, at <https://doi.org/10.1080/01431161.2017.1317939>.
- Raqueño, N.G., Smith, L.E., Messinger, D.W., Salvaggio, C., Raqueño, R.V., and Schott, J.R., 2005, Megacollect 2004—Hyperspectral collection experiment of terrestrial targets and backgrounds of the RIT megascene and surrounding area (Rochester, New York), *in* Algorithms and Technologies for Multispectral, Hyperspectral, and Ultraspectral Imagery XI, Orlando, Fla., 28 March–1 April 2005, Proceedings of SPIE Vol. 5806: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 554–565, at <https://doi.org/10.1117/12.605838>.
- Raut, B., Kaewmanee, M., Angal, A., Xiong, X., and Helder, D., 2019, Empirical absolute calibration model for multiple pseudo-invariant calibration sites: *Remote Sensing*, v. 11, no. 9, article 1105, at <https://doi.org/10.3390/rs11091105>.
- Razenkova, E., Lewińska, K.E., Anand, A., Yin, H., Farwell, L., Pidgeon, A.M., Hostert, P., Coops, N.C., and Radeloff, V.C., 2025, Medium-resolution dynamic habitat indices from Landsat and Sentinel-2 satellite imagery: *Ecological Indicators*, v. 173, article 113367, at <https://doi.org/10.1016/j.ecolind.2025.113367>.
- Reeves, M.C., Washington-Allen, R.A., Angerer, J., Hunt Jr., E.R., Kulawardhana, R.W., Kumar, L., Loboda, T., Loveland, T.R., Metternicht, G., et al., 2015, Global view of remote sensing of rangelands—Evolution, applications, future pathways, *in* Thenkabail, P.S., ed., Land resources monitoring, modeling, and mapping with remote sensing: Boca Raton, Fla., CRC Press, p. 237–275, at <https://doi.org/10.1201/b19322-19>.

- Reiche, J., Lucas, R., Mitchell, A.L., Verbesselt, J., Hoekman, D.H., Haarpaintner, J., Kellndorfer, J.M., Rosenqvist, A., Lehmann, E.A., et al., 2016, Combining satellite data for better tropical forest monitoring: *Nature Climate Change*, v. 6, no. 2, p. 120–122, at <https://doi.org/10.1038/nclimate2919>.
- Reilly, M.J., Dunn, C.J., Meigs, G.W., Spies, T.A., Kennedy, R.E., Bailey, J.D., and Briggs, K., 2017, Contemporary patterns of fire extent and severity in forests of the Pacific Northwest, USA (1985-2010): *Ecosphere*, v. 8, no. 3, article e01695, at <https://doi.org/10.1002/ecs2.1695>.
- Rommel, T.K., Csillag, F., Mitchell, S., and Wulder, M.A., 2005, Integration of forest inventory and satellite imagery—A Canadian status assessment and research issues: *Forest Ecology and Management*, v. 207, no. 3, p. 405–428, at <https://doi.org/10.1016/j.foreco.2004.11.023>.
- Rendenieks, Z., Nita, M.D., Nikodemus, O., and Radeloff, V.C., 2020, Half a century of forest cover change along the Latvian-Russian border captured by object-based image analysis of Corona and Landsat TM/OLI data: *Remote Sensing of Environment*, v. 249, article 112010, at <https://doi.org/10.1016/j.rse.2020.112010>.
- Rengarajan, R., Goodenough, A.A., and Schott, J.R., 2016, Simulating the directional, spectral and textural properties of a large-scale scene at high resolution using a MODIS BRDF product, *in* *Sensors, Systems, and Next-Generation Satellites XX*, Edinburgh, Scotland, UK, 26–29 September 2016, *Proceedings of SPIE Vol. 10000*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 100000y, at <https://doi.org/10.1117/12.2240527>.
- Rengarajan, R., and Schott, J.R., 2016, Modeling forest defoliation using simulated BRDF and assessing its effect on reflectance and sensor reaching radiance, *in* *Remote Sensing and Modeling of Ecosystems for Sustainability XIII*, San Diego, Calif., 28 August–1 September 2016, *Proceedings of SPIE Vol. 9975*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 997503, at <https://doi.org/10.1117/12.2235391>.
- Rengarajan, R., and Schott, J.R., 2017, Modeling and simulation of deciduous forest canopy and its anisotropic reflectance properties using the Digital Image and Remote Sensing Image Generation (DIRSIG) Tool: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 10, no. 11, p. 4805–4817, at <https://doi.org/10.1109/JSTARS.2017.2751539>.
- Rengarajan, R., and Schott, J.R., 2018, Evaluation of sensor and environmental factors impacting the use of Multiple Sensor data for time-series applications: *Remote Sensing*, v. 10, no. 11, article 1678, at <https://doi.org/10.3390/rs10111678>.

- Reuter, D., Irons, J.R., Lunsford, A., Montanaro, M., Pellerano, F., Richardson, C., Smith, R., Tesfaye, Z., and Thome, K.J., 2011, The Operational Land Imager (OLI) and the Thermal Infrared Sensor (TIRS) on the Landsat Data Continuity Mission (LDCM), *in* Algorithms and Technologies for Multispectral, Hyperspectral, and Ultraspectral Imagery XVII, Orlando, Fla., 25–28 April 2011, Proceedings of SPIE Vol. 8048: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 804812, at <https://doi.org/10.1117/12.885963>.
- Reuter, D., Richardson, C., Irons, J.R., Allen, R.G., Anderson, M.C., Budinoff, J., Casto, G., Coltharp, C., Finneran, P., et al., 2010, The thermal infrared sensor on the Landsat Data Continuity Mission, *in* 2010 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Honolulu, Hawaii, 25–30 July 2010, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 754–757, at <https://doi.org/10.1109/IGARSS.2010.5653746>.
- Reuter, D.C., Richardson, C.M., Pellerano, F.A., Irons, J.R., Allen, R.G., Anderson, M.C., Jhabvala, M.D., Lunsford, A.W., Montanaro, M., et al., 2015, The thermal infrared sensor (TIRS) on Landsat 8—Design overview and pre-launch characterization: *Remote Sensing*, v. 7, no. 1, p. 1135–1153, at <https://doi.org/10.3390/rs70101135>.
- Rickbeil, G.J.M., Hermosilla, T., Coops, N.C., White, J.C., and Wulder, M.A., 2016, Barren-ground caribou (*Rangifer tarandus groenlandicus*) behaviour after recent fire events—Integrating caribou telemetry data with Landsat fire detection techniques: *Global Change Biology*, v. 23, no. 3, p. 1036–1047, at <https://doi.org/10.1111/gcb.13456>.
- Rickbeil, G.J.M., Hermosilla, T., Coops, N.C., White, J.C., and Wulder, M.A., 2017, Estimating changes in lichen mat volume through time and related effects on barren ground caribou (*Rangifer tarandus groenlandicus*) movement: *PLoS ONE*, v. 12, no. 3, article e0172669, at <https://doi.org/10.1371/journal.pone.0172669>.
- Rickbeil, G.J.M., Hermosilla, T., Coops, N.C., White, J.C., Wulder, M.A., and Lantz, T.C., 2018, Changing northern vegetation conditions are influencing barren ground caribou (*Rangifer tarandus groenlandicus*) post-calving movement rates: *Journal of Biogeography*, v. 45, no. 3, p. 702–712, at <https://doi.org/10.1111/jbi.13161>.
- Rignot, E., Salas, W.A., and Skole, D.L., 1997, Mapping deforestation and secondary growth in Rondonia, Brazil, using imaging radar and Thematic Mapper data: *Remote Sensing of Environment*, v. 59, no. 2, p. 167–179, at [https://doi.org/10.1016/S0034-4257\(96\)00150-2](https://doi.org/10.1016/S0034-4257(96)00150-2).
- Rittenhouse, C.D., Berlin, E.H., Mikle, N., Qiu, S., Riordan, D., and Zhu, Z., 2022, An object-based approach to map young forest and shrubland vegetation based on multi-source remote sensing data: *Remote Sensing*, v. 14, no. 5, article 1091, at <https://doi.org/10.3390/rs14051091>.

- Rittenhouse, C.D., Pidgeon, A.M., Albright, T.P., Culbert, P.D., Clayton, M.K., Flather, C.H., Huang, C., Masek, J.G., and Radeloff, V.C., 2010, Avifauna response to hurricanes—Regional changes in community similarity: *Global Change Biology*, v. 16, no. 3, p. 905–917, at <https://doi.org/10.1111/j.1365-2486.2009.02101.x>.
- Rittenhouse, C.D., Pidgeon, A.M., Albright, T.P., Culbert, P.D., Clayton, M.K., Flather, C.H., Huang, C., Masek, J.G., Stewart, S.I., et al., 2010, Conservation of forest birds—Evidence of a shifting baseline in community structure: *PLoS ONE*, v. 5, no. 8, article e11938, at <https://doi.org/10.1371/journal.pone.0011938>.
- Rizayeva, A., Nita, M.D., and Radeloff, V.C., 2023, Large-area, 1964 land cover classifications of Corona spy satellite imagery for the Caucasus Mountains: *Remote Sensing of Environment*, v. 284, article 113343, at <https://doi.org/10.1016/j.rse.2022.113343>.
- Rizayeva, A., Niță, M.D., Yin, H., Buchner, J., Kasraee, N.K., Rogova, N., Askerov, E., Gavashelishvili, A., Aleksanyan, A., et al., 2025, A half-century of land cover changes in the Caucasus derived from Corona spy satellite and Landsat images: *Regional Environmental Change*, v. 25, no. 1, article 27, at <https://doi.org/10.1007/s10113-025-02360-6>.
- Roberts-Pierel, B.M., Kirchner, P.B., Kilbride, J.B., and Kennedy, R.E., 2022, Changes over the last 35 years in Alaska’s glaciated landscape—A novel deep learning approach to mapping glaciers at fine temporal granularity: *Remote Sensing*, v. 14, no. 18, article 4582, at <https://doi.org/10.3390/rs14184582>.
- Rocchio, L., Masek, J.G., Sun, G., and Williams, D.L., 2003, Validation of satellite-derived forest metrics in northeastern China, in 2003 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toulouse, France, 21–25 July 2003, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2574–2576, at <https://doi.org/10.1109/IGARSS.2003.1294513>.
- Rogers, K., Lymburner, L., Salum, R., Brooke, B.P., and Woodroffe, C.D., 2017, Mapping of mangrove extent and zonation using high and low tide composites of Landsat data: *Hydrobiologia*, v. 803, p. 49–68, at <https://doi.org/10.1007/s10750-017-3257-5>.
- Rogova, N., Iliev, M., Petkov, N., Rozenfeld, S., Timoshenko, A., Vangeluwe, D., Zuban, I.A., Pidgeon, A.M., and Radeloff, V.C., 2025, Modelling migratory waterfowl stopover habitat while accounting for ephemeral environmental conditions: *Journal of Applied Ecology*, v. 62, no. 11, p. 2941–2953, at <https://doi.org/10.1111/1365-2664.70169>.
- Roithmayr, C.M., Lukashin, C., Speth, P.W., Kopp, G., Thome, K.J., Wielicki, B.A., and Young, D.F., 2014, CLARREO approach for reference intercalibration of reflected solar sensors—On-orbit data matching and sampling: *IEEE Transactions on Geoscience and Remote Sensing*, v. 52, no. 10, p. 6762–6774, at <https://doi.org/10.1109/TGRS.2014.2302397>.

- Rollins, M.G., Keane, R.E., Zhu, Z., Menakis, J.P., Caratti, J.F., Holsinger, L., Parsons, R., Karau, E., Long, J.L., et al., 2006, The LANDFIRE prototype project—Nationally consistent and locally relevant geospatial data for wildland fire management: Fort Collins, Colo., U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station Gen. Tech. Rep. RMRS-GTR-175, 416 p., at <https://doi.org/10.2737/RMRS-GTR-175>.
- Roman, M.O., Gatebe, C.K., Shuai, Y., Wang, Z., Gao, F., Masek, J.G., He, T., Liang, S., and Schaaf, C.B., 2013, Use of in situ and airborne multiangle data to assess MODIS- and Landsat-based estimates of directional reflectance and albedo: IEEE Transactions on Geoscience and Remote Sensing, v. 51, no. 3, p. 1393–1404, at <https://doi.org/10.1109/TGRS.2013.2243457>.
- Román, M.O., Schaaf, C.B., Lewis, P., Gao, F., Anderson, G.P., Privette, J.L., Strahler, A.H., Woodcock, C.E., and Barnsley, M., 2010, Assessing the coupling between surface albedo derived from MODIS and the fraction of diffuse skylight over spatially-characterized landscapes: Remote Sensing of Environment, v. 114, no. 4, p. 738–760, at <https://doi.org/10.1016/j.rse.2009.11.014>.
- Román, M.O., Schaaf, C.B., Woodcock, C.E., Strahler, A.H., Yang, X., Braswell, R.H., Curtis, P.S., Davis, K.J., Dragoni, D., et al., 2009, The MODIS (Collection V005) BRDF/albedo product—Assessment of spatial representativeness over forested landscapes: Remote Sensing of Environment, v. 113, no. 11, p. 2476–2498, at <https://doi.org/10.1016/j.rse.2009.07.009>.
- Rosette, J., Cook, B., Nelson, R., Huang, C., Masek, J.G., Tucker, C., Sun, G., Huang, W., Montesano, P., et al., 2015, Sensor compatibility for biomass change estimation using remote sensing data sets—Part of NASA’s carbon monitoring system initiative: IEEE Geoscience and Remote Sensing Letters, v. 12, no. 7, p. 1511–1515, at <https://doi.org/10.1109/LGRS.2015.2411262>.
- Roy, D.P., and Boschetti, L., 2009, Southern Africa validation of the MODIS, L3JRC, and GlobCarbon burned-area products: IEEE Transactions on Geoscience and Remote Sensing, v. 47, no. 4, p. 1032–1044, at <https://doi.org/10.1109/TGRS.2008.2009000>.
- Roy, D.P., Frost, P.G.H., Justice, C.O., Landmann, T., Le Roux, J.L., Gumbo, K., Makungwa, S., Dunham, K., Du Toit, R., et al., 2005, The Southern Africa Fire Network (SAFNet) regional burned-area product-validation protocol: International Journal of Remote Sensing, v. 26, no. 19, p. 4265–4292, at <https://doi.org/10.1080/01431160500113096>.
- Roy, D.P., Huang, H., Boschetti, L., Giglio, L., Yan, L., Zhang, H.H., and Li, Z., 2019, Landsat-8 and Sentinel-2 burned area mapping—A combined sensor multi-temporal change detection approach: Remote Sensing of Environment, v. 231, article 111254, at <https://doi.org/10.1016/j.rse.2019.111254>.

- Roy, D.P., Huang, H., Houborg, R., and Martins, V.S., 2021, A global analysis of the temporal availability of PlanetScope high spatial resolution multi-spectral imagery: Remote Sensing of Environment, v. 264, article 112586, at <https://doi.org/10.1016/j.rse.2021.112586>.
- Roy, D.P., Ju, J., Kline, K., Scaramuzza, P.L., Kovalsky, V., Hansen, M.C., Loveland, T.R., Vermote, E.F., and Zhang, C., 2010, Web-enabled Landsat Data (WELD)—Landsat ETM+ composited mosaics of the conterminous United States: Remote Sensing of Environment, v. 114, no. 1, p. 35–49, at <https://doi.org/10.1016/j.rse.2009.08.011>.
- Roy, D.P., Ju, J., and Kommadreddy, I., 2011, Web-enabled Landsat data (WELD)—A consistent, long-term, large-area, 30m data record for the terrestrial user community, in The GEOSS Era, Towards Operational Environmental Monitoring—34<sup>th</sup> International Symposium on Remote Sensing of Environment, Sydney, Australia, 10–15 April 2011, Proceedings: Bethesda, Md., International Society for Photogrammetry and Remote Sensing, paper 00470, at <https://www.isprs.org/proceedings/2011/ISRSE-34/211104015Final00470.pdf>.
- Roy, D.P., Ju, J., Lewis, P., Schaaf, C.B., Gao, F., Hansen, M.C., and Lindquist, E., 2008, Multi-temporal MODIS-Landsat data fusion for relative radiometric normalization, gap filling, and prediction of Landsat data: Remote Sensing of Environment, v. 112, no. 6, p. 3112–3130, at <https://doi.org/10.1016/j.rse.2008.03.009>.
- Roy, D.P., Ju, J., Mbow, C., Frost, P., and Loveland, T.R., 2010, Accessing free Landsat data via the Internet—Africa’s challenge: Remote Sensing Letters, v. 1, no. 2, p. 111–117, at <https://doi.org/10.1080/01431160903486693>.
- Roy, D.P., Kovalsky, V., Zhang, H., Yan, L., and Kommareddy, I., 2015, The utility of Landsat data for global long term terrestrial monitoring, in Ramachandran, B., Justice, C.O., and Abrams, M.J., eds., Land remote sensing and global environmental change: New York, N.Y., Springer, p. 289–305, at [https://doi.org/10.1007/978-3-319-15967-6\\_14](https://doi.org/10.1007/978-3-319-15967-6_14).
- Roy, D.P., Kovalsky, V., Zhang, H.K., Vermote, E.F., Yan, L., Kumar, S.S., and Egorov, A., 2016, Characterization of Landsat-7 to Landsat-8 reflective wavelength and normalized difference vegetation index continuity: Remote Sensing of Environment, v. 185, p. 57–70, at <https://doi.org/10.1016/j.rse.2015.12.024>.
- Roy, D.P., Li, J., Zhang, H.K., Yan, L., Huang, H., and Li, Z., 2017, Examination of Sentinel-2A multi-spectral instrument (MSI) reflectance anisotropy and the suitability of a general method to normalize MSI reflectance to nadir BRDF adjusted reflectance: Remote Sensing of Environment, v. 199, p. 25–38, at <https://doi.org/10.1016/j.rse.2017.06.019>.
- Roy, D.P., Li, Z., and Zhang, H.K., 2017, Adjustment of sentinel-2 multi-spectral instrument (MSI) red-edge band reflectance to nadir BRDF adjusted reflectance (NBAR) and quantification of red-edge band BRDF effects: Remote Sensing, v. 9, no. 12, article 1325, at <https://doi.org/10.3390/rs9121325>.

- Roy, D.P., Li, Z., Zhang, H.K., and Huang, H., 2020, A conterminous United States analysis of the impact of Landsat 5 orbit drift on the temporal consistency of Landsat 5 Thematic Mapper data: *Remote Sensing of Environment*, v. 240, article 111701, at <https://doi.org/10.1016/j.rse.2020.111701>.
- Roy, D.P., Qin, Y., Kovalskyy, V., Vermote, E.F., Ju, J., Egorov, A., Hansen, M.C., Kommareddy, I., and Yan, L., 2014, Conterminous United States demonstration and characterization of MODIS-based Landsat ETM+ atmospheric correction: *Remote Sensing of Environment*, v. 140, p. 433–449, at <https://doi.org/10.1016/j.rse.2013.09.012>.
- Roy, D.P., Wulder, M.A., Gorelick, N., Hansen, M., Healey, S., Hostert, P., Huntington, J., Radeloff, V.C., Scambos, T., et al., 2026, The next Landsat—Mission turning point?: *Remote Sensing of Environment*, v. 332, article 115087, at <https://doi.org/10.1016/j.rse.2025.115087>.
- Roy, D.P., Wulder, M.A., Loveland, T.R., C.E. W., Allen, R.G., Anderson, M.C., Helder, D.L., Irons, J.R., Johnson, D.M., et al., 2014, Landsat-8—Science and product vision for terrestrial global change research: *Remote Sensing of Environment*, v. 145, p. 154–172, at <https://doi.org/10.1016/j.rse.2014.02.001>.
- Roy, D.P., Wulder, M.A., and Woodcock, C.E., 2025, Independent oversight crucial to Landsat Next: *Science*, v. 388, no. 6751, p. 1033, at <https://doi.org/10.1126/science.adx5773>.
- Roy, D.P., and Yan, L., 2020, Robust Landsat-based crop time series modelling: *Remote Sensing of Environment*, v. 238, article 110810, at <https://doi.org/10.1016/j.rse.2018.06.038>.
- Roy, D.P., Zhang, H.K., Ju, J., Gomez-Dans, J.L., Lewis, P.E., Schaaf, C.B., Sun, Q., Li, J., Huang, H., et al., 2016, A general method to normalize Landsat reflectance data to nadir BRDF adjusted reflectance: *Remote Sensing of Environment*, v. 176, p. 255–271, at <https://doi.org/10.1016/j.rse.2016.01.023>.
- Rubio, E., Colin, J., D’Urso, G., Trezza, R., Allen, R.G., Calera, A., González, J., Jochum, A., Menenti, M., et al., 2006, Golden day comparison of methods to retrieve  $K_c$  (Kc-NDVI, Kc-analytical, MSSEBS, METRIC), *in* AIP Conference, Naples, Italy, 10–11 November 2005, Proceedings: Melville, N.Y., American Institute of Physics, p. 193–200, at <https://doi.org/10.1063/1.2349344>.
- Rufin, P., Frantz, D., Ernst, S., Rabe, A., Griffiths, P., özdoğan, M., and Hostert, P., 2019, Mapping cropping practices on a national scale using intra-annual Landsat time series binning: *Remote Sensing*, v. 11, no. 3, article 232, at <https://doi.org/10.3390/rs11030232>.
- Rufin, P., Frantz, D., Yan, L., and Hostert, P., 2021, Operational coregistration of the Sentinel-2A/B image archive using multitemporal Landsat spectral averages: *IEEE Geoscience and Remote Sensing Letters*, v. 18, no. 4, p. 712–716, at <https://doi.org/10.1109/LGRS.2020.2982245>.

- Rufin, P., Müller, D., Schwieder, M., Pflugmacher, D., and Hostert, P., 2021, Landsat time series reveal simultaneous expansion and intensification of irrigated dry season cropping in Southeastern Turkey: *Journal of Land Use Science*, v. 16, no. 1, p. 94–110, at <https://doi.org/10.1080/1747423X.2020.1858198>.
- Rufin, P., Müller, H., Pflugmacher, D., and Hostert, P., 2015, Land use intensity trajectories on Amazonian pastures derived from Landsat time series: *International Journal of Applied Earth Observation and Geoinformation*, v. 41, p. 1–10, at <https://doi.org/10.1016/j.jag.2015.04.010>.
- Saarela, S., Healey, S., Yang, Z., Roald, B.E., Patterson, P.L., Gobakken, T., Næsset, E., Hou, Z., McRoberts, R.E., et al., 2025, A separable bootstrap variance estimation algorithm for hierarchical model-based inference of forest aboveground biomass using data from NASA's GEDI and Landsat missions: *Environmetrics*, v. 36, no. 1, article e2883, at <https://doi.org/10.1002/env.2883>.
- Saarela, S., Holm, S., Healey, S.P., Andersen, H.E., Petersson, H., Prentius, W., Patterson, P.L., Næsset, E., Gregoire, T.G., et al., 2018, Generalized hierarchical model-based estimation for aboveground biomass assessment using GEDI and Landsat data: *Remote Sensing*, v. 10, no. 11, article 1832, at <https://doi.org/10.3390/rs10111832>.
- Saarinen, N., Vastaranta, M., Honkavaara, E., Wulder, M.A., White, J.C., Litkey, P., Holopainen, M., and Hyypä, J., 2016, Using multi-source data to map and model the predisposition of forests to wind disturbance: *Scandinavian Journal of Forest Research*, v. 31, no. 1, p. 66–79, at <https://doi.org/10.1080/02827581.2015.1056751>.
- Saarinen, N., White, J.C., Wulder, M.A., Kangas, A., Tuominen, S., Kankare, V., Holopainen, M., Hyypä, J., and Vastaranta, M., 2018, Landsat archive holdings for Finland—Opportunities for forest monitoring: *Silva Fennica*, v. 52, no. 3, article 9986, at <https://doi.org/10.14214/sf.9986>.
- Sachs, D.L., Sollins, P., and Cohen, W.B., 1998, Detecting landscape changes in the interior of British Columbia from 1975 to 1992 using satellite imagery: *Canadian Journal of Forest Research*, v. 28, no. 1, p. 23–36, at <https://doi.org/10.1139/x97-186>.
- Sagar, S., Phillips, C., Bala, B., Roberts, D., and Lymburner, L., 2018, Generating continental scale pixel-based surface reflectance composites in coastal regions with the use of a multi-resolution tidal model: *Remote Sensing*, v. 10, no. 3, article 480, at <https://doi.org/10.3390/rs10030480>.
- Sagar, S., Roberts, D., Bala, B., and Lymburner, L., 2017, Extracting the intertidal extent and topography of the Australian coastline from a 28 year time series of Landsat observations: *Remote Sensing of Environment*, v. 195, p. 153–169, at <https://doi.org/10.1016/j.rse.2017.04.009>.

- Salas, W.A., Ducey, M.J., Rignot, E., and Skole, D.L., 2002, Assessment of JERS-1 SAR for monitoring secondary vegetation in Amazonia—I. Spatial and temporal variability in backscatter across a chrono-sequence of secondary vegetation stands in Rondonia: *International Journal of Remote Sensing*, v. 23, no. 7, p. 1357–1379, at <https://doi.org/10.1080/01431160110092939>.
- Salas, W.A., and Skole, D.L., 1998, Remote sensing of land cover change—Secondary growth dynamics in Rondonia, Brazil, *in* 1998 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Seattle, Wash., 6–10 July 1998, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2515–2517, at <https://doi.org/10.1109/IGARSS.1998.702263>.
- Salazar-Martínez, D., Knipper, K.R., Kustas, W.P., Bambach, N., Ponce de León, M.A., Castro, S., Tolentino, P., Prueger, J., Alfieri, J., et al., 2025, Influence of vineyard row orientation on evapotranspiration estimates from a satellite-based two-source energy balance model: *Agricultural Water Management*, v. 322, article 109976, at <https://doi.org/10.1016/j.agwat.2025.109976>.
- Salmon, B.P., Wessels, K.J., Van Den Bergh, F., Steenkamp, K., Kleynhans, W., Swanepoel, D., Roy, D.P., and Kovalskyy, V., 2013, Evaluation of rule-based classifier for Landsat-based automated land cover mapping in South Africa, *in* 2013 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Melbourne, Australia, 21–26 July 2013, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 4301–4304, at <https://doi.org/10.1109/IGARSS.2013.6723785>.
- Salomão, C., Alsleben, J., Rufin, P., and Hostert, P., 2024, Mapping hydropower expansion and cash crop dynamics in Colombia using Landsat time series: *Geocarto International*, v. 39, no. 1, article 2322064, at <https://doi.org/10.1080/10106049.2024.2322064>.
- Sánchez-Azofeifa, G.A., Harriss, R.C., and Skole, D.L., 2001, Deforestation in Costa Rica—A quantitative analysis using remote sensing imagery: *Biotropica*, v. 33, no. 3, p. 378–384, at <https://doi.org/10.1111/j.1744-7429.2001.tb00192.x>
- Sano, E.E., Jianguo, Q., Huete, A.R., and Moran, M.S., 1998, The use of SAR/TM synergy for estimating soil moisture content over a semi-arid rangeland, *in* Second Latino-American Seminar on Radar Remote Sensing Image Processing Techniques, Santos, Sao Paulo, Brazil, 11–12 September 1998, Proceedings: INPE/ESA, p. 175–183, at <https://www.tucson.ars.ag.gov/unit/publications/pdffiles/1413.pdf>.
- Santamaria-Artigas, A., Franch, B., Roger, J.C., Vermote, E., and Justice, C., 2019, Evaluation of the surface reflectance long-term data record from AVHRR over multiple land surface types, *in* 2019 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Yokohama, Japan, 28 July–2 August 2019, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 8830–8833, at <https://doi.org/10.1109/IGARSS.2019.8898536>.

- Santamaria-Artigas, A., Vermote, E.F., Franch Gras, B., Roger, J.C., and Skakun, S., 2021, Evaluation of the AVHRR surface reflectance long term data record between 1984 and 2011: *International Journal of Applied Earth Observation and Geoinformation*, v. 98, article 102317, at <https://doi.org/10.1016/j.jag.2021.102317>.
- Santos, C., Lorite, I.J., Tasumi, M., Allen, R.G., Gavilán, P., and Fereres, E., 2007, Integration of satellite-based energy balance with simulation models applied to irrigation management at an irrigation scheme of southern Spain, *in* *Remote Sensing for Agriculture, Ecosystems, and Hydrology IX*, Florence, Italy, 18–20 September 2007, *Proceedings of SPIE Vol. 6742*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 67420P, at <https://doi.org/10.1117/12.737740>.
- Santos, F., Meneses, P., and Hostert, P., 2019, Monitoring long-term forest dynamics with scarce data—A multi-date classification implementation in the Ecuadorian Amazon: *European Journal of Remote Sensing*, v. 52, p. 62–78, at <https://doi.org/10.1080/22797254.2018.1533793>.
- Saranathan, A.M., Smith, B., and Pahlevan, N., 2023, Per-pixel uncertainty quantification and reporting for satellite-derived chlorophyll-a estimates via mixture density networks: *IEEE Transactions on Geoscience and Remote Sensing*, v. 61, article 4200718, at <https://doi.org/10.1109/TGRS.2023.3234465>.
- Savage, S.L., Lawrence, R.L., Squires, J.R., Holbrook, J.D., Olson, L.E., Braaten, J.D., and Cohen, W.B., 2018, Shifts in forest structure in northwest Montana from 1972 to 2015 using the Landsat archive from multispectral scanner to operational land imager: *Forests*, v. 9, no. 4, article 157, at <https://doi.org/10.3390/f9040157>.
- Saxena, R., Watson, L.T., Thomas, V.A., and Wynne, R.H., 2017, Scaling constituent algorithms of a trend and change detection polyalgorithm, *in* 25<sup>th</sup> High Performance Computing Symposium, HPC 2017, Part of the 2017 Spring Simulation Multi-Conference, SpringSim 2017, Virginia Beach, Va., 23–26 April 2017, *Simulation Series*, v. 49, no. 3: Society for Modeling and Simulation International, p. 59–70, at <https://dl.acm.org/citation.cfm?id=3108102>.
- Saxena, R., Watson, L.T., Wynne, R.H., Brooks, E.B., Thomas, V.A., Zhiqiang, Y., and Kennedy, R.E., 2018, Towards a polyalgorithm for land use change detection: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 144, p. 217–234, at <https://doi.org/10.1016/j.isprsjprs.2018.07.002>.
- Scambos, T.A., Bohlander, J., Raup, B., and Haran, T., 2004, Glaciological characteristics of Institute Ice Stream using remote sensing: *Antarctic Science*, v. 16, no. 2, p. 205–213, at <https://doi.org/10.1017/S0954102004001919>.
- Scambos, T.A., Bohlander, J.A., Shuman, C.A., and Skvarca, P., 2004, Glacier acceleration and thinning after ice shelf collapse in the Larsen B embayment, Antarctica: *Geophysical Research Letters*, v. 31, no. 18, p. L18402 1–4, at <https://doi.org/10.1029/2004GL020670>.

- Scambos, T.A., Campbell, G.G., Pope, A., Haran, T., Muto, A., Lazzara, M., Reijmer, C.H., and van den Broeke, M.R., 2018, Ultralow surface temperatures in East Antarctica from satellite thermal infrared mapping—The coldest places on Earth: *Geophysical Research Letters*, v. 45, no. 12, p. 6124–6133, at <https://doi.org/10.1029/2018GL078133>.
- Scaramuzza, P.L., Bouchard, M.A., and Dwyer, J.L., 2012, Development of the Landsat data continuity mission cloud-cover assessment algorithms: *IEEE Transactions on Geoscience and Remote Sensing*, v. 50, no. 4, p. 1140–1154, at <https://doi.org/10.1109/TGRS.2011.2164087>.
- Scepan, J., Menz, G., and Hansen, M.C., 1999, The DISCover validation image interpretation process: *Photogrammetric Engineering & Remote Sensing*, v. 65, no. 9, p. 1075–1081.
- Schaaf, C.B., Lucht, W., Strahler, A.H., Hodges, J.C.F., and d'Entremont, R.P., 1998, Relationship between land surface properties and BRDF/albedo parameters using satellite data, *in* 1998 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Seattle, Wash., 6–10 July 1998, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1277–1279, at <https://doi.org/10.1109/IGARSS.1998.691375>.
- Schaeffer, B.A., Iames, J., Dwyer, J.L., Urquhart, E., Salls, W., Rover, J., and Seegers, B., 2018, An initial validation of Landsat 5 and 7 derived surface water temperature for U.S. lakes, reservoirs, and estuaries: *International Journal of Remote Sensing*, v. 39, p. 7789–7805, at <https://doi.org/10.1080/01431161.2018.1471545>.
- Scherler, D., Wulf, H., and Gorelick, N., 2018, Global assessment of supraglacial debris-cover extents: *Geophysical Research Letters*, v. 45, no. 21, p. 11,798–11,805, at <https://doi.org/10.1029/2018GL080158>.
- Schleeweis, K., Goward, S.N., Huang, C., Dwyer, J.L., Dungan, J.L., Lindsey, M.A., Michaelis, A., Rishmawi, K., and Masek, J.G., 2016, Selection and quality assessment of Landsat data for the North American forest dynamics forest history maps of the US: *International Journal of Digital Earth*, v. 9, no. 10, p. 963–980, at <https://doi.org/10.1080/17538947.2016.1158876>.
- Schleeweis, K., Goward, S.N., Huang, C., Masek, J.G., Moisen, G., Kennedy, R.E., and Thomas, N.E., 2013, Regional dynamics of forest canopy change and underlying causal processes in the contiguous U.S: *Journal of Geophysical Research Biogeosciences*, v. 118, no. 3, p. 1035–1053, at <https://doi.org/10.1002/jgrg.20076>.
- Schleeweis, K.G., Moisen, G.G., Schroeder, T.A., Toney, C., Freeman, E.A., Goward, S.N., Huang, C., and Dungan, J.L., 2020, US national maps attributing forest change—1986-2010: *Forests*, v. 11, no. 6, article 653, at <https://doi.org/10.3390/F11060653>.

- Schlingmeier, D., and Schott, J.R., 1998, Resolution enhancement of thermal infrared images via high resolution class-map and statistical methods, *in* Algorithms for Multispectral and Hyperspectral Imagery IV, Orlando, Fla., 13–14 April 1998, Proceedings of SPIE Vol. 3372: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 100–111, at <https://doi.org/10.1117/12.312612>.
- Schneider, A., Seto, K.C., and Woodcock, C.E., 2003, Spatial and temporal patterns of land cover change in Chengdu, China, 1978-2002, *in* 2003 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toulouse, France, 21–25 July 2003, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 3365–3367, at <https://doi.org/10.1109/IGARSS.2003.1294784>.
- Scholl, J.F., Thome, K.J., and Dereniak, E.L., 2004, Normalized difference vegetation index calculations from JPEG2000 compressed Landsat 7 images, *in* Mathematics of Data/Image Coding, Compression, and Encryption VII, with Applications, Denver, Colo., 4–5 August 2004, Proceedings of SPIE Vol. 5561: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 84–95, at <https://doi.org/10.1117/12.557954>.
- Schott, J.R., Anderson, C.R., and Barsi, J.A., 2008, Refinement of the method for using pseudo-invariant sites for long term calibration trending of Landsat reflective bands, *in* 2008 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Boston, Mass., 7–11 July 2008, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1245–1248, at <https://doi.org/10.1109/IGARSS.2008.4778839>.
- Schott, J.R., Barsi, J.A., Nordgren, B.L., Raqueño, N.G., and De Alwis, D., 2001, Calibration of Landsat thermal data and application to water resource studies: Remote Sensing of Environment, v. 78, no. 1–2, p. 108–117, at [https://doi.org/10.1016/S0034-4257\(01\)00253-X](https://doi.org/10.1016/S0034-4257(01)00253-X).
- Schott, J.R., Gallagher, T.W., and Barsi, J., 1997, Calibration procedures for evaluation of in-flight radiometry performance of thermal infrared satellite sensors, *in* Sensors, Systems, and Next-Generation Satellites, London, UK, 21–25 September 1997, Proceedings of SPIE Vol. 3221: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 286–299, at <https://doi.org/10.1117/12.298095>.
- Schott, J.R., Gerace, A., Brown, S., Gartley, M., Montanaro, M., and Reuter, D.C., 2012, Simulation of image performance characteristics of the Landsat data continuity mission (LDCM) thermal infrared sensor (TIRS): Remote Sensing, v. 4, no. 8, p. 2477–2491, at <https://doi.org/10.3390/rs4082477>.
- Schott, J.R., Gerace, A., and Montanaro, M., 2012, Simulation of the performance and image quality characteristics of the Landsat OLI and TIRS sensors using DIRSIG, *in* Sensors, Systems, and Next-Generation Satellites XVI, Edinburgh, Scotland, UK, 24–27 September 2012, Proceedings of SPIE Vol. 8553: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 85330L at <https://doi.org/10.1117/12.971226>.

- Schott, J.R., Gerace, A., Raqueno, N., Ientilucci, E., Raqueno, R., and Lunsford, A.W., 2014, Chasing the TIRS ghosts—Calibrating the Landsat 8 Thermal bands, *in* Earth Observing Systems XIX, San Diego, Calif., 18–20 August 2014, Proceedings of SPIE Vol. 9218: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 92181a, at <https://doi.org/10.1117/12.2063236>.
- Schott, J.R., Gerace, A., Woodcock, C.E., Wang, S., Zhu, Z., Wynne, R.H., and Blinn, C.E., 2016, The impact of improved signal-to-noise ratios on algorithm performance—Case studies for Landsat class instruments: Remote Sensing of Environment, v. 185, p. 37–45, at <https://doi.org/10.1016/j.rse.2016.04.015>.
- Schott, J.R., Gerace, A.D., Brown, S.D., and Gartley, M.G., 2011, Modeling the image performance of the Landsat Data Continuity Mission sensors, *in* Earth Observing Systems XVI, San Diego, Calif., 23–25 August 2011, Proceedings of SPIE Vol. 8153: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 81530f, at <https://doi.org/10.1117/12.893675>.
- Schott, J.R., Hook, S.J., Barsi, J.A., Markham, B.L., Miller, J., Padula, F.P., and Raqueno, N.G., 2012, Thermal infrared radiometric calibration of the entire Landsat 4, 5, and 7 archive (1982-2010): Remote Sensing of Environment, v. 122, p. 41–49, at <https://doi.org/10.1016/j.rse.2011.07.022>.
- Schott, J.R., Raqueno, R.V., Raqueno, N.G., and Brown, S.D., 2010, A synthetic sensor/image simulation tool to support the Landsat Data Continuity Mission (LDCM), *in* Opportunities for Emerging Geospatial Technologies—American Society for Photogrammetry and Remote Sensing Annual Conference 2010, San Diego, Calif., 26–30 April 2010, Proceedings: Bethesda, Md., American Society for Photogrammetry and Remote Sensing, p. 843–854, at [https://www.academia.edu/66421528/A\\_Synthetic\\_Sensor\\_Image\\_Simulation\\_Tool\\_to\\_Support\\_the\\_Landsat\\_Data\\_Continuity\\_Mission\\_LDCM](https://www.academia.edu/66421528/A_Synthetic_Sensor_Image_Simulation_Tool_to_Support_the_Landsat_Data_Continuity_Mission_LDCM) .
- Schroeder, T.A., Cohen, W.B., Song, C., Canty, M.J., and Yang, Z., 2006, Radiometric correction of multi-temporal Landsat data for characterization of early successional forest patterns in western Oregon: Remote Sensing of Environment, v. 103, no. 1, p. 16–26, at <https://doi.org/10.1016/j.rse.2006.03.008>.
- Schroeder, T.A., Cohen, W.B., and Yang, Z., 2007, Patterns of forest regrowth following clearcutting in western Oregon as determined from a Landsat time-series: Forest Ecology and Management, v. 243, no. 2-3, p. 259–273, at <https://doi.org/10.1016/j.foreco.2007.03.019>.
- Schroeder, T.A., Gray, A., Harmon, M.E., Wallin, D.O., and Cohen, W.B., 2008, Estimating live forest carbon dynamics with a Landsat-based curve-fitting approach: Journal of Applied Remote Sensing, v. 2, no. 1, article 023519, at <https://doi.org/10.1117/1.2937821>.

- Schroeder, T.A., Healey, S.P., Moisen, G.G., Frescino, T.S., Cohen, W.B., Huang, C., Kennedy, R.E., and Yang, Z., 2014, Improving estimates of forest disturbance by combining observations from Landsat time series with U.S. Forest Service Forest Inventory and Analysis data: *Remote Sensing of Environment*, v. 154, no. 1, p. 61–73, at <https://doi.org/10.1016/j.rse.2014.08.005>.
- Schroeder, T.A., Schleeweis, K.G., Moisen, G.G., Toney, C., Cohen, W.B., Freeman, E.A., Yang, Z., and Huang, C., 2017, Testing a Landsat-based approach for mapping disturbance causality in U.S. forests: *Remote Sensing of Environment*, v. 195, p. 230–243, at <https://doi.org/10.1016/j.rse.2017.03.033>.
- Schroeder, T.A., Wulder, M.A., Healey, S.P., and Moisen, G.G., 2011, Mapping wildfire and clearcut harvest disturbances in boreal forests with Landsat time series data: *Remote Sensing of Environment*, v. 115, no. 6, p. 1421–1433, at <https://doi.org/10.1016/j.rse.2011.01.022>.
- Schroeder, T.A., Wulder, M.A., Healey, S.P., and Moisen, G.G., 2012, Detecting post-fire salvage logging from Landsat change maps and national fire survey data: *Remote Sensing of Environment*, v. 122, p. 166–174, at <https://doi.org/10.1016/j.rse.2011.10.031>.
- Schroeder, W., Csiszar, I., Giglio, L., Ellicott, E., and Justice, C.O., 2011, Satellite active fire product validation using high spatial resolution reference data, *in* Towards operational environmental monitoring, International Symposium on Remote Sensing of Environment—The GEOSS Era, 34<sup>th</sup>, Sydney, Australia, 10–15 April 2011, Proceedings: Tuscon, Ariz., International Center for Remote Sensing of Environment, p. 1–4, at <https://www.isprs.org/proceedings/2011/ISRSE-34/211104015Final00178.pdf>.
- Schug, F., Frantz, D., Wiedenhofer, D., Haberl, H., Virág, D., van der Linden, S., and Hostert, P., 2023, High-resolution mapping of 33 years of material stock and population growth in Germany using Earth observation data: *Journal of Industrial Ecology*, v. 27, no. 1, p. 110–124, at <https://doi.org/10.1111/jiec.13343>.
- Schug, F., Okujeni, A., Hauer, J., Hostert, P., Nielsen, J.Ø., and van der Linden, S., 2018, Mapping patterns of urban development in Ouagadougou, Burkina Faso, using machine learning regression modeling with bi-seasonal Landsat time series: *Remote Sensing of Environment*, v. 210, p. 217–228, at <https://doi.org/10.1016/j.rse.2018.03.022>.
- Schug, F., Pfoch, K.A., Pham, V.D., van der Linden, S., Okujeni, A., Frantz, D., and Radeloff, V.C., 2024, Land cover fraction mapping across global biomes with Landsat data, spatially generalized regression models and spectral-temporal metrics: *Remote Sensing of Environment*, v. 311, article 114260, at <https://doi.org/10.1016/j.rse.2024.114260>.

- Schug, F., Wiedenhofer, D., Haberl, H., Frantz, D., Virág, D., van der Linden, S., and Hostert, P., 2023, High-resolution data and maps of material stock, population, and employment in Austria from 1985 to 2018: Data in Brief, v. 47, article 108997, at <https://doi.org/10.1016/j.dib.2023.108997>.
- Schwieder, M., Leitão, P.J., da Cunha Bustamante, M.M., Ferreira, L.G., Rabe, A., and Hostert, P., 2016, Mapping Brazilian savanna vegetation gradients with Landsat time series: International Journal of Applied Earth Observation and Geoinformation, v. 52, p. 361–370, at <https://doi.org/10.1016/j.jag.2016.06.019>.
- Schwieder, M., Leitão, P.J., Pinto, J.R.R., Teixeira, A.M.C., Pedroni, F., Sanchez, M., Bustamante, M.M., and Hostert, P., 2018, Landsat phenological metrics and their relation to aboveground carbon in the Brazilian Savanna: Carbon Balance and Management, v. 13, no. 1, article 7, at <https://doi.org/10.1186/s13021-018-0097-1>.
- Schwieder, M., Wesemeyer, M., Frantz, D., Pfoch, K., Erasmi, S., Pickert, J., Nendel, C., and Hostert, P., 2021, Mapping grassland mowing events across Germany based on combined Sentinel-2 and Landsat 8 time series: Remote Sensing of Environment, v. 269, article 112795, at <https://doi.org/10.1016/j.rse.2021.112795>.
- Sedano, F., Kempeneers, P., Miguel, J.S., Strobl, P., and Vogt, P., 2012, Towards a pan-European burnt scar mapping methodology based on single date—Medium resolution optical remote sensing data: International Journal of Applied Earth Observation and Geoinformation, v. 20, no. 1, p. 52–59, at <https://doi.org/10.1016/j.jag.2011.08.003>.
- Seider, J.H., Lantz, T.C., Hermosilla, T., Wulder, M.A., and Wang, J.A., 2022, Biophysical determinants of shifting tundra vegetation productivity in the Beaufort Delta Region of Canada: Ecosystems, v. 25, p. 1435–1454, at <https://doi.org/10.1007/s10021-021-00725-6>.
- Semmens, K.A., Anderson, M.C., Kustas, W.P., Gao, F., Alfieri, J.G., McKee, L., Prueger, J.H., Hain, C.R., Cammalleri, C., et al., 2016, Monitoring daily evapotranspiration over two California vineyards using Landsat 8 in a multi-sensor data fusion approach: Remote Sensing of Environment, v. 185, p. 155–170, at <https://doi.org/10.1016/j.rse.2015.10.025>.
- Sen, S., Zipper, C.E., Wynne, R.H., and Donovan, P.F., 2012, Identifying revegetated mines as disturbance/recovery trajectories using an interannual Landsat chronosequence: Photogrammetric Engineering & Remote Sensing, v. 78, no. 3, p. 223–235, at <https://doi.org/10.14358/PERS.78.3.223>.
- Sen, S., Zipper, C.E., Wynne, R.H., Donovan, P.F., and Coulston, J.W., 2011, Using satellite imagery to characterize locations, ages and woody canopy cover of reclaimed surface mines in Appalachia, USA, in 28<sup>th</sup> Annual Meeting, ASMR 2011, Bismarck, N. Dak., 11–16 June 2011, Proceedings: Lexington, Ky., American Society of Mining and Reclamation, p. 567–590, at <https://www.asmr.us/Portals/0/Documents/Conference-Proceedings/2011/0567-Sen.pdf>.

- Senay, G.B., Friedrichs, M., Morton, C., Parrish, G.E.L., Schauer, M., Khand, K., Kagone, S., Boiko, O., and Huntington, J., 2022, Mapping actual evapotranspiration using Landsat for the conterminous United States—Google Earth Engine implementation and assessment of the SSEBop model: *Remote Sensing of Environment*, v. 275, article 113011, at <https://doi.org/10.1016/j.rse.2022.113011>.
- Senf, C., Campbell, E.M., Pflugmacher, D., Wulder, M.A., and Hostert, P., 2017, A multi-scale analysis of western spruce budworm outbreak dynamics: *Landscape Ecology*, v. 32, no. 3, p. 501–514, at <https://doi.org/10.1007/s10980-016-0460-0>.
- Senf, C., Leitão, P.J., Pflugmacher, D., van der Linden, S., and Hostert, P., 2015, Mapping land cover in complex Mediterranean landscapes using Landsat—Improved classification accuracies from integrating multi-seasonal and synthetic imagery: *Remote Sensing of Environment*, v. 156, p. 527–536, at <https://doi.org/10.1016/j.rse.2014.10.018>.
- Senf, C., Pflugmacher, D., Hostert, P., and Seidl, R., 2017, Using Landsat time series for characterizing forest disturbance dynamics in the coupled human and natural systems of Central Europe: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 130, p. 453–463, at <https://doi.org/10.1016/j.isprsjprs.2017.07.004>.
- Senf, C., Pflugmacher, D., Wulder, M.A., and Hostert, P., 2015, Characterizing spectral-temporal patterns of defoliator and bark beetle disturbances using Landsat time series: *Remote Sensing of Environment*, v. 170, p. 166–177, at <https://doi.org/10.1016/j.rse.2015.09.019>.
- Senf, C., Pflugmacher, D., Zhiqiang, Y., Sebal, J., Knorn, J., Neumann, M., Hostert, P., and Seidl, R., 2018, Canopy mortality has doubled in Europe's temperate forests over the last three decades: *Nature Communications*, v. 9, no. 1, article 4978, at <https://doi.org/10.1038/s41467-018-07539-6>.
- Senf, C., Wulder, M.A., Campbell, E.M., and Hostert, P., 2016, Using Landsat to assess the relationship between spatiotemporal patterns of western spruce budworm outbreaks and regional-scale weather variability: *Canadian Journal of Remote Sensing*, v. 42, no. 6, p. 706–718, at <https://doi.org/10.1080/07038992.2016.1220828>.
- Seto, K.C., Kaufmann, R.K., and Woodcock, C.E., 2000, Landsat reveals China's farmland reserves, but they're vanishing fast: *Nature*, v. 406, no. 6792, p. 121–121, at <https://doi.org/10.1038/35018267>.
- Seto, K.C., Woodcock, C.E., Song, C., Huang, X., Lu, J., and Kaufmann, R.K., 2002, Monitoring land-use change in the Pearl River Delta using Landsat TM: *International Journal of Remote Sensing*, v. 23, no. 10, p. 1985–2004, at <https://doi.org/10.1080/01431160110075532>.
- Shah, C.A., Sheng, Y., and Smith, L.C., 2008, Automated image registration based on pseudoinvariant metrics of dynamic land-surface features: *IEEE Transactions on Geoscience and Remote Sensing*, v. 46, no. 11, p. 3908–3916, at <https://doi.org/10.1109/TGRS.2008.2000636>.

- Shang, C., Coops, N.C., Wulder, M.A., White, J.C., and Hermosilla, T., 2020, Update and spatial extension of strategic forest inventories using time series remote sensing and modeling: *International Journal of Applied Earth Observation and Geoinformation*, v. 84, article 101956, at <https://doi.org/10.1016/j.jag.2019.101956>.
- Shang, C., Wulder, M.A., Coops, N.C., White, J.C., and Hermosilla, T., 2020, Spatially-explicit prediction of wildfire burn probability using remotely-sensed and ancillary data: *Canadian Journal of Remote Sensing*, v. 46, no. 3, p. 313–329, at <https://doi.org/10.1080/07038992.2020.1788385>.
- Shang, R., and Zhu, Z., 2019, Harmonizing Landsat 8 and Sentinel-2—A time-series-based reflectance adjustment approach: *Remote Sensing of Environment*, v. 235, article 111439, at <https://doi.org/10.1016/j.rse.2019.111439>.
- Shang, R., Zhu, Z., Zhang, J., Qiu, S., Yang, Z., Li, T., and Yang, X., 2022, Near-real-time monitoring of land disturbance with harmonized Landsats 7–8 and Sentinel-2 data: *Remote Sensing of Environment*, v. 278, article 113073, at <https://doi.org/10.1016/j.rse.2022.113073>.
- Sharma, S., Dhakal, K., Wagle, P., and Kilic, A., 2020, Retrospective tillage differentiation using the Landsat-5 TM archive with discriminant analysis: *Agrosystems, Geosciences and Environment*, v. 3, no. 1, article e20000, at <https://doi.org/10.1002/agg2.20000>.
- Sharma, V., Irmak, S., Kilic, A., Sharma, V., Gilley, J.E., Meyer, G.E., Knezevic, S.Z., and Marx, D., 2016, Quantification and mapping of surface residue cover for maize and soybean fields in south central Nebraska: *Transactions of the ASABE*, v. 59, no. 3, p. 925–939, at <https://doi.org/10.13031/trans.59.11489>.
- Sharma, V., Kilic, A., and Irmak, S., 2016, Impact of scale/resolution on evapotranspiration from Landsat and MODIS images: *Water Resources Research*, v. 52, no. 3, p. 1800–1819, at <https://doi.org/10.1002/2015WR017772>.
- Shchur, A., Bragina, E., Sieber, A., Pidgeon, A.M., and Radloff, V.C., 2017, Monitoring selective logging with Landsat satellite imagery reveals that protected forests in Western Siberia experience greater harvest than non-protected forests: *Environmental Conservation*, v. 44, no. 2, p. 191–199, at <https://doi.org/10.1017/S0376892916000576>.
- Shen, Y., Zhang, X., Wang, W., Nemani, R., Ye, Y., and Wang, J., 2021, Fusing geostationary satellite observations with harmonized Landsat-8 and Sentinel-2 time series for monitoring field-scale land surface phenology: *Remote Sensing*, v. 13, no. 21, article 4465, at <https://doi.org/10.3390/rs13214465>.
- Shen, Z., Li, J., Sheng, Y., Warner, T.A., and Zhao, L., 2019, A multitemporal remote sensing image registration method based on water bodies for the lake-rich region: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 12, no. 11, p. 4327–4341, at <https://doi.org/10.1109/JSTARS.2019.2950686>.

- Sheng, Y., Song, C., Wang, J., Lyons, E.A., Knox, B.R., Cox, J.S., and Gao, F., 2016, Representative lake water extent mapping at continental scales using multi-temporal Landsat-8 imagery: *Remote Sensing of Environment*, v. 185, p. 129–141, at <https://doi.org/10.1016/j.rse.2015.12.041>.
- Shrestha, M., Hasan, M.N., Leigh, L., and Helder, D., 2019, Extended pseudo invariant calibration sites (EPICS) for the cross-calibration of optical satellite sensors: *Remote Sensing*, v. 11, no. 14, article 1676, at <https://doi.org/10.3390/rs11141676>.
- Shrestha, M., Mann, J., Maddox, E., Robbins, T., Irwin, J., Kropuenske, T., and Helder, D., 2023, Implementing a dual-spectrometer approach for improved surface reflectance estimation: *Remote Sensing*, v. 15, no. 23, article 5451, at <https://doi.org/10.3390/rs15235451>.
- Shuai, Y., Masek, J.G., Gao, F., and Schaaf, C.B., 2011, An algorithm for the retrieval of 30-m snow-free albedo from Landsat surface reflectance and MODIS BRDF: *Remote Sensing of Environment*, v. 115, no. 9, p. 2204–2216, at <https://doi.org/10.1016/j.rse.2011.04.019>.
- Shuai, Y., Masek, J.G., Gao, F., Schaaf, C.B., and He, T., 2014, An approach for the long-term 30-m land surface snow-free albedo retrieval from historic Landsat surface reflectance and MODIS-based a priori anisotropy knowledge: *Remote Sensing of Environment*, v. 152, p. 467–479, at <https://doi.org/10.1016/j.rse.2014.07.009>.
- Shuman, C., Scambos, T.A., and Berthier, E., 2016, Ice loss processes in the Seal Nunataks ice shelf region from satellite altimetry and imagery: *Annals of Glaciology*, v. 57, no. 73, p. 94–104, at <https://doi.org/10.1017/aog.2016.29>.
- Shuman, I.N.C., Serbin, S.P., Erb, A.M., Schaaf, C.B., and Yang, D., 2025, Fine-scale vegetation composition and structure shape spatiotemporal variation in surface albedo across a low Arctic tundra landscape: *Environmental Research—Ecology*, v. 4, no. 4, article 045001, at <https://doi.org/10.1088/2752-664X/ae04ef>.
- Sica, Y.V., Quintana, R.D., Radloff, V.C., and Gavier-Pizarro, G.I., 2016, Wetland loss due to land use change in the Lower Paraná River Delta, Argentina: *Science of the Total Environment*, v. 568, p. 967–978, at <https://doi.org/10.1016/j.scitotenv.2016.04.200>.
- Sieber, A., Kuemmerle, T., Prishchepov, A.V., Wendland, K.J., Baumann, M., Radloff, V.C., Baskin, L.M., and Hostert, P., 2013, Landsat-based mapping of post-Soviet land-use change to assess the effectiveness of the Oksky and Mordovsky protected areas in European Russia: *Remote Sensing of Environment*, v. 133, p. 38–51, at <https://doi.org/10.1016/j.rse.2013.01.021>.
- Silveira, E., Anand, A., Pidgeon, A.M., Wood, E., Buron, R.E., Bar-Massada, A., Farwell, L., Zuckerberg, B., and Radloff, V.C., 2025, Scalogram habitat measures as predictors of bird abundance: *Ecography*, v. 2025, no. 9, article e07389, at <https://doi.org/10.1002/ecog.07389>.

- Silveira, E.M.O., Bueno, I.T., Acerbi-Junior, F.W., Mello, J.M., Scolforo, J.R.S., and Wulder, M.A., 2018, Using spatial features to reduce the impact of seasonality for detecting tropical forest changes from Landsat time series: *Remote Sensing*, v. 10, no. 6, article 808, at <https://doi.org/10.3390/rs10060808>.
- Silveira, E.M.O., Espírito Santo, F.D., Wulder, M.A., Acerbi Júnior, F.W., Carvalho, M.C., Mello, C.R., Mello, J.M., Shimabukuro, Y.E., Terra, M.C.N.S., et al., 2019, Pre-stratified modelling plus residuals kriging reduces the uncertainty of aboveground biomass estimation and spatial distribution in heterogeneous savannas and forest environments: *Forest Ecology and Management*, v. 445, p. 96–109, at <https://doi.org/10.1016/j.foreco.2019.05.016>.
- Silveira, E.M.O., Pidgeon, A.M., Farwell, L.S., Hobi, M.L., Razenkova, E., Zuckerberg, B., Coops, N.C., and Radeloff, V.C., 2023, Multi-grain habitat models that combine satellite sensors with different resolutions explain bird species richness patterns best: *Remote Sensing of Environment*, v. 295, article 113661, at <https://doi.org/10.1016/j.rse.2023.113661>.
- Silveira, E.M.O., Radeloff, V.C., Martínez Pastur, G.J., Martinuzzi, S., Politi, N., Lizarraga, L., Rivera, L.O., Gavier-Pizarro, G.I., Yin, H., et al., 2022, Forest phenoclusters for Argentina based on vegetation phenology and climate: *Ecological Applications*, v. 32, no. 3, article e2526, at <https://doi.org/10.1002/eap.2526>.
- Silveira, E.M.O., Radeloff, V.C., Martinuzzi, S., Martínez Pastur, G.J., Rivera, L.O., Politi, N., Lizarraga, L., Farwell, L.S., Elsen, P.R., et al., 2021, Spatio-temporal remotely sensed indices identify hotspots of biodiversity conservation concern: *Remote Sensing of Environment*, v. 258, article 112368, at <https://doi.org/10.1016/j.rse.2021.112368>.
- Silveira, E.M.O., Silva, S.H.G., Acerbi-Junior, F.W., Carvalho, M.C., Carvalho, L.M.T., Scolforo, J.R.S., and Wulder, M.A., 2019, Object-based random forest modelling of aboveground forest biomass outperforms a pixel-based approach in a heterogeneous and mountain tropical environment: *International Journal of Applied Earth Observation and Geoinformation*, v. 78, p. 175–188, at <https://doi.org/10.1016/j.jag.2019.02.004>.
- Simpson, C.E., Arp, C.D., Sheng, Y., Carroll, M.L., Jones, B.M., and Smith, L.C., 2021, Landsat-derived bathymetry of lakes on the Arctic Coastal Plain of northern Alaska: *Earth System Science Data*, v. 13, no. 3, p. 1135–1150, at <https://doi.org/10.5194/essd-13-1135-2021>.
- Sixsmith, J., Oliver, S., and Lymburner, L., 2013, A hybrid approach to automated Landsat pixel quality, *in* 2013 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Melbourne, Australia, 21–26 July 2013, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 4146–4149, at <https://doi.org/10.1109/IGARSS.2013.6723746>.

- Skakun, R., Franklin, S.E., Wulder, M.A., and Carroll, A., 2002, Aerial, GIS, and field data calibration of a Landsat ETM+ mountain pine beetle detection procedure in British Columbia, Canada, *in* 2002 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toronto, Canada, 24–28 June 2002, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2887–2889, at <https://doi.org/10.1109/IGARSS.2002.1026811>.
- Skakun, R.S., Wulder, M.A., and Franklin, S.E., 2003, Sensitivity of the Thematic Mapper enhanced wetness difference index to detect mountain pine beetle red-attack damage: *Remote Sensing of Environment*, v. 86, no. 4, p. 433–443, at [https://doi.org/10.1016/S0034-4257\(03\)00112-3](https://doi.org/10.1016/S0034-4257(03)00112-3).
- Skakun, S., Franch, B., Vermote, E., Roger, J.C., Justice, C.O., Masek, J., and Murphy, E., 2018, Winter wheat yield assessment using Landsat 8 and Sentinel-2 data, *in* 2018 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Valencia, Spain, 22–27 July 2018, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 5964–5967, at <https://doi.org/10.1109/IGARSS.2018.8519134>.
- Skakun, S., Franch, B., Vermote, E., Roger, J.C., Kussul, N., and Masek, J., 2019, The use of Landsat 8 and Sentinel-2 data and meteorological observations for winter wheat yield assessment, *in* 2019 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Yokohama, Japan, 28 July–2 August 2019, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 6291–6294, at <https://doi.org/10.1109/IGARSS.2019.8898245>.
- Skakun, S., Justice, C.O., Kussul, N., Shelestov, A., and Lavreniuk, M., 2019, Satellite data reveal cropland losses in south-eastern Ukraine under military conflict: *Frontiers in Earth Science*, v. 7, article 305, at <https://doi.org/10.3389/feart.2019.00305>.
- Skakun, S., Kalecinski, N.I., Brown, M.G.L., Johnson, D.M., Vermote, E.F., Roger, J.C., and Franch, B., 2021, Assessing within-field corn and soybean yield variability from WorldView-3, Planet, Sentinel-2, and Landsat 8 satellite imagery: *Remote Sensing*, v. 13, no. 5, article 872, at <https://doi.org/10.3390/rs13050872>.
- Skakun, S., Roger, J.C., Vermote, E.F., Justice, C.O., and Masek, J.G., 2017, Automatic co-registration of multi-temporal Landsat-8/OLI and sentinel-2A/MSI images, *in* 2017 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Fort Worth, Tex., 23–28 July 2017, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 5272–5274, at <https://doi.org/10.1109/IGARSS.2017.8128191>.
- Skakun, S., Roger, J.C., Vermote, E.F.F., Masek, J.G.G., and Justice, C.O.O., 2017, Automatic sub-pixel co-registration of Landsat-8 Operational Land Imager and Sentinel-2A Multi-Spectral Instrument images using phase correlation and machine learning based mapping: *International Journal of Digital Earth*, v. 10, p. 1253–1269, at <https://doi.org/10.1080/17538947.2017.1304586>.

- Skakun, S., Vermote, E., Franch, B., Roger, J.C., Kussul, N., Ju, J., and Masek, J., 2019, Winter wheat yield assessment from Landsat 8 and Sentinel-2 data—Incorporating surface reflectance, through phenological fitting, into regression yield models: *Remote Sensing*, v. 11, no. 15, article 1768, at <https://doi.org/10.3390/rs11151768>.
- Skakun, S., Vermote, E.F., Artigas, A.E.S., Rountree, W.H., and Roger, J.C., 2021, An experimental sky-image-derived cloud validation dataset for Sentinel-2 and Landsat 8 satellites over NASA GSFC: *International Journal of Applied Earth Observation and Geoinformation*, v. 95, article 102253, at <https://doi.org/10.1016/j.jag.2020.102253>.
- Skakun, S., Vermote, E.F., Roger, J.C., Justice, C.O., and Masek, J.G., 2019, Validation of the LaSRC cloud detection algorithm for Landsat 8 images: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 12, no. 7, p. 2439–2446, at <https://doi.org/10.1109/JSTARS.2019.2894553>.
- Skakun, S., Wevers, J., Brockmann, C., Doxani, G., Aleksandrov, M., Batič, M., Frantz, D., Gascon, F., Gómez-Chova, L., et al., 2022, Cloud Mask Intercomparison eXercise (CMIX)—An evaluation of cloud masking algorithms for Landsat 8 and Sentinel-2: *Remote Sensing of Environment*, v. 274, article 112990, at <https://doi.org/10.1016/j.rse.2022.112990>.
- Skole, D.L., 2004, Geography as a great intellectual melting pot and the preeminent interdisciplinary environmental discipline: *Annals of the American Association of Geographers*, v. 94, no. 4, p. 739–743, at <https://doi.org/10.1111/j.1467-8306.2004.00429.x>.
- Sleeter, B.M., Liu, J., Daniel, C., Rayfield, B., Sherba, J., Hawbaker, T.J., Zhu, Z., Selmants, P.C., and Loveland, T.R., 2018, Effects of contemporary land-use and land-cover change on the carbon balance of terrestrial ecosystems in the United States: *Environmental Research Letters*, v. 13, no. 4, article 045006, at <https://doi.org/10.1088/1748-9326/aab540>.
- Sleeter, B.M., Sohl, T.L., Loveland, T.R., Auch, R.F., Acevedo, W., Drummond, M.A., Saylor, K.L., and Stehman, S.V., 2013, Land-cover change in the conterminous United States from 1973 to 2000: *Global Environmental Change*, v. 23, no. 4, p. 733–748, at <https://doi.org/10.1016/j.gloenvcha.2013.03.006>.
- Smith, B., Pahlevan, N., Schalles, J., Ruberg, S., Errera, R., Ma, R., Giardino, C., Bresciani, M., Faria, C., et al., 2020, A chlorophyll-a algorithm for Landsat-8 based on mixture density networks: *Frontiers in Remote Sensing*, v. 1, article 623678, at <https://doi.org/10.3389/frsen.2020.623678>.
- Snyder, K.A., Huntington, J.L., Wehan, B.L., Morton, C.G., and Stringham, T.K., 2019, Comparison of Landsat and land-based phenology camera Normalized Difference Vegetation Index (NDVI) for dominant plant communities in the Great Basin: *Sensors*, v. 19, no. 5, article 1139, at <https://doi.org/10.3390/s19051139>.

- Sohl, T.L., and Dwyer, J.L., 1998, North american landscape characterization project—The production of a continental scale three-decade Landsat data set: *Geocarto International*, v. 13, no. 3, p. 43–51, at <https://doi.org/10.1080/10106049809354651>.
- Sohl, T.L., Loveland, T.R., Saylor, K.L., Gallant, A.L., Auch, R., and Napton, D., 2000, The Land Cover Trends Project—A strategy for monitoring land cover change at a national scale, *in* 2000 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Honolulu, Hawaii, 24–28 July 2000, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2002–2004, at <https://doi.org/10.1109/IGARSS.2000.858245>.
- Song, C., Schroeder, T.A., and Cohen, W.B., 2007, Predicting temperate conifer forest successional stage distributions with multitemporal Landsat Thematic Mapper imagery: *Remote Sensing of Environment*, v. 106, no. 2, p. 228–237, at <https://doi.org/10.1016/j.rse.2006.08.008>.
- Song, C., and Sheng, Y., 2016, Contrasting evolution patterns between glacier-fed and non-glacier-fed lakes in the Tanggula Mountains and climate cause analysis: *Climatic Change*, v. 135, no. 3, p. 493–507, at <https://doi.org/10.1007/s10584-015-1578-9>.
- Song, C., Sheng, Y., Ke, L., Nie, Y., and Wang, J., 2016, Glacial lake evolution in the southeastern Tibetan Plateau and the cause of rapid expansion of proglacial lakes linked to glacial-hydrogeomorphic processes: *Journal of Hydrology*, v. 540, p. 504–514, at <https://doi.org/10.1016/j.jhydrol.2016.06.054>.
- Song, C., and Woodcock, C.E., 2003, Monitoring forest succession with multitemporal Landsat images—Factors of uncertainty: *IEEE Transactions on Geoscience and Remote Sensing*, v. 41, no. 11 pt. 1, p. 2557–2567, at <https://doi.org/10.1109/TGRS.2003.818367>.
- Song, C., Woodcock, C.E., and Li, X., 2001, Manifestation of forest succession in optical imagery, *in* 2001 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Sydney, Australia, 9–13 July 2001, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2230–2232, at <https://doi.org/10.1109/IGARSS.2001.977958>.
- Song, C., Woodcock, C.E., and Li, X., 2002, The spectral/temporal manifestation of forest succession in optical imagery—The potential of multitemporal imagery: *Remote Sensing of Environment*, v. 82, no. 2–3, p. 285–302, at [https://doi.org/10.1016/S0034-4257\(02\)00046-9](https://doi.org/10.1016/S0034-4257(02)00046-9).
- Song, C., Woodcock, C.E., Seto, K.C., Lenney, M.P., and Macomber, S.A., 2001, Classification and change detection using Landsat TM data—When and how to correct atmospheric effects?: *Remote Sensing of Environment*, v. 75, no. 2, p. 230–244, at [https://doi.org/10.1016/S0034-4257\(00\)00169-3](https://doi.org/10.1016/S0034-4257(00)00169-3).
- Song, K., Zhu, Z., Qiu, S., Olofsson, P., Neigh, C.S.R., Ju, J., and Zhou, Q., 2025, TIF—A time-series-based image fusion algorithm: *Remote Sensing of Environment*, v. 331, article 115035, at <https://doi.org/10.1016/j.rse.2025.115035>.

- Song, X.P., Huang, C., Saatchi, S.S., Hansen, M.C., and Townshend, J.R., 2015, Annual carbon emissions from deforestation in the Amazon basin between 2000 and 2010: PLoS ONE, v. 10, no. 5, article e0126754, at <https://doi.org/10.1371/journal.pone.0126754>.
- Song, X.P., Huang, W., Hansen, M.C., and Potapov, P., 2021, An evaluation of Landsat, Sentinel-2, Sentinel-1 and MODIS data for crop type mapping: Science of Remote Sensing, v. 3, article 100018, at <https://doi.org/10.1016/j.srs.2021.100018>.
- Song, X.P., Li, H., Potapov, P., and Hansen, M.C., 2022, Annual 30 m soybean yield mapping in Brazil using long-term satellite observations, climate data and machine learning: Agricultural and Forest Meteorology, v. 326, article 109186, at <https://doi.org/10.1016/j.agrformet.2022.109186>.
- Song, X.P., Potapov, P.V., Krylov, A., King, L., Di Bella, C.M., Hudson, A., Khan, A., Adusei, B., Stehman, S.V., et al., 2017, National-scale soybean mapping and area estimation in the United States using medium resolution satellite imagery and field survey: Remote Sensing of Environment, v. 190, p. 383–395, at <https://doi.org/10.1016/j.rse.2017.01.008>.
- Sonnenschein, R., Kuemmerle, T., Udelhoven, T., Stellmes, M., and Hostert, P., 2011, Differences in Landsat-based trend analyses in drylands due to the choice of vegetation estimate: Remote Sensing of Environment, v. 115, no. 6, p. 1408–1420, at <https://doi.org/10.1016/j.rse.2011.01.021>.
- Soulard, C.E., Acevedo, W., Cohen, W.B., Yang, Z., Stehman, S.V., and Taylor, J.L., 2017, Harmonization of forest disturbance datasets of the conterminous USA from 1986 to 2011: Environmental Monitoring and Assessment, v. 189, no. 4, article 170, at <https://doi.org/10.1007/s10661-017-5879-5>.
- Soverel, N.O., Coops, N.C., White, J.C., and Wulder, M.A., 2010, Characterizing the forest fragmentation of Canada's national parks: Environmental Monitoring and Assessment, v. 164, no. 1-4, p. 481–499, at <https://doi.org/10.1007/s10661-009-0908-7>.
- Srivastava, A.N., Nemani, R., and Steinhäuser, K., 2017, Introduction, *in* Large-scale machine learning in the Earth sciences: New York, N.Y., Chapman and Hall/CRC, p. xv–xviii, at <https://doi.org/10.4324/9781315371740>.
- Srivastava, A.N., Nemani, R.R., and Steinhäuser, K., 2017, Large-scale machine learning in the Earth sciences: New York, N.Y., Chapman and Hall/CRC, 226 p., at <https://doi.org/10.4324/9781315371740>.
- St-Louis, V., Pidgeon, A.M., Clayton, M.K., Locke, B.A., Bash, D., and Radeloff, V.C., 2009, Satellite image texture and a vegetation index predict avian biodiversity in the Chihuahuan Desert of New Mexico: Ecography, v. 32, no. 3, p. 468–480, at <https://doi.org/10.1111/j.1600-0587.2008.05512.x>.

- St-Louis, V., Pidgeon, A.M., Kuemmerle, T., Sonnenschein, R., Radeloff, V.C., Clayton, M.K., Locke, B.A., Bash, D., and Hostert, P., 2014, Modelling avian biodiversity using raw, unclassified satellite imagery: *Philosophical Transactions of the Royal Society B—Biological Sciences*, v. 369, no. 1643, p. 1471–2970, at <https://doi.org/10.1098/rstb.2013.0197>.
- Stanimirova, R., Tarrío, K., Turlej, K., McAvoy, K., Stonebrook, S., Hu, K.T., Arévalo, P., Bullock, E.L., Zhang, Y., et al., 2023, A global land cover training dataset from 1984 to 2020: *Scientific Data*, v. 10, no. 1, article 879, at <https://doi.org/10.1038/s41597-023-02798-5>.
- Stehman, S.V., Hansen, M.C., Broich, M., and Potapov, P.V., 2011, Adapting a global stratified random sample for regional estimation of forest cover change derived from satellite imagery: *Remote Sensing of Environment*, v. 115, no. 2, p. 650–658, at <https://doi.org/10.1016/j.rse.2010.10.009>.
- Stehman, S.V., Sohl, T.L., and Loveland, T.R., 2003, Statistical sampling to characterize recent United States land-cover change: *Remote Sensing of Environment*, v. 86, no. 4, p. 517–529, at [https://doi.org/10.1016/S0034-4257\(03\)00129-9](https://doi.org/10.1016/S0034-4257(03)00129-9).
- Stern, A.J., Daughtry, C.S.T., Hunt, E.R., Jr., and Gao, F., 2023, Comparison of five spectral indices and six imagery classification techniques for assessment of crop residue cover using four years of Landsat imagery: *Remote Sensing*, v. 15, no. 18, article 4596, at <https://doi.org/10.3390/rs15184596>.
- Stewart, B.P., Nelson, T.A., Wulder, M.A., Nielsen, S.E., and Stenhouse, G., 2012, Impact of disturbance characteristics and age on grizzly bear habitat selection: *Applied Geography*, v. 34, p. 614–625, at <https://doi.org/10.1016/j.apgeog.2012.03.001>.
- Stewart, B.P., Wulder, M.A., McDermid, G.J., and Nelson, T., 2009, Disturbance capture and attribution through the integration of Landsat and IRS-1C imagery: *Canadian Journal of Remote Sensing*, v. 35, no. 6, p. 523–533, at <https://doi.org/10.5589/m10-006>.
- Steyaert, L.T., Hall, F.G., and Loveland, T.R., 1997, Land cover mapping, fire regeneration, and scaling studies in the Canadian boreal forest with 1 km AVHRR and Landsat TM data: *Journal of Geophysical Research Atmospheres*, v. 102, no. 24, p. 29581–29598, at <https://doi.org/10.1029/97JD01220>.
- Steyaert, L.T., Loveland, T.R., and Parton, W.J., 1997, Land cover characterization and land surface parameterization research: *Ecological Applications*, v. 7, no. 1, p. 1–2, at [https://doi.org/10.1890/1051-0761\(1997\)007\[0001:LCCALS\]2.0.CO;2](https://doi.org/10.1890/1051-0761(1997)007[0001:LCCALS]2.0.CO;2).
- Stibig, H.J., Belward, A.S., Roy, P.S., Rosalina-Wasrin, U., Agrawal, S., Joshi, P.K., Hildanus, Beuchle, R., Fritz, S., et al., 2007, A land-cover map for South and Southeast Asia derived from SPOT-VEGETATION data: *Journal of Biogeography*, v. 34, no. 4, p. 625–637, at <https://doi.org/10.1111/j.1365-2699.2006.01637.x>.

- Storey, J., Roy, D.P., Masek, J.G., Gascon, F., Dwyer, J.L., and Choate, M., 2016, A note on the temporary misregistration of Landsat-8 Operational Land Imager (OLI) and Sentinel-2 Multi Spectral Instrument (MSI) imagery: Remote Sensing of Environment, v. 186, p. 121–122, at <https://doi.org/10.1016/j.rse.2016.08.025>.
- Strickland, G.E.I., Luther, J.E., White, J.C., and Wulder, M.A., 2020, Extending estimates of tree and tree species presence-absence through space and time using Landsat composites: Canadian Journal of Remote Sensing, v. 46, no. 5, p. 567–584, at <https://doi.org/10.1080/07038992.2020.1811083>.
- Stueve, K.M., Hobie Perry, C.H., Nelson, M.D., Healey, S.P., Hill, A.D., Moisen, G.G., Cohen, W.B., Gormanson, D.D., and Huang, C., 2011, Ecological importance of intermediate windstorms rivals large, infrequent disturbances in the northern Great Lakes: Ecosphere, v. 2, no. 1, article 2, at <https://doi.org/10.1890/ES10-00062.1>.
- Stueve, K.M., Housman, I.W., Zimmerman, P.L., Nelson, M.D., Webb, J.B., Perry, C.H., Chastain, R.A., Gormanson, D.D., Huang, C., et al., 2011, Snow-covered Landsat time series stacks improve automated disturbance mapping accuracy in forested landscapes: Remote Sensing of Environment, v. 115, no. 12, p. 3203–3219, at <https://doi.org/10.1016/j.rse.2011.07.005>.
- Sueki, S., Acharya, K., Huntington, J.L., Liebert, R., Healey, J., Jasoni, R., and Young, M., 2015, Defoliation effects of *Diorhabda carinulata* on tamarisk evapotranspiration and groundwater levels: Ecohydrology, v. 8, no. 8, p. 1560–1571, at <https://doi.org/10.1002/eco.1604>.
- Suess, S., van der Linden, S., Okujeni, A., Griffiths, P., Leitão, P.J., Schwieder, M., and Hostert, P., 2018, Characterizing 32 years of shrub cover dynamics in southern Portugal using annual Landsat composites and machine learning regression modeling: Remote Sensing of Environment, v. 219, p. 353–364, at <https://doi.org/10.1016/j.rse.2018.10.004>.
- Sulla-Menashe, D., Friedl, M.A., and Woodcock, C.E., 2016, Sources of bias and variability in long-term Landsat time series over Canadian boreal forests: Remote Sensing of Environment, v. 177, p. 206–219, at <https://doi.org/10.1016/j.rse.2016.02.041>.
- Sulla-Menashe, D., Kennedy, R.E., Yang, Z., Braaten, J., Krankina, O.N., and Friedl, M.A., 2014, Detecting forest disturbance in the Pacific Northwest from MODIS time series using temporal segmentation: Remote Sensing of Environment, v. 151, p. 114–123, at <https://doi.org/10.1016/j.rse.2013.07.042>.
- Sulla-Menashe, D., Woodcock, C.E., and Friedl, M.A., 2018, Canadian boreal forest greening and browning trends—An analysis of biogeographic patterns and the relative roles of disturbance versus climate drivers: Environmental Research Letters, v. 13, no. 1, article 014007, at <https://doi.org/10.1088/1748-9326/aa9b88>.

- Sun, G., Hall, F., Ni, W., Fang, K., Masek, J.G., Fatoyinbo, T., Peddle, D., and Hilker, T., 2014, Forest parameters estimation from SAR and Landsat data using look-up table inversion, *in* Joint 2014 IEEE International Geoscience and Remote Sensing Symposium (IGARSS) and the 35<sup>th</sup> Canadian Symposium on Remote Sensing (CSRS 2014), Quebec City, Canada, 13–18 July 2014, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 65–68, at <https://doi.org/10.1109/IGARSS.2014.6946356>.
- Sun, G., Ni, W., Hall, F., Masek, J.G., Fatoyinbo, T., and Peddle, D., 2013, Retrieval of forest biophysical parameters using physically-based algorithms, *in* 2013 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Melbourne, Australia, 21–26 July 2013, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2621–2624, at <https://doi.org/10.1109/IGARSS.2013.6723360>.
- Sun, G., Rocchio, L., Masek, J.G., Williams, D.L., and Ranson, K.J., 2002, Characterization of forest recovery from fire using Landsat and SAR data, *in* 2002 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toronto, Canada, 24–28 June 2002, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1076–1078, at <https://doi.org/10.1109/IGARSS.2002.1025780>.
- Sun, G., Williams, D.L., Zhan, X., Li, Z., Masek, J.G., Ranson, K.J., and Rocchio, L., 2001, Monitoring forest dynamics using multi-sensor data in Northeastern China, *in* 2001 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Sydney, Australia, 9–13 July 2001, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 768–770, at <https://doi.org/10.1109/IGARSS.2001.976630>.
- Sun, L., Anderson, M.C., Gao, F., Hain, C., Alfieri, J.G., Sharifi, A., McCarty, G.W., Yang, Y., Yang, Y., et al., 2017, Investigating water use over the Choptank River Watershed using a multisatellite data fusion approach: *Water Resources Research*, v. 53, no. 7, p. 5298–5319, at <https://doi.org/10.1002/2017WR020700>.
- Sun, L., Gao, F., Anderson, M.C., Dulaney, W., McKee, L., White, A., Kustas, B., Alfieri, J., and Prueger, J., 2016, Daily mapping of Landsat-like LAI and correlation to grape yield, *in* 2016 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Beijing, China, 10–15 July 2016, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 7157–7160, at <https://doi.org/10.1109/IGARSS.2016.7730867>.
- Sun, L., Gao, F., Anderson, M.C., Kustas, W.P., Alsina, M.M., Sanchez, L., Sams, B., McKee, L., Dulaney, W., et al., 2017, Daily mapping of 30 m LAI and NDVI for grape yield prediction in California vineyards: *Remote Sensing*, v. 9, no. 4, article 317, at <https://doi.org/10.3390/rs9040317>.
- Sun, L., Gao, F., Xie, D., Anderson, M., Chen, R., Yang, Y., Yang, Y., and Chen, Z., 2021, Reconstructing daily 30 m NDVI over complex agricultural landscapes using a crop reference curve approach: *Remote Sensing of Environment*, v. 253, article 112156, at <https://doi.org/10.1016/j.rse.2020.112156>.

- Szwarcman, D., Roy, S., Fraccaro, P., Gislason, T.E., Blumenstiel, B., Ghosal, R., de Oliveira, P.H., de Sousa Almeida, J.L., Sedona, R., et al., 2026, Prithvi-EO-2.0—A versatile multitemporal foundation model for Earth observation applications: IEEE Transactions on Geoscience and Remote Sensing, v. 64, article 4400120, at <https://doi.org/10.1109/TGRS.2025.3642610>.
- Tahersima, M.H., Thome, K., Wenny, B.N., Anderson, N., and Czapla-Myers, J., 2023, Radiance-based and reflectance-based retrievals of surface reflectance for vicarious calibration, *in* Earth Observing Systems XXVIII, San Diego, Calif., 22–24 August 2023, Proceedings of SPIE Vol. 12685: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 1268514, at <https://doi.org/10.1117/12.2676913>.
- Tahersima, M.H., Thome, K., Wenny, B.N., Voskanian, N., and Yarahmadi, M., 2023, Intercomparison of Landsat OLI and JPSS VIIRS using a combination of RadCalNet sites as a common reference: Remote Sensing, v. 15, no. 23, article 5562, at <https://doi.org/10.3390/rs15235562>.
- Tahersima, M.H., Wenny, B.N., Voskanian, N., and Thome, K., 2022, Intercomparison of Landsat and Joint Polar Satellite System using radiometric calibration network, *in* Earth Observing Systems XXVII 2022, San Diego, Calif., 21–26 August 2022, Proceedings of SPIE Vol. 12232: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 1223218, at <https://doi.org/10.1117/12.2632818>.
- Tan, B., Masek, J.G., Wolfe, R., Gao, F., Huang, C., Vermote, E.F., Sexton, J.O., and Ederer, G., 2013, Improved forest change detection with terrain illumination corrected Landsat images: Remote Sensing of Environment, v. 136, p. 469–483, at <https://doi.org/10.1016/j.rse.2013.05.013>.
- Tan, B., Wolfe, R., Masek, J.G., Gao, F., and Vermote, E.F., 2010, An illumination correction algorithm on Landsat-TM data, *in* 2010 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Honolulu, Hawaii, 25–30 July 2010, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1964–1967, at <https://doi.org/10.1109/IGARSS.2010.5653492>.
- Tan, P., Lymburner, L., and Mueller, N., 2013, A novel image based end-member extraction technique to map green, non-photosynthetic and bare soil fractions using Landsat data, *in* International Congress on Modelling and Simulation, 20<sup>th</sup>, Adapting to change—The multiple roles of modelling, MODSIM 2013 - Held jointly with the 22<sup>nd</sup> National Conference of the Australian Society for Operations Research, ASOR 2013 and the DSTO led Defence Operations Research Symposium, DORS 2013, Adelaide, Australia, 1–6 December 2013, Proceedings: Melbourne, Australia, Australian Mathematical Sciences Institute, p. 401–407, at <https://doi.org/10.36334/modsim.2013.A9.tan>.

- Tan, P., Lyburner, L., Thankappan, M., and Lewis, A., 2011, Mapping cropping practices using MODIS time series—Harnessing the data explosion: *Journal of the Indian Society of Remote Sensing*, v. 39, no. 3, p. 365–372, at <https://doi.org/10.1007/s12524-011-0124-0>.
- Tanase, M.A., Kennedy, R.E., and Aponte, C., 2015, Fire severity estimation from space—A comparison of active and passive sensors and their synergy for different forest types: *International Journal of Wildland Fire*, v. 24, no. 8, p. 1062–1075, at <https://doi.org/10.1071/WF15059>.
- Tang, H., Song, X.P., Zhao, F.A., Strahler, A.H., Schaaf, C.L., Goetz, S., Huang, C., Hansen, M.C., and Dubayah, R., 2019, Definition and measurement of tree cover—A comparative analysis of field-, lidar- and Landsat-based tree cover estimations in the Sierra national forests, USA: *Agricultural and Forest Meteorology*, v. 268, p. 258–268, at <https://doi.org/10.1016/j.agrformet.2019.01.024>.
- Tang, X., Barrett, M.G., Cho, K., Bratley, K.H., Tarrío, K., Zhang, Y., Gu, H., Rasmussen, P., Bosch, M., et al., 2024, Broad-area-search of new construction using time series analysis of Landsat and Sentinel-2 data: *Science of Remote Sensing*, v. 9, article 100138, at <https://doi.org/10.1016/j.srs.2024.100138>.
- Tang, X., Bratley, K.H., Cho, K., Bullock, E.L., Olofsson, P., and Woodcock, C.E., 2023, Near real-time monitoring of tropical forest disturbance by fusion of Landsat, Sentinel-2, and Sentinel-1 data: *Remote Sensing of Environment*, v. 294, article 113626, at <https://doi.org/10.1016/j.rse.2023.113626>.
- Tang, X., Bullock, E.L., Olofsson, P., Estel, S., and Woodcock, C.E., 2019, Near real-time monitoring of tropical forest disturbance—New algorithms and assessment framework: *Remote Sensing of Environment*, v. 224, p. 202–218, at <https://doi.org/10.1016/j.rse.2019.02.003>.
- Tang, X., Hutyra, L.R., Arévalo, P., Baccini, A., Woodcock, C.E., and Olofsson, P., 2020, Spatiotemporal tracking of carbon emissions and uptake using time series analysis of Landsat data—A spatially explicit carbon bookkeeping model: *Science of the Total Environment*, v. 720, article 137409, at <https://doi.org/10.1016/j.scitotenv.2020.137409>.
- Tansey, K., Grégoire, J.M., Defourny, P., Leigh, R., Pekel, J.F., van Bogaert, E., and Bartholomé, E., 2008, A new, global, multi-annual (2000-2007) burnt area product at 1 km resolution: *Geophysical Research Letters*, v. 35, no. 1, article L01401, at <https://doi.org/10.1029/2007GL031567>.
- Tao, X., Huang, C., Zhao, F., Schleeweis, K., Masek, J., and Liang, S., 2019, Mapping forest disturbance intensity in North and South Carolina using annual Landsat observations and field inventory data: *Remote Sensing of Environment*, v. 221, p. 351–362, at <https://doi.org/10.1016/j.rse.2018.11.029>.

- Tasumi, M., Allen, R.G., and Trezza, R., 2008, At-surface reflectance and albedo from satellite for operational calculation of land surface energy balance: *Journal of Hydrologic Engineering*, v. 13, no. 2, p. 51–63, at [https://doi.org/10.1061/\(ASCE\)1084-0699\(2008\)13:2\(51\)](https://doi.org/10.1061/(ASCE)1084-0699(2008)13:2(51)).
- Tasumi, M., Kimura, R., Moriyama, M., Allen, R.G., and Fujii, A., 2012, Estimation of global ET-Index from satellite imagery for water resources management, *in* Land Surface Remote Sensing, Kyoto, Japan, 29 October–2 November 2012, Proceedings of SPIE Vol. 8524: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 85240K, at <https://doi.org/10.1117/12.976283>.
- Teillet, P.M., Fedosejevs, G., Gauthier, R.P., O’Neill, N.T., Thome, K.J., Biggar, S.F., Ripley, H., and Meygret, A., 2001, A generalized approach to the vicarious calibration of multiple Earth observation sensors using hyperspectral data: *Remote Sensing of Environment*, v. 77, no. 3, p. 304–327, at [https://doi.org/10.1016/S0034-4257\(01\)00211-5](https://doi.org/10.1016/S0034-4257(01)00211-5).
- Teillet, P.M., Fedosejevs, G., Gauthier, R.P., Shin, R.T., O’Neill, N.T., Thome, K.J., Biggar, S.F., Ripley, H., and Meygret, A., 1999, Radiometric calibration of multiple Earth observation sensors using airborne hyperspectral data at the Newell County rangeland test site, *in* Earth Observing Systems IV, Denver, Colo., 18–20 July 1999, Proceedings of SPIE Vol. 3750: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 470–481, at <https://doi.org/10.1117/12.363544>.
- Teillet, P.M., Fedosejevs, G., Thome, K.J., and Barker, J.L., 2007, Impacts of spectral band difference effects on radiometric cross-calibration between satellite sensors in the solar-reflective spectral domain: *Remote Sensing of Environment*, v. 110, no. 3, p. 393–409, at <https://doi.org/10.1016/j.rse.2007.03.003>.
- Teillet, P.M., Helder, D.L., Ruggles, T.A., Landry, R., Ahern, F.J., Higgs, N.J., Barsi, J., Chander, G., Markham, B.L., et al., 2004, A definitive calibration record for the Landsat-5 Thematic Mapper anchored to the Landsat-7 radiometric scale: *Canadian Journal of Remote Sensing*, v. 30, no. 4, p. 631–643, at <https://doi.org/10.5589/m04-022>.
- Teillet, P.M., Fedosejevs, G., and Thome, K.J., 2004, Spectral band difference effects on radiometric cross-calibration between multiple satellite sensors in the Landsat solar-reflective spectral domain, *in* Sensors, Systems, and Next-Generation Satellites VIII, Maspalomas, Spain, 13–15 September 2004, Proceedings of SPIE Vol. 5570: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 307–316, at <https://doi.org/10.1117/12.562709>.
- Teixeira, A.C., Hernandez, F.B.T.H., Scherer-Warren, M., Andrade, R.G., Leivas, J.F., Victoria, D.C., Bolfe, E.L., Thenkabail, P.S., and Franco, R.A.M.F., 2015, Water productivity studies from Earth observation data—Characterization, modeling, and mapping water use and water productivity, *in* Thenkabail, P.S., ed., Remote sensing of water resources, disasters, and urban studies: Boca Raton, Fla., CRC Press, p. 101–125, at <https://doi.org/10.1201/b19321>.

- Teixeira Pinto, C., Chittimalli, S., Leigh, L., Ruggles, T., and Helder, D.L., 2017, A reflectance-based cross calibration of the Landsat sensors, *in* Earth Observing Systems XXII, San Diego, Calif., 6–10 August 2017, Proceedings of SPIE Vol. 10402: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 104021c, at <https://doi.org/10.1117/12.2275993>.
- Teixeira Pinto, C., Shrestha, M., Hasan, N., Leigh, L., and Helder, D.L., 2018, SBAF for cross-calibration of Landsat-8 OLI and Sentinel-2 MSI over North African PICS, *in* Earth Observing Systems XXIII, San Diego, Calif., 19–23 August 2018, Proceedings of SPIE Vol. 10764: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 107640y, at <https://doi.org/10.1117/12.2321203>.
- Teluguntla, P., Thenkabail, P., Oliphant, A., Xiong, J., Gumma, M.K., Congalton, R.G., Yadav, K., and Huete, A., 2018, A 30-m Landsat-derived cropland extent product of Australia and China using random forest machine learning algorithm on Google Earth Engine cloud computing platform: ISPRS Journal of Photogrammetry and Remote Sensing, v. 144, p. 325–340, at <https://doi.org/10.1016/j.isprsjprs.2018.07.017>.
- Teluguntla, P., Thenkabail, P.S., Oliphant, A., Aneece, I., Biggs, T., Gumma, M.K., Foley, D., McCormick, R., Neelam, R., et al., 2025, Landsat-derived rainfed and irrigated-area product for conterminous United States for the year 2020 (LRIP30 CONUS 2020) using supervised and unsupervised machine learning on the cloud: Photogrammetric Engineering & Remote Sensing, v. 91, no. 11, p. 703–714, at <https://doi.org/10.14358/PERS.25-00081R3>.
- Teluguntla, P., Thenkabail, P.S., Xiong, J., Gumma, M.K., Giri, C., Milesi, C., Ozdogan, M., Congalton, R.G., and Tilton, J., 2015, Global food security support analysis data at nominal 1 km (GFSAD1km) derived from remote sensing in support of food security in the twenty-first century: Current achievements and future possibilities, *in* Thenkabail, P.S., ed., Land resources monitoring, modeling, and mapping with remote sensing: Boca Raton, Fla., CRC Press, p. 131–159, at <https://doi.org/10.1201/b19322-14>.
- Thenkabail, P.S., 2003, Biophysical and yield information for precision farming from near-real-time and historical Landsat TM images: International Journal of Remote Sensing, v. 24, no. 14, p. 2879–2904, at <https://doi.org/10.1080/01431160710155974>.
- Thenkabail, P.S., 2004, Inter-sensor relationships between IKONOS and Landsat-7 ETM + NDVI data in three ecoregions of Africa: International Journal of Remote Sensing, v. 25, no. 2, p. 389–408, at <https://doi.org/10.1080/0143116031000114842>.
- Thenkabail, P.S., 2013, Foreword: Hyperspectral remote sensing of vegetation and agricultural crops: Photogrammetric Engineering & Remote Sensing, v. 79, no. 9, p. 784–784, at <https://onlinedigitalpublishing.com/publication/?m=7922&i=173077&p=22&ver=html5>.

- Thenkabail, P.S., 2015, Preface—Remote sensing advances of the last 50 years and a vision for the future, *in* Thenkabail, P.S., ed., *Land resources monitoring, modeling, and mapping with remote sensing*: Boca Raton, Fla., CRC Press, p. xvii–xxi, at <https://doi.org/10.1201/b19322>.
- Thenkabail, P.S., ed., 2015, *Land resources monitoring, modeling, and mapping with remote sensing*: Boca Raton, Fla., CRC Press, 832 p., at <https://doi.org/10.1201/b19322>.
- Thenkabail, P.S., ed., 2015, *Remote sensing handbook—Remote sensing of water resources, disasters, and urban studies*: Boca Raton, Fla., CRC Press, 659 p., at <https://doi.org/10.1201/b19321>.
- Thenkabail, P.S., 2015, Monitoring, modeling, and mapping advances over the last 50 years and a vision for the future, *in* Thenkabail, P.S., ed., *Remote sensing of water resources, disasters, and urban studies*: Boca Raton, Fla., CRC Press, p. 615–658, at <https://doi.org/10.1201/b19321>.
- Thenkabail, P.S., Aneece, I., and Teluguntla, P., 2024, New generation hyperspectral data for quantum leap in remote sensing science for agriculture: *Photogrammetric Engineering & Remote Sensing*, v. 90, no. 11, p. 661–663, at <https://doi.org/10.14358/Pers.90.11.661>.
- Thenkabail, P.S., Aneece, I., and Teluguntla, P., 2024, Special Issue Introduction—Ushering a new era of hyperspectral remote sensing to advance remote sensing science in the twenty-first century: *Photogrammetric Engineering & Remote Sensing*, v. 90, no. 8, p. 467–470, at <https://doi.org/10.14358/PERS.90.8.467>.
- Thenkabail, P.S., Aneece, I., Teluguntla, P., and Oliphant, A., 2021, Hyperspectral narrowband data propel gigantic leap in the Earth remote sensing: *Photogrammetric Engineering & Remote Sensing*, v. 87, no. 7, p. 461–467, at <https://doi.org/10.14358/Pers.87.7.461>.
- Thenkabail, P.S., Biradar, C.M., Noojipady, P., Dheeravath, V., Li, Y., Velpuri, M., Gumma, M., Gangalakunta, O.R.P., Turrall, H., et al., 2009, Global irrigated area map (GIAM), derived from remote sensing, for the end of the last millennium: *International Journal of Remote Sensing*, v. 30, no. 14, p. 3679–3733, at <https://doi.org/10.1080/01431160802698919>.
- Thenkabail, P.S., Enclona, E.A., Ashton, M.S., Legg, C., and De Dieu, M.J., 2004, Hyperion, IKONOS, ALI, and ETM+ sensors in the study of African rainforests: *Remote Sensing of Environment*, v. 90, no. 1, p. 23–43, at <https://doi.org/10.1016/j.rse.2003.11.018>.
- Thenkabail, P.S., Enclona, E.A., Ashton, M.S., and Van Der Meer, B., 2004, Accuracy assessments of hyperspectral waveband performance for vegetation analysis applications: *Remote Sensing of Environment*, v. 91, no. 3–4, p. 354–376, at <https://doi.org/10.1016/j.rse.2004.03.013>.

- Thenkabail, P.S., Hall, J., Lin, T., Ashton, M.S., Harris, D., and Enclona, E.A., 2003, Detecting floristic structure and pattern across topographic and moisture gradients in a mixed species Central African forest using IKONOS and Landsat-7 ETM+ images: *International Journal of Applied Earth Observation and Geoinformation*, v. 4, no. 3, p. 255–270, at [https://doi.org/10.1016/S0303-2434\(03\)00006-0](https://doi.org/10.1016/S0303-2434(03)00006-0).
- Thenkabail, P.S., Mariotto, I., Gumma, M.K., Middleton, E.M., Landis, D.R., and Huemmrich, K.F., 2013, Selection of hyperspectral narrowbands (hnbs) and composition of hyperspectral twoband vegetation indices (HVIS) for biophysical characterization and discrimination of crop types using field reflectance and Hyperion/EO-1 data: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 6, no. 2, p. 427–439, at <https://doi.org/10.1109/JSTARS.2013.2252601>.
- Thenkabail, P.S., and Nolte, C., 1996, Capabilities of Landsat-5 Thematic Mapper™ data in regional mapping and characterization of inland valley agroecosystems in West Africa: *International Journal of Remote Sensing*, v. 17, no. 8, p. 1505–1538, at <https://doi.org/10.1080/01431169608948721>.
- Thenkabail, P.S., Nolte, C., and Lyon, J.G., 2000, Remote sensing and GIS modeling for selection of a benchmark research area in the inland valley agroecosystems of West and Central Africa: *Photogrammetric Engineering & Remote Sensing*, v. 66, no. 6, p. 755–768, at [https://www.academia.edu/download/102423868/2000\\_jun\\_755-768.pdf](https://www.academia.edu/download/102423868/2000_jun_755-768.pdf).
- Thenkabail, P.S., Smith, R.B., and De Pauw, E., 2002, Evaluation of narrowband and broadband vegetation indices for determining optimal hyperspectral wavebands for agricultural crop characterization: *Photogrammetric Engineering & Remote Sensing*, v. 68, no. 6, p. 607–621, at [https://www.academia.edu/download/102424038/2002\\_jun\\_607-621.pdf](https://www.academia.edu/download/102424038/2002_jun_607-621.pdf).
- Thenkabail, P.S., and Wu, Z., 2012, An automated cropland classification algorithm (ACCA) for Tajikistan by combining Landsat, MODIS, and secondary data: *Remote Sensing*, v. 4, no. 10, p. 2890–2918, at <https://doi.org/10.3390/rs4102890>.
- Thomas, N.E., Huang, C., Goward, S.N., Powell, S., Rishmawi, K., Schleeweis, K., and Hinds, A., 2011, Validation of North American Forest Disturbance dynamics derived from Landsat time series stacks: *Remote Sensing of Environment*, v. 115, no. 1, p. 19–32, at <https://doi.org/10.1016/j.rse.2010.07.009>.
- Thomas, V.A., Wynne, R.H., Kauffman, J., McCurdy, W., Brooks, E.B., Thomas, R.Q., and Rakestraw, J., 2021, Mapping thins to identify active forest management in southern pine plantations using Landsat time series stacks: *Remote Sensing of Environment*, v. 252, article 112127, at <https://doi.org/10.1016/j.rse.2020.112127>.
- Thome, K.J., 2001, Absolute radiometric calibration of Landsat 7 ETM+ using the reflectance-based method: *Remote Sensing of Environment*, v. 78, no. 1–2, p. 27–38, at [https://doi.org/10.1016/S0034-4257\(01\)00247-4](https://doi.org/10.1016/S0034-4257(01)00247-4).

- Thome, K.J., 2005, Sampling and uncertainty issues in trending reflectance-based vicarious calibration results, *in* Earth Observing Systems X, San Diego, Calif., 31 July–1 August 2005, Proceedings of SPIE Vol. 5882: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 588216, at <https://doi.org/10.1117/12.618178>.
- Thome, K.J., Barnes, R., and Feldman, G., 2002, Intercomparison of ETM+, MODIS, and SeaWiFS using a land test site, *in* Sensors, Systems, and Next-Generation Satellites VI, Agia Pelagia, Crete, 23–26 September 2002, Proceedings of SPIE Vol. 4881: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 319–326, at <https://doi.org/10.1117/12.463005>.
- Thome, K.J., Biggar, S., and Slater, P., 2001, Effects of assumed solar spectral irradiance on intercomparisons of Earth-observing sensors, *in* Sensors, Systems, and Next-Generation Satellites V, Toulouse, France, 17–20 September 2001, Proceedings of SPIE Vol. 4540: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 260–269, at <https://doi.org/10.1117/12.450668>.
- Thome, K.J., Biggar, S.F., and Wisniewski, W., 2003, Cross comparison of EO-1 sensors and other Earth resources sensors to Landsat-7 ETM+ using Railroad Valley Playa: IEEE Transactions on Geoscience and Remote Sensing, v. 41, no. 6 pt. 1, p. 1180–1188, at <https://doi.org/10.1109/TGRS.2003.813210>.
- Thome, K.J., Cattrall, C., D’Amico, J., and Geis, J., 2005, Ground-reference calibration results for LANDSAT-7 ETM+, *in* Earth Observing Systems X, San Diego, Calif., 31 July–1 August 2005, Proceedings of SPIE Vol. 5882: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 58820b, at <https://doi.org/10.1117/12.618185>.
- Thome, K.J., Crowther, B.G., and Biggar, S.F., 1997, Reflectance- and irradiance-based calibration of Landsat-5 Thematic Mapper: Canadian Journal of Remote Sensing, v. 23, no. 4, p. 309–317, at <https://doi.org/10.1080/07038992.1997.10855217>.
- Thome, K.J., Czaplá-Myers, J., and Biggar, S., 2004, Ground-monitor radiometer system for vicarious calibration, *in* Imaging Spectrometry X, Denver, Colo., 2–4 August 2004, Proceedings of SPIE Vol. 5546: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 223–232, at <https://doi.org/10.1117/12.559950>.
- Thome, K.J., D’Amico, J., and Hugon, C., 2006, Intercomparison of terra ASTER, MISR, and MODIS, and Landsat-7 ETM+, *in* 2006 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Denver, Colo., 31 July–4 August 2006, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1772–1775, at <https://doi.org/10.1109/IGARSS.2006.458>.
- Thome, K.J., Geis, J., and Cattrall, C., 2005, Comparison of ground-reference calibration results for Landsat-7 ETM+ for large and small test sites, *in* Earth Observing Systems X, San Diego, Calif., 31 July–1 August 2005, Proceedings of SPIE Vol. 5882: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 58820a, at <https://doi.org/10.1117/12.617856>.

- Thome, K.J., Helder, D.L., Aaron, D.B., and DeWald, J.D., 2004, Landsat-5 TM and Landsat-7 ETM+ absolute radiometric calibration using the reflectance-based method: IEEE Transactions on Geoscience and Remote Sensing, v. 42, no. 12, p. 2777–2785, at <https://doi.org/10.1109/TGRS.2004.839085>.
- Thome, K.J., LaMarr, J., Scott, K., and Gustafson-Bold, C., 1998, Methods for the calibration of SPOT-4 HRVIR and vegetation, *in* Earth Observing Systems III, San Diego, Calif., 19–21 July 2002, Proceedings of SPIE Vol. 3439: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 439–449, at <https://doi.org/10.1117/12.325650>.
- Thome, K.J., LaMarr, J.H., Biggar, S.F., and Lopez, A.S., 1999, Ground-reference calibration of Landsat-7 ETM+, *in* Sensors, Systems, and Next-Generation Satellites III, Florence, Italy, 20–23 September 1999, Proceedings of SPIE Vol. 3870: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 234–242, at <https://doi.org/10.1117/12.373191>.
- Thome, K.J., Lunsford, A., Montanaro, M., Reuter, D., Smith, R., Tesfaye, Z., and Wenny, B., 2011, Calibration plan for the thermal infrared sensor on the Landsat data continuity mission, *in* Algorithms and Technologies for Multispectral, Hyperspectral, and Ultraspectral Imagery XVII, Orlando, Fla., 25–28 April 2011, Proceedings of SPIE Vol. 8048: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 804813, at <https://doi.org/10.1117/12.886473>.
- Thome, K.J., Markham, B., Barker, J., Slater, P., and Biggar, S., 1997, Radiometric calibration of Landsat: Photogrammetric Engineering & Remote Sensing, v. 63, no. 7, p. 853–858.
- Thome, K.J., McCorkel, J.T., and Czapla-Myers, J., 2013, In-situ transfer standard and coincident-view intercomparisons for sensor cross-calibration: IEEE Transactions on Geoscience and Remote Sensing, v. 51, no. 3, p. 1088–1097, at <https://doi.org/10.1109/TGRS.2013.2243841>.
- Thome, K.J., Reuter, D., Richardson, C., and Smith, R., 2010, Calibration of the thermal infrared sensor on the Landsat Data Continuity Mission, *in* 2010 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Honolulu, Hawaii, 25–30 July 2010, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1660–1663, at <https://doi.org/10.1109/IGARSS.2010.5652758>.
- Thome, K.J., Smith, N., and Scott, K., 2001, Vicarious calibration of MODIS using Railroad Valley Playa, *in* 2001 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Sydney, Australia, 9–13 July 2001, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1209–1211, at <https://doi.org/10.1109/IGARSS.2001.976794>.
- Thome, K.J., Wenny, B., Anderson, N., McCorkel, J.T., Czapla-Myers, J., and Biggar, S., 2018, Ultra-portable field transfer radiometer for vicarious calibration of Earth imaging sensors: Metrologia, v. 55, no. 3, p. S104–S117, at <https://doi.org/10.1088/1681-7575/aab311>.

- Thome, K.J., Whittington, E., LaMarr, J., Anderson, N., and Nandy, P., 2000, Early ground-reference calibration results for Landsat-7 ETM+ using small test sites, *in* Algorithms for Multispectral, Hyperspectral, and Ultraspectral Imagery VI, Orlando, Fla., 24–26 April 2000, Proceedings of SPIE Vol. 4049: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 134–142, at <https://doi.org/10.1117/12.410334>.
- Thome, K.J., Whittington, E., and Smith, N., 2002, Radiometric calibration of MODIS with reference to Landsat-7 ETM+, *in* Earth Observing Systems VI, San Diego, Calif., 29 July–3 August 2001, Proceedings of SPIE Vol. 4483: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), p. 203–210, at <https://doi.org/10.1117/12.453455>.
- Thomlinson, J.R., Bolstad, P.V., and Cohen, W.B., 1999, Coordinating methodologies for scaling landcover classifications from site-specific to global—Steps toward validating global map products: *Remote Sensing of Environment*, v. 70, no. 1, p. 16–28, at [https://doi.org/10.1016/S0034-4257\(99\)00055-3](https://doi.org/10.1016/S0034-4257(99)00055-3).
- Thompson, S.D., Nelson, T.A., White, J.C., and Wulder, M.A., 2015, Mapping dominant tree species over large forested areas using Landsat best-available-pixel image composites: *Canadian Journal of Remote Sensing*, v. 41, no. 3, p. 203–218, at <https://doi.org/10.1080/07038992.2015.1065708>.
- Tian, Y., Woodcock, C.E., Wang, Y., Privette, J.L., Shabanov, N.V., Zhou, L., Zhang, Y., Buermann, W., Dong, J., et al., 2002, Multiscale analysis and validation of the MODIS LAI product I. Uncertainty assessment: *Remote Sensing of Environment*, v. 83, no. 3, p. 414–430, at [https://doi.org/10.1016/S0034-4257\(02\)00047-0](https://doi.org/10.1016/S0034-4257(02)00047-0).
- Tollerud, H.J., Brown, J.F., and Loveland, T.R., 2020, Investigating the effects of land use and land cover on the relationship between moisture and reflectance using Landsat time series: *Remote Sensing*, v. 12, no. 12, article 1919, at <https://doi.org/10.3390/rs12121919>.
- Tollerud, H.J., Zhu, Z., Smith, K., Wellington, D.F., Hussain, R.A., and Viola, D., 2023, Toward consistent change detection across irregular remote sensing time series observations: *Remote Sensing of Environment*, v. 285, article 113372, at <https://doi.org/10.1016/j.rse.2022.113372>.
- Tompalski, P., Coops, N.C., White, J.C., Wulder, M.A., and Pickell, P.D., 2015, Estimating forest site productivity using airborne laser scanning data and Landsat time series: *Canadian Journal of Remote Sensing*, v. 41, no. 3, p. 232–245, at <https://doi.org/10.1080/07038992.2015.1068686>.
- Tompalski, P., Wulder, M.A., White, J.C., Hermosilla, T., Riofrío, J., and Kurz, W.A., 2024, Developing aboveground biomass yield curves for dominant boreal tree species from time series remote sensing data: *Forest Ecology and Management*, v. 561, article 121894, at <https://doi.org/10.1016/j.foreco.2024.121894>.

- Torbick, N., Huang, X., Ziniti, B., Johnson, D.M., Masek, J.G., and Reba, M., 2018, Fusion of moderate resolution Earth observations for operational crop Type mapping: Remote Sensing, v. 10, no. 7, article 1058, at <https://doi.org/10.3390/rs10071058>.
- Torres-Rua, A., Aboutaleb, M., Wright, T., Nassar, A., Guillevic, P., Hipps, L., Gao, F., Jim, K., Alsina, M.M., et al., 2019, Estimation of surface thermal emissivity in a vineyard for UAV microbolometer thermal cameras using NASA HyTES hyperspectral thermal, and Landsat and AggieAir optical data, *in* Autonomous Air and Ground Sensing Systems for Agricultural Optimization and Phenotyping IV 2019, SPIE Defense + Commercial Sensing, Baltimore, Md., 14–18 April 2019, Proceedings of SPIE Vol. 11008: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 1100802, at <https://doi.org/10.1117/12.2518958>.
- Tortini, R., Mayer, A.L., Hermosilla, T., Coops, N.C., and Wulder, M.A., 2019, Using annual Landsat imagery to identify harvesting over a range of intensities for non-industrial family forests: Landscape and Urban Planning, v. 188, p. 143–150, at <https://doi.org/10.1016/j.landurbplan.2018.04.012>.
- Townshend, J., Latham, J., Justice, C.O., Janetos, A., Conant, R., Arino, O., Balstad, R., Belward, A.S., Feuquay, J., et al., 2011, International coordination of satellite land observations—Integrated observations of the land, *in* Ramachandran, B., Justice, C.O., and Abrams, M.J., eds., Land remote sensing and global environmental change: New York, N.Y., Springer, p. 835–856, at [https://doi.org/10.1007/978-1-4419-6749-7\\_36](https://doi.org/10.1007/978-1-4419-6749-7_36).
- Townshend, J.R., Masek, J.G., Huang, C., Vermote, E.F., Gao, F., Channan, S., Sexton, J.O., Feng, M., Narasimhan, R., et al., 2012, Global characterization and monitoring of forest cover using Landsat data—Opportunities and challenges: International Journal of Digital Earth, v. 5, no. 5, p. 373–397, at <https://doi.org/10.1080/17538947.2012.713190>.
- Travers-Smith, H., Coops, N.C., Lantz, T.C., Hamp, M., Ignace, D.D., Wulder, M.A., and van der Sluijs, J., 2025, Vegetation structure and soil organic carbon storage across northern forest-tundra ecotones in continuous permafrost: Arctic Science, v. 11, p. 1–18, at <https://doi.org/10.1139/as-2024-0048>.
- Travers-Smith, H., Coops, N.C., Mulverhill, C., Wulder, M.A., Ignace, D., and Lantz, T.C., 2024, Mapping vegetation height and identifying the northern forest limit across Canada using ICESat-2, Landsat time series and topographic data: Remote Sensing of Environment, v. 305, article 114097, at <https://doi.org/10.1016/j.rse.2024.114097>.
- Travers-Smith, H., Coops, N.C., Mulverhill, C., Wulder, M.A., Lantz, T.C., and Ignace, D.D., 2025, Satellite observations reveal stable forest limits and shrub expansion across the Canadian forest-tundra ecotone: Environmental Research Letters, v. 20, no. 10, article 104006, at <https://doi.org/10.1088/1748-9326/adfc7f>.

- Trezza, R., Allen, R.G., Robison, C.W., Kramber, W.J., Kjaersgaard, J., Tasumi, M., and Garcia, M., 2008, Enhanced resolution of evapotranspiration from riparian systems and field edges by sharpening the Landsat thermal band, *in* World Environmental and Water Resources Congress, Honolulu, Hawaii, 12–16 May 2008, Proceedings: Reston, Va., American Society of Civil Engineers, p. 1–12, at [https://doi.org/10.1061/40976\(316\)98](https://doi.org/10.1061/40976(316)98).
- Trezza, R., Allen, R.G., and Tasumi, M., 2013, Estimation of actual evapotranspiration along the Middle Rio Grande of New Mexico using MODIS and Landsat imagery with the METRIC model: *Remote Sensing*, v. 5, no. 10, p. 5397–5423, at <https://doi.org/10.3390/rs5105397>.
- Trlica, A., Hutyrá, L.R., Schaaf, C.L., Erb, A., and Wang, J.A., 2017, Albedo, land cover, and daytime surface temperature variation across an urbanized landscape: *Earth's Future*, v. 5, no. 11, p. 1084–1101, at <https://doi.org/10.1002/2017EF000569>.
- Troufleau, D., Vidal, A., Beaudoin, A., Moran, M.S., Weltz, M.A., Goodrich, D.C., Washburn, J., and Rahman, A.F., 1997, Optical-microwave synergy for estimating surface sensible heat flux over a semi-arid rangeland: *Remote Sensing Reviews*, v. 15, no. 1–4, p. 113–132, at <https://doi.org/10.1080/02757259709532334>.
- Tulbure, M.G., Broich, M., Perin, V., Gaines, M., Ju, J., Stehman, S.V., Pavelsky, T., Masek, J.G., Yin, S., et al., 2022, Can we detect more ephemeral floods with higher density harmonized Landsat Sentinel 2 data compared to Landsat 8 alone?: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 185, p. 232–246, at <https://doi.org/10.1016/j.isprsjprs.2022.01.021>.
- Tuli, F.T.Z., Pinto, C.T., Angal, A., Xiong, X., and Helder, D., 2019, New approach for temporal stability evaluation of Pseudo-Invariant Calibration Sites (PICS): *Remote Sensing*, v. 11, no. 12, article 1502, at <https://doi.org/10.3390/rs11121502>.
- Turner, D.P., Cohen, W.B., and Kennedy, R.E., 2000, Alternative spatial resolutions and estimation of carbon flux over a managed forest landscape in western Oregon: *Landscape Ecology*, v. 15, no. 5, p. 441–452, at <https://doi.org/10.1023/A:1008116300063>.
- Turner, D.P., Cohen, W.B., Kennedy, R.E., Fassnacht, K.S., and Briggs, J.M., 1999, Relationships between leaf area index and Landsat TM spectral vegetation indices across three temperate zone sites: *Remote Sensing of Environment*, v. 70, no. 1, p. 52–68, at [https://doi.org/10.1016/S0034-4257\(99\)00057-7](https://doi.org/10.1016/S0034-4257(99)00057-7).
- Turner, D.P., Gower, S.T., Cohen, W.B., Gregory, M., and Maier-Sperger, T.K., 2002, Effects of spatial variability in light use efficiency on satellite-based NPP monitoring: *Remote Sensing of Environment*, v. 80, no. 3, p. 397–405, at [https://doi.org/10.1016/S0034-4257\(01\)00319-4](https://doi.org/10.1016/S0034-4257(01)00319-4).

- Turner, D.P., Ritts, W.D., Cohen, W.B., Gower, S.T., Running, S.W., Zhao, M., Costa, M.H., Kirschbaum, A.A., Ham, J.M., et al., 2006, Evaluation of MODIS NPP and GPP products across multiple biomes: *Remote Sensing of Environment*, v. 102, no. 3-4, p. 282–292, at <https://doi.org/10.1016/j.rse.2006.02.017>.
- Turner, D.P., Ritts, W.D., Cohen, W.B., Gower, S.T., Zhao, M., Running, S.W., Wofsy, S.C., Urbanski, S., Dunn, A.L., et al., 2003, Scaling Gross Primary Production (GPP) over boreal and deciduous forest landscapes in support of MODIS GPP product validation: *Remote Sensing of Environment*, v. 88, no. 3, p. 256–270, at <https://doi.org/10.1016/j.rse.2003.06.005>.
- Turner, D.P., Ritts, W.D., Cohen, W.B., Maeirsperger, T.K., Gower, S.T., Kirschbaum, A.A., Running, S.W., Zhao, M., Wofsy, S.C., et al., 2005, Site-level evaluation of satellite-based global terrestrial gross primary production and net primary production monitoring: *Global Change Biology*, v. 11, no. 4, p. 666–684, at <https://doi.org/10.1111/j.1365-2486.2005.00936.x>.
- Turner, D.P., Ritts, W.D., Kennedy, R.E., Gray, A.N., and Yang, Z., 2015, Effects of harvest, fire, and pest/pathogen disturbances on the West Cascades ecoregion carbon balance: *Carbon Balance and Management*, v. 10, article 12, at <https://doi.org/10.1186/s13021-015-0022-9>.
- Turner, D.P., Ritts, W.D., Kennedy, R.E., Gray, A.N., and Yang, Z., 2016, Regional carbon cycle responses to 25 years of variation in climate and disturbance in the US Pacific Northwest: *Regional Environmental Change*, v. 16, no. 8, p. 2345–2355, at <https://doi.org/10.1007/s10113-016-0956-9>.
- Turner, D.P., Ritts, W.D., Law, B.E., Cohen, W.B., Yang, Z., Hudiburg, T., Campbell, J.L., and Duane, M., 2007, Scaling net ecosystem production and net biome production over a heterogeneous region in the western United States: *Biogeosciences*, v. 4, no. 4, p. 597–612, at <https://doi.org/10.5194/bg-4-597-2007>.
- Turner, D.P., Ritts, W.D., Styles, J.M., Yang, Z., Cohen, W.B., Law, B.E., and Thornton, P.E., 2006, A diagnostic carbon flux model to monitor the effects of disturbance and interannual variation in climate on regional NEP: *Tellus, Series B—Chemical and Physical Meteorology*, v. 58, no. 5, p. 476–490, at <https://doi.org/10.1111/j.1600-0889.2006.00221.x>.
- Turner, W., Rondinini, C., Pettorelli, N., Mora, B., Leidner, A.K., Szantoi, Z., Buchanan, G., Dech, S., Dwyer, J.L., et al., 2015, Free and open-access satellite data are key to biodiversity conservation: *Biological Conservation*, v. 182, p. 173–176, at <https://doi.org/10.1016/j.biocon.2014.11.048>.
- Turubanova, S., Potapov, P., Hansen, M.C., Li, X., Tyukavina, A., Pickens, A.H., Hernandez-Serna, A., Arranz, A.P., Guerra-Hernandez, J., et al., 2023, Tree canopy extent and height change in Europe, 2001–2021, quantified using Landsat data archive: *Remote Sensing of Environment*, v. 298, article 113797, at <https://doi.org/10.1016/j.rse.2023.113797>.

- Turubanova, S., Potapov, P., Krylov, A., Tyukavina, A., McCarty, J.L., Radeloff, V.C., and Hansen, M.C., 2015, Using the Landsat data archive to assess long-term regional forest dynamics assessment in Eastern Europe, 1985-2012, *in* 36<sup>th</sup> International Symposium on Remote Sensing of Environment, Berlin, Germany, 11–15 May 2015, Proceedings: International Society for Photogrammetry and Remote Sensing, p. 531–537, at <https://doi.org/10.5194/isprsarchives-XL-7-W3-531-2015>.
- Tyukavina, A., Baccini, A., Hansen, M.C., Potapov, P.V., Stehman, S.V., Houghton, R.A., Krylov, A.M., Turubanova, S., and Goetz, S.J., 2015, Aboveground carbon loss in natural and managed tropical forests from 2000 to 2012: *Environmental Research Letters*, v. 10, no. 7, article 074002, at <https://doi.org/10.1088/1748-9326/10/7/074002>.
- Tyukavina, A., Hansen, M.C., Potapov, P.V., Krylov, A.M., and Goetz, S.J., 2016, Pan-tropical hinterland forests—Mapping minimally disturbed forests: *Global Ecology and Biogeography*, v. 25, no. 2, p. 151–163, at <https://doi.org/10.1111/geb.12394>.
- Tyukavina, A., Potapov, P., Hansen, M.C., Pickens, A.H., Stehman, S.V., Turubanova, S., Parker, D., Zalles, V., Lima, A., et al., 2022, Global trends of forest loss due to fire from 2001 to 2019: *Frontiers in Remote Sensing*, v. 3, article 825190, at <https://doi.org/10.3389/frsen.2022.825190>.
- Tyukavina, A., Stehman, S.V., Potapov, P.V., Turubanova, S.A., Baccini, A., Goetz, S.J., Laporte, N.T., Houghton, R.A., and Hansen, M.C., 2013, National-scale estimation of gross forest aboveground carbon loss—A case study of the Democratic Republic of the Congo: *Environmental Research Letters*, v. 8, no. 4, article 044039, at <https://doi.org/10.1088/1748-9326/8/4/044039>.
- Uribe, A.S., Healey, S.P., Moisen, G.G., Rivas, R.P., Aguilar, E.G., Tovar, C.L.M., Diaz Ponce Davalos, E.S., and Mascorro, V.S., 2008, Mexican forest inventory expands continental carbon monitoring: *Eos*, v. 89, no. 47, p. 470–471, at <https://doi.org/10.1029/2008EO470002>.
- Uribe, S.V., Estades, C.F., and Radeloff, V.C., 2020, Pine plantations and five decades of land use change in central Chile: *PLoS ONE*, v. 15, no. 3, article e0230193, at <https://doi.org/10.1371/journal.pone.0230193>.
- Uvsh, D., Gehlbach, S., Potapov, P.V., Munteanu, C., Bragina, E.V., and Radeloff, V.C., 2020, Correlates of forest-cover change in European Russia, 1989–2012: *Land Use Policy*, v. 96, article 104648, at <https://doi.org/10.1016/j.landusepol.2020.104648>.
- Vadrevu, K., Gutman, G., Tsuneo, M., and Justice, C., 2024, Land use changes, degradation, and impact on ecosystem services in Asia and Southeast Asia: *Land Degradation and Development*, v. 35, no. 3, p. 919–922, at <https://doi.org/10.1002/ldr.4971>.
- Vadrevu, K.P., Le Toan, T., Ray, S.S., and Justice, C., 2022, Preface, *in* Vadrevu, K.P., Le Toan, T., Ray, S.S., and Justice, C., eds., *Remote sensing of agriculture and land cover/land use changes in South and Southeast Asian countries*: Cham, Switzerland, Springer, p. ix–xvii, at <https://doi.org/10.1002/9781119536789.fmatter>.

- Vadrevu, K.P., Ohara, T., and Justice, C., 2023, Vegetation fires and biomass burning in South/Southeast Asia: An Overview, *in* Vadrevu, K.P., Ohara, T., and Justice, C., eds., *Vegetation fires and pollution in Asia: Cham, Switzerland, Springer*, p. 1–17, at [https://doi.org/10.1007/978-3-031-29916-2\\_1](https://doi.org/10.1007/978-3-031-29916-2_1).
- Van Aardt, J.A.N., and Wynne, R.H., 2001, Spectral separability among six southern tree species: *Photogrammetric Engineering & Remote Sensing*, v. 67, no. 12, p. 1367–1375.
- Velpuri, N.M., Thenkabail, P.S., Gumma, M.K., Biradar, C., Dheeravath, V., Noojipady, P., and Yuanjie, L., 2009, Influence of resolution in irrigated area mapping and area estimation: *Photogrammetric Engineering & Remote Sensing*, v. 75, no. 12, p. 1383–1395, at <https://doi.org/10.14358/PERS.75.12.1383>.
- Vermote, E., Roger, J.C., Franch, B., and Skakun, S., 2018, LASRC (Land Surface Reflectance Code)—Overview, application and validation using MODIS, VIIRS, LANDSAT and Sentinel 2 data's, *in* 2018 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Valencia, Spain, 22–27 July 2018, *Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE)*, p. 8173–8176, at <https://doi.org/10.1109/IGARSS.2018.8517622>.
- Vermote, E.F., El Saleous, N., Justice, C.O., Kaufman, Y.J., Privette, J.L., Remer, L., Roger, J.C., and Tanré, D., 1997, Atmospheric correction of visible to middle-infrared EOS-MODIS data over land surfaces—Background, operational algorithm and validation: *Journal of Geophysical Research Atmospheres*, v. 102, no. 14, p. 17131–17141, at <https://doi.org/10.1029/97JD00201>.
- Vermote, E.F., Justice, C.O., Claverie, M., and Franch, B., 2016, Preliminary analysis of the performance of the Landsat 8/OLI land surface reflectance product: *Remote Sensing of Environment*, v. 185, p. 46–56, at <https://doi.org/10.1016/j.rse.2016.04.008>.
- Vermote, E.F., Roger, J.C., Justice, C.O., Franch, B., and Claverie, M., 2016, A generic approach for inversion of surface reflectance over land—Overview, application and validation using MODIS and LANDSAT8 data, *in* 2016 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Beijing, China, 10–15 July 2016, *Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE)*, p. 1958–1961, at <https://doi.org/10.1109/IGARSS.2016.7729504>.
- Viana-Soto, A., Okujeni, A., Pflugmacher, D., García, M., Aguado, I., and Hostert, P., 2022, Quantifying post-fire shifts in woody-vegetation cover composition in Mediterranean pine forests using Landsat time series and regression-based unmixing: *Remote Sensing of Environment*, v. 281, article 113239, at <https://doi.org/10.1016/j.rse.2022.113239>.
- Vieira, D.C., Sanches, I.D., Montibeller, B., Prudente, V.H.R., Hansen, M.C., Baggett, A., and Adami, M., 2022, Cropland expansion, intensification, and reduction in Mato Grosso state, Brazil, between the crop years 2000/01 to 2017/18: *Remote Sensing Applications—Society and Environment*, v. 28, article 100841, at <https://doi.org/10.1016/j.rsase.2022.100841>.

- Villaescusa-Nadal, J.L., Franch, B., Roger, J.C., Vermote, E.F., Skakun, S., and Justice, C., 2019, Spectral adjustment model's analysis and application to remote sensing data: IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, v. 12, no. 3, p. 961–972, at <https://doi.org/10.1109/JSTARS.2018.2890068>.
- Vogeler, J.C., Yang, Z., and Cohen, W.B., 2016, Mapping post-fire habitat characteristics through the fusion of remote sensing tools: Remote Sensing of Environment, v. 173, p. 294–303, at <https://doi.org/10.1016/j.rse.2015.08.011>.
- Vogeler, J.C., Yang, Z., and Cohen, W.B., 2016, Mapping suitable Lewis's woodpecker nesting habitat in a post-fire landscape: Northwest Science, v. 90, no. 4, p. 421–432, at <https://doi.org/10.3955/046.090.0404>.
- Vogelmann, J.E., and De Felice, T.P., 2003, Characterization of intra-annual reflectance properties of land cover classes in southeastern South Dakota using Landsat TM and ETM+ data: Canadian Journal of Remote Sensing, v. 29, no. 2, p. 219–229, at <https://doi.org/10.5589/m02-097>.
- Vogelmann, J.E., Gallant, A.L., Shi, H., and Zhu, Z., 2016, Perspectives on monitoring gradual change across the continuity of Landsat sensors using time-series data: Remote Sensing of Environment, v. 185, p. 258–270, at <https://doi.org/10.1016/j.rse.2016.02.060>.
- Vogelmann, J.E., Helder, D.L., Morfitt, R., Choate, M.J., and Merchant, J.W., 1998, Characterization of Landsat Thematic Mapper radiometry and geometry for land cover analysis, *in* 1998 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Seattle, Wash., 6–10 July 1998, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2405–2407, at <https://doi.org/10.1109/IGARSS.1998.702228>.
- Vogelmann, J.E., Helder, D.L., Morfitt, R., Choate, M.J., Merchant, J.W., and Bulley, H., 2001, Effects of Landsat 5 Thematic Mapper and Landsat 7 Enhanced Thematic Mapper Plus radiometric and geometric calibrations and corrections on landscape characterization: Remote Sensing of Environment, v. 78, no. 1–2, p. 55–70, at [https://doi.org/10.1016/S0034-4257\(01\)00249-8](https://doi.org/10.1016/S0034-4257(01)00249-8).
- Vogelmann, J.E., Howard, S.M., and Sohl, T., 1996, Regional land cover characterization using multiple sources of intermediate-scale data, *in* 1996 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Lincoln, Nebr., 28–31 May 1996, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 246–247, at <https://doi.org/10.1109/IGARSS.1996.516305>.
- Vogelmann, J.E., Howard, S.M., Yang, L., Larson, C.R., Wylie, B.K., and Van Driel, N., 2001, Completion of the 1990s National Land Cover Data set for the conterminous United States from Landsat Thematic Mapper data and ancillary data sources: Photogrammetric Engineering & Remote Sensing, v. 67, no. 6, p. 650–662.

- Vogelmann, J.E., Kost, J.R., Tolk, B., Howard, S., Short, K., Chen, X., Huang, C., Pabst, K., and Rollins, M.G., 2011, Monitoring landscape change for LANDFIRE using multi-temporal satellite imagery and ancillary data: *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 4, no. 2, p. 252–264, at <https://doi.org/10.1109/JSTARS.2010.2044478>.
- Vogelmann, J.E., Sohl, T., and Howard, S.M., 1998, Regional characterization of land cover using multiple sources of data: *Photogrammetric Engineering & Remote Sensing*, v. 64, no. 1, p. 45–57, at [https://www.academia.edu/download/42315114/Regional\\_Characterization\\_of\\_Land\\_Cover\\_20160207-26129-3mxcuy.pdf](https://www.academia.edu/download/42315114/Regional_Characterization_of_Land_Cover_20160207-26129-3mxcuy.pdf).
- Vogelmann, J.E., Sohl, T.L., Campbell, P.V., and Shaw, D.M., 1998, Regional land cover characterization using Landsat Thematic Mapper data and ancillary data sources: *Environmental Monitoring and Assessment*, v. 51, no. 1–2, p. 415–428, at <https://doi.org/10.1023/A:1005996900217>.
- Vogelmann, J.E., Tolk, B., and Zhu, Z., 2009, Monitoring forest changes in the southwestern United States using multitemporal Landsat data: *Remote Sensing of Environment*, v. 113, no. 8, p. 1739–1748, at <https://doi.org/10.1016/j.rse.2009.04.014>.
- Vogelmann, J.E., Van Khoa, P., Lan, D.X., Shermeyer, J., Shi, H., Wimberly, M.C., Duong, H.T., and Van Huong, L., 2017, Assessment of forest degradation in Vietnam using Landsat time series data: *Forests*, v. 8, no. 7, article 238, at <https://doi.org/10.3390/f8070238>.
- Vogelmann, J.E., Xian, G., Homer, C., and Tolk, B., 2012, Monitoring gradual ecosystem change using Landsat time series analyses—Case studies in selected forest and rangeland ecosystems: *Remote Sensing of Environment*, v. 122, p. 92–105, at <https://doi.org/10.1016/j.rse.2011.06.027>.
- Voskanian, N., Thome, K., Wenny, B.N., Tahersima, M.H., and Yarahmadi, M., 2023, Combining RadCalNet sites for radiometric cross calibration of Landsat 9 and Landsat 8 Operational Land Imagers (OLIs): *Remote Sensing*, v. 15, no. 24, article 5752, at <https://doi.org/10.3390/rs15245752>.
- Voskanian, N., Wenny, B.N., Tahersima, M.H., and Thome, K., 2022, Inter-calibration of Landsat 8 and 9 Operational Land Imagers, *in* *Earth Observing Systems XXVII 2022*, San Diego, Calif., 21–26 August 2022, *Proceedings of SPIE Vol. 12232*: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 122320y, at <https://doi.org/10.1117/12.2633073>.
- Waldner, F., Hansen, M.C., Potapov, P.V., Löw, F., Newby, T., Ferreira, S., and Defourny, P., 2017, National-scale cropland mapping based on spectral-temporal features and outdated land cover information: *PLoS ONE*, v. 12, no. 8, article e0181911, at <https://doi.org/10.1371/journal.pone.0181911>.

- Walker, J., de Beurs, K., and Wynne, R.H., 2015, Phenological response of an Arizona dryland forest to short-term climatic extremes: *Remote Sensing*, v. 7, no. 8, p. 10832–10855, at <https://doi.org/10.3390/rs70810832>.
- Walker, J.J., de Beurs, K.M., and Wynne, R.H., 2014, Dryland vegetation phenology across an elevation gradient in Arizona, USA, investigated with fused MODIS and Landsat data: *Remote Sensing of Environment*, v. 144, p. 85–97, at <https://doi.org/10.1016/j.rse.2014.01.007>.
- Walker, J.J., De Beurs, K.M., Wynne, R.H., and Gao, F., 2012, Evaluation of Landsat and MODIS data fusion products for analysis of dryland forest phenology: *Remote Sensing of Environment*, v. 117, p. 381–393, at <https://doi.org/10.1016/j.rse.2011.10.014>.
- Walthall, C., Dulaney, W., Anderson, M.C., Norman, J., Fang, H., and Liang, S., 2004, A comparison of empirical and neural network approaches for estimating corn and soybean leaf area index from Landsat ETM+ imagery: *Remote Sensing of Environment*, v. 92, no. 4, p. 465–474, at <https://doi.org/10.1016/j.rse.2004.06.003>.
- Wang, C., Qi, J., Moran, M.S., and Marsett, R., 2004, Soil moisture estimation in a semiarid rangeland using ERS-2 and TM imagery: *Remote Sensing of Environment*, v. 90, no. 2, p. 178–189, at <https://doi.org/10.1016/j.rse.2003.12.001>.
- Wang, J., Sheng, Y., Hinkel, K.M., and Lyons, E.A., 2012, Drained thaw lake basin recovery on the western Arctic Coastal Plain of Alaska using high-resolution digital elevation models and remote sensing imagery: *Remote Sensing of Environment*, v. 119, p. 325–336, at <https://doi.org/10.1016/j.rse.2011.10.027>.
- Wang, L., Bartlett, P., Pouliot, D., Chan, E., Lamarche, C., Wulder, M.A., Defourny, P., and Brady, M., 2019, Comparison and assessment of regional and global land cover datasets for use in CLASS over Canada: *Remote Sensing*, v. 11, no. 19, article 2286, at <https://doi.org/10.3390/rs11192286>.
- Wang, P., Gao, F., and Masek, J.G., 2014, Operational data fusion framework for building frequent Landsat-like imagery: *IEEE Transactions on Geoscience and Remote Sensing*, v. 52, no. 11, p. 7353–7365, at <https://doi.org/10.1109/TGRS.2014.2311445>.
- Wang, T., Alfieri, J., Mallick, K., Arias-Ortiz, A., Anderson, M., Fisher, J.B., Girotto, M., Szutu, D., Verfaillie, J., et al., 2024, How advection affects the surface energy balance and its closure at an irrigated alfalfa field: *Agricultural and Forest Meteorology*, v. 357, article 110196, at <https://doi.org/10.1016/j.agrformet.2024.110196>.
- Wang, Y., and Gao, F., 2019, Mapping the chemical and mineral properties of total suspended matter in Pearl River water by multispectral optical remote sensing, *in* 2019 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Yokohama, Japan, 28 July–2 August 2019, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 5686–5689, at <https://doi.org/10.1109/IGARSS.2019.8898597>.

- Wang, Y., Ientilucci, E.J., Raqueno, N.G., and Schott, J.R., 2017, Landsat 8 TIRS calibration with external sensors, *in* Earth Observing Systems XXII, San Diego, Calif., 6–10 August 2017, Proceedings of SPIE Vol. 10402: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 104021h, at <https://doi.org/10.1117/12.2272766>.
- Wang, Y., Woodcock, C.E., Buermann, W., Stenberg, P., Voipio, P., Smolander, H., Häme, T., Tian, Y., Hu, J., et al., 2004, Evaluation of the MODIS LAI algorithm at a coniferous forest site in Finland: *Remote Sensing of Environment*, v. 91, no. 1, p. 114–127, at <https://doi.org/10.1016/j.rse.2004.02.007>.
- Wang, Z., Erb, A.M., Schaaf, C.B., Sun, Q., Liu, Y., Yang, Y., Shuai, Y., Casey, K.A., and Román, M.O., 2016, Early spring post-fire snow albedo dynamics in high latitude boreal forests using Landsat-8 OLI data: *Remote Sensing of Environment*, v. 185, p. 71–83, at <https://doi.org/10.1016/j.rse.2016.02.059>.
- Wang, Z., Schaaf, C.B., Strahler, A.H., Chopping, M.J., Román, M.O., Shuai, Y., Woodcock, C.E., Hollinger, D.Y., and Fitzjarrald, D.R., 2014, Evaluation of MODIS albedo product (MCD43A) over grassland, agriculture and forest surface types during dormant and snow-covered periods: *Remote Sensing of Environment*, v. 140, p. 60–77, at <https://doi.org/10.1016/j.rse.2013.08.025>.
- Wang, Z., Schaaf, C.B., Sun, Q., Kim, J., Erb, A.M., Gao, F., Román, M.O., Yang, Y., Petroy, S., et al., 2017, Monitoring land surface albedo and vegetation dynamics using high spatial and temporal resolution synthetic time series from Landsat and the MODIS BRDF/NBAR/albedo product: *International Journal of Applied Earth Observation and Geoinformation*, v. 59, p. 104–117, at <https://doi.org/10.1016/j.jag.2017.03.008>.
- Wardlow, B., Anderson, M., Tadesse, T., Hain, C., Crow, W.T., and Rodell, M., 2015, Remote sensing of drought—Emergence of a satellite-based monitoring toolkit for the United States, *in* Thenkabail, P.S., ed., *Remote sensing of water resources, disasters, and urban studies*: Boca Raton, Fla., CRC Press, p. 367–399, at <https://doi.org/10.1201/b19321>.
- Wardlow, B.D., Anderson, M.C., Sheffield, J., Doorn, B.D., Verdin, J.P., Zhan, X., and Rodell, M., 2012, Future opportunities and challenges in remote sensing of drought, *in* Wardlow, B.D., Anderson, M.C., and Verdin, J.P., eds., *Remote sensing of drought—Innovative monitoring approaches*: Boca Raton, Fla., CRC Press, p. 389–409, at <https://doi.org/10.1201/b11863-23>.
- Wayman, J.P., Wynne, R.H., Scrivani, J.A., and Reams, G.A., 2001, Landsat TM-based forest area estimation using iterative guided spectral class rejection: *Photogrammetric Engineering & Remote Sensing*, v. 67, no. 10, p. 1155–1166.
- Wen, G., Cahalan, R.F., Tsay, S.C., and Oreopoulos, L., 2001, Impact of cumulus cloud spacing on Landsat atmospheric correction and aerosol retrieval: *Journal of Geophysical Research Atmospheres*, v. 106, no. D11, p. 12129–12138, at <https://doi.org/10.1029/2001JD900159>.

- Wen, G., Tsay, S.C., Cahalan, R.F., and Oreopoulos, L., 1999, Path radiance technique for retrieving aerosol optical thickness over land: *Journal of Geophysical Research Atmospheres*, v. 104, no. D24, p. 31321–31332, at <https://doi.org/10.1029/1999JD900964>.
- Weng, Q., Fu, P., and Gao, F., 2014, Generating daily land surface temperature at Landsat resolution by fusing Landsat and MODIS data: *Remote Sensing of Environment*, v. 145, p. 55–67, at <https://doi.org/10.1016/j.rse.2014.02.003>.
- Wenny, B.N., Helder, D.L., Hong, J., Leigh, L., Thome, K.J., and Reuter, D., 2015, Pre- and post-launch spatial quality of the Landsat 8 thermal infrared sensor: *Remote Sensing*, v. 7, no. 2, p. 1962–1980, at <https://doi.org/10.3390/rs70201962>.
- Wessels, K.J., Bergh, F., Roy, D.P., Salmon, B.P., Steenkamp, K.C., MacAlister, B., Swanepoel, D., and Jewitt, D., 2016, Rapid land cover map updates using change detection and robust random forest classifiers: *Remote Sensing*, v. 8, no. 11, article 888, at <https://doi.org/10.3390/rs8110888>.
- Whitcraft, A.K., Becker-Reshef, I., Killough, B.D., and Justice, C.O., 2015, Meeting Earth observation requirements for global agricultural monitoring—An evaluation of the revisit capabilities of current and planned moderate resolution optical Earth observing missions: *Remote Sensing*, v. 7, no. 2, p. 1482–1503, at <https://doi.org/10.3390/rs70201482>.
- White, C.F.H., Coops, N.C., Nijland, W., Hilker, T., Nelson, T.A., Wulder, M.A., Nielsen, S.E., and Stenhouse, G., 2014, Characterizing a decade of disturbance events using Landsat and MODIS satellite imagery in Western Alberta, Canada for grizzly bear management: *Canadian Journal of Remote Sensing*, v. 40, no. 5, p. 336–347, at <https://doi.org/10.1080/07038992.2014.987082>.
- White, E.V., and Roy, D.P., 2015, A contemporary decennial examination of changing agricultural field sizes using Landsat time series data: *Geo—Geography and Environment*, v. 2, no. 1, p. 33–54, at <https://doi.org/10.1002/geo2.4>.
- White, J.C., Coops, N.C., Hilker, T., Wulder, M.A., and Carroll, A.L., 2007, Detecting mountain pine beetle red attack damage with EO-1 Hyperion moisture indices: *International Journal of Remote Sensing*, v. 28, no. 10, p. 2111–2121, at <https://doi.org/10.1080/01431160600944028>.
- White, J.C., Hermosilla, T., and Wulder, M.A., 2023, Pre-fire measures of boreal forest structure and composition inform interpretation of post-fire spectral recovery rates: *Forest Ecology and Management*, v. 537, article 120948, at <https://doi.org/10.1016/j.foreco.2023.120948>.
- White, J.C., Hermosilla, T., Wulder, M.A., and Coops, N.C., 2022, Mapping, validating, and interpreting spatio-temporal trends in post-disturbance forest recovery: *Remote Sensing of Environment*, v. 271, article 112904, at <https://doi.org/10.1016/j.rse.2022.112904>.

- White, J.C., Saarinen, N., Kankare, V., Wulder, M.A., Hermosilla, T., Coops, N.C., Pickell, P.D., Holopainen, M., Hyyppä, J., et al., 2018, Confirmation of post-harvest spectral recovery from Landsat time series using measures of forest cover and height derived from airborne laser scanning data: *Remote Sensing of Environment*, v. 216, p. 262–275, at <https://doi.org/10.1016/j.rse.2018.07.004>.
- White, J.C., Saarinen, N., Wulder, M.A., Kankare, V., Hermosilla, T., Coops, N.C., Holopainen, M., Hyyppä, J., and Vastaranta, M., 2019, Assessing spectral measures of post-harvest forest recovery with field plot data: *International Journal of Applied Earth Observation and Geoinformation*, v. 80, p. 102–114, at <https://doi.org/10.1016/j.jag.2019.04.010>.
- White, J.C., and Wulder, M.A., 2014, The Landsat observation record of Canada—1972–2012: *Canadian Journal of Remote Sensing*, v. 39, no. 6, p. 455–467, at <https://doi.org/10.5589/m13-053>.
- White, J.C., Wulder, M.A., Gómez, C., and Stenhouse, G., 2011, A history of habitat dynamics—Characterizing 35 years of stand replacing disturbance: *Canadian Journal of Remote Sensing*, v. 37, no. 2, p. 234–251, at <https://doi.org/10.5589/m11-034>.
- White, J.C., Wulder, M.A., Hermosilla, T., Coops, N.C., and Hobart, G.W., 2017, A nationwide annual characterization of 25 years of forest disturbance and recovery for Canada using Landsat time series: *Remote Sensing of Environment*, v. 194, p. 303–321, at <https://doi.org/10.1016/j.rse.2017.03.035>.
- White, J.C., Wulder, M.A., Hobart, G.W., Luther, J.E., Hermosilla, T., Griffiths, P., Coops, N.C., Hall, R.J., Hostert, P., et al., 2014, Pixel-based image compositing for large-area dense time series applications and science: *Canadian Journal of Remote Sensing*, v. 40, no. 3, p. 192–212, at <https://doi.org/10.1080/07038992.2014.945827>.
- White, J.D., Running, S.W., Nemani, R.R., Keane, R.E., and Ryan, K.C., 1997, Measurement and remote sensing of LAI in rocky mountain montane ecosystems: *Canadian Journal of Forest Research*, v. 27, no. 11, p. 1714–1727, at <https://doi.org/10.1139/x97-142>.
- Wickham, J., Homer, C., Vogelmann, J.E., McKerrow, A., Mueller, R., Herold, N., and Coulston, J., 2014, The multi-resolution land characteristics (MRLC) Consortium - 20 years of development and integration of USA National Land Cover Data: *Remote Sensing*, v. 6, no. 8, p. 7424–7441, at <https://doi.org/10.3390/rs6087424>.
- Wild, C.T., Alley, K.E., Muto, A., Truffer, M., Scambos, T.A., and Pettit, E.C., 2022, Weakening of the pinning point buttressing Thwaites Glacier, West Antarctica: *Cryosphere*, v. 16, no. 2, p. 397–417, at <https://doi.org/10.5194/tc-16-397-2022>.
- Williams, C.A., Collatz, G.J., Masek, J.G., Huang, C., and Goward, S.N., 2014, Impacts of disturbance history on forest carbon stocks and fluxes—Merging satellite disturbance mapping with forest inventory data in a carbon cycle model framework: *Remote Sensing of Environment*, v. 151, p. 57–71, at <https://doi.org/10.1016/j.rse.2013.10.034>.

- Williams, D.L., Brown, M.E., Masek, J.G., Tucker, C.J., and Jarvis, C., 2011, A low-cost, small-sat mission concept to augment Landsat temporal repeat frequency, *in* Towards operational environmental monitoring, International Symposium on Remote Sensing of Environment—The GEOSS Era, 34<sup>th</sup>, Sydney, Australia, 10–15 April 2011, Proceedings: Tuscon, Ariz., International Center for Remote Sensing of Environment, p. 1–4, at <https://www.isprs.org/proceedings/2011/ISRSE-34/211104015Final00146.pdf>.
- Williams, D.L., Goward, S.N., and Arvidson, T., 2006, Landsat—Yesterday, today, and tomorrow: Photogrammetric Engineering & Remote Sensing, v. 72, no. 10, p. 1171–1178, at <https://doi.org/10.14358/PERS.72.10.1171>.
- Williams, D.L., Irons, J.R., Barker, J.L., Markham, B.L., and Pedelty, J.A., 1998, Landsat 7—Maintaining Landsat data continuity into the 21<sup>st</sup> century, *in* 1998 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Seattle, Wash., 6–10 July 1998, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 256–258, at <https://doi.org/10.1109/IGARSS.1998.702870>.
- Williams, D.L., Irons, J.R., Goward, S.N., and Masek, J.G., 2003, The first four years of the Landsat 7 mission—A review, *in* 2003 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toulouse, France, 21–25 July 2003, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 251–251, at <https://doi.org/10.1109/IGARSS.2003.1293740>.
- Williams, D.L., Irons, J.R., Masek, J.G., and Goward, S.N., 2001, Systematic Earth observation—Significant progress as we enter the 21<sup>st</sup> century with Landsat 7, *in* 2001 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Sydney, Australia, 9–13 July 2001, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 540–542, at <https://doi.org/10.1109/IGARSS.2001.976215>.
- Williams, P.T., Wynne, R.H., Thomas, V.A., and DeFries, R., 2021, Mapping smallholder forest plantations in Andhra Pradesh, India using multitemporal harmonized Landsat sentinel-2 S10 data: Land Degradation and Development, v. 32, no. 15, p. 4212–4226, at <https://doi.org/10.1002/ldr.4027>.
- Wilson, M.J., and Oreopoulos, L., 2013, Enhancing a simple MODIS cloud mask algorithm for the Landsat data continuity mission: IEEE Transactions on Geoscience and Remote Sensing, v. 51, no. 2, p. 723–731, at <https://doi.org/10.1109/TGRS.2012.2203823>.
- Wilusz, D.C., Zaitchik, B.F., Anderson, M.C., Hain, C.R., Yilmaz, M.T., and Mladenova, I.E., 2017, Monthly flooded area classification using low resolution SAR imagery in the Sudd wetland from 2007 to 2011: Remote Sensing of Environment, v. 194, p. 205–218, at <https://doi.org/10.1016/j.rse.2017.03.005>.

- Witt, C., Davis, R.J., Yang, Z., Ganey, J.L., Gutiérrez, R.J., Healey, S., Hedwall, S., Hoagland, S., Maes, R., et al., 2022, Linking robust spatiotemporal datasets to assess and monitor habitat attributes of a threatened species: PLoS ONE, v. 17, no. 3, article e0265175, at <https://doi.org/10.1371/journal.pone.0265175>.
- Wolfe, R., Masek, J.G., Saleous, N., and Hall, F., 2004, LEDAPS—Mapping North American disturbance from the Landsat record, *in* 2004 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Anchorage, Alaska, 20–24 September 2004, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1–4, at <https://doi.org/10.1109/IGARSS.2004.1368929>.
- Wong, A.J., Jin, Y., Medellín-Azuara, J., Paw U, K.T., Kent, E.R., Clay, J.M., Gao, F., Fisher, J.B., Rivera, G., et al., 2021, Multiscale assessment of agricultural consumptive water use in California’s Central Valley: Water Resources Research, v. 57, no. 9, article e2020WR028876, at <https://doi.org/10.1029/2020WR028876>.
- Wood, E.M., Pidgeon, A.M., Radeloff, V.C., and Keuler, N.S., 2012, Image texture as a remotely sensed measure of vegetation structure: Remote Sensing of Environment, v. 121, p. 516–526, at <https://doi.org/10.1016/j.rse.2012.01.003>.
- Wood, E.M., Pidgeon, A.M., Radeloff, V.C., and Keuler, N.S., 2013, Image texture predicts avian density and species richness: PLoS ONE, v. 8, no. 5, article e63211, at <https://doi.org/10.1371/journal.pone.0063211>.
- Woodcock, C.E., Allen, R.G., Anderson, M.C., Belward, A.S., Bindschadler, R.A., Cohen, W.B., Gao, F., Goward, S.N., Helder, D.L., et al., 2008, Free access to Landsat imagery: Science, v. 320, no. 5879, p. 1011–1011, at <https://doi.org/10.1126/science.320.5879.1011a>.
- Woodcock, C.E., Collins, J.B., Jakabhazy, V.D., Li, X., Macomber, S.A., Wu, Y., and Company, A.S., 1997, Inversion of the li-strahler canopy reflectance model for mapping forest structure: IEEE Transactions on Geoscience and Remote Sensing, v. 35, no. 2, p. 405–414, at <https://doi.org/10.1109/36.563279>.
- Woodcock, C.E., Gopal, S., Macomber, S.A., and Pax-Lenney, M., 1998, Automated identification of temperate conifer forests in Landsat imagery—Generalization in time and space, *in* 1998 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Seattle, Wash., 6–10 July 1998, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 801–803, at <https://doi.org/10.1109/IGARSS.1998.699588>.
- Woodcock, C.E., Loveland, T.R., Herold, M., and Bauer, M.E., 2020, Transitioning from change detection to monitoring with remote sensing—A paradigm shift: Remote Sensing of Environment, v. 238, article 111558, at <https://doi.org/10.1016/j.rse.2019.111558>.

- Woodcock, C.E., Macomber, S.A., Pax-Lenney, M., and Cohen, W.B., 2001, Monitoring large areas for forest change using Landsat—Generalization across space, time and Landsat sensors: *Remote Sensing of Environment*, v. 78, no. 1–2, p. 194–203, at [https://doi.org/10.1016/S0034-4257\(01\)00259-0](https://doi.org/10.1016/S0034-4257(01)00259-0).
- Wright, R., Flynn, L.P., and Harris, A.J.L., 2001, Evolution of lava flow-fields at Mount Etna, 27-28 October 1999, observed by Landsat 7 ETM+: *Bulletin of Volcanology*, v. 63, no. 1, p. 1–7, at <https://doi.org/10.1007/s004450100124>.
- Wu, Q., Ke, L., Wang, J., Pavelsky, T.M., Allen, G.H., Sheng, Y., Duan, X., Zhu, Y., Wu, J., et al., 2023, Satellites reveal hotspots of global river extent change: *Nature Communications*, v. 14, no. 1, article 1587, at <https://doi.org/10.1038/s41467-023-37061-3>.
- Wu, Y., Knudby, A., Pahlevan, N., Lapen, D., and Zeng, C., 2024, Sensor-generic adjacency-effect correction for remote sensing of coastal and inland waters: *Remote Sensing of Environment*, v. 315, article 114433, at <https://doi.org/10.1016/j.rse.2024.114433>.
- Wulder, M.A., 1998, The prediction of leaf area index from forest polygons decomposed through the integration of remote sensing, GIS, UNIX, and C: *Computers and Geosciences*, v. 24, no. 2, p. 151–157, at [https://doi.org/10.1016/S0098-3004\(97\)00132-5](https://doi.org/10.1016/S0098-3004(97)00132-5).
- Wulder, M.A., 2002, Mapping the land cover of the forested area of Canada with Landsat data, in 2002 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toronto, Canada, 24–28 June 2002, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1303–1306, at <https://doi.org/10.1109/IGARSS.2002.1026098>.
- Wulder, M.A., and Boots, B., 2001, Local spatial autocorrelation characteristics of Landsat TM imagery of a managed forest area: *Canadian Journal of Remote Sensing*, v. 27, no. 1, p. 67–75, at <https://doi.org/10.1080/07038992.2001.10854921>.
- Wulder, M.A., Butson, C.R., and White, J.C., 2008, Cross-sensor change detection over a forested landscape—Options to enable continuity of medium spatial resolution measures: *Remote Sensing of Environment*, v. 112, no. 3, p. 796–809, at <https://doi.org/10.1016/j.rse.2007.06.013>.
- Wulder, M.A., Coops, N.C., Roy, D.P., White, J.C., and Hermosilla, T., 2018, Land cover 2.0: *International Journal of Remote Sensing*, v. 39, no. 12, p. 4254–4284, at <https://doi.org/10.1080/01431161.2018.1452075>.
- Wulder, M.A., Dechka, J.A., Gillis, M.A., Luther, J.E., Hall, R.J., Beaudoin, A., and Franklin, S.E., 2003, Operational mapping of the land cover of the forested area of Canada with Landsat data—EOSD land cover program: *Forestry Chronicle*, v. 79, no. 6, p. 1075–1083, at <https://doi.org/10.5558/tfc791075-6>.

- Wulder, M.A., and Franklin, S.E., 2002, Spatial and spectral variability due to Landsat image acquisition date—The impact on image classification, *in* 2002 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Toronto, Canada, 24–28 June 2002, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 889–892, at <https://doi.org/10.1109/IGARSS.2002.1025719>.
- Wulder, M.A., Franklin, S.E., and White, J.C., 2004, Sensitivity of hyperclustering and labelling land cover classes to Landsat image acquisition date: *International Journal of Remote Sensing*, v. 25, no. 23, p. 5337–5344, at <https://doi.org/10.1080/0143116042000192385>.
- Wulder, M.A., Franklin, S.E., White, J.C., Cranny, M.M., and Dechka, J.A., 2004, Inclusion of topographic variables in an unsupervised classification of satellite imagery: *Canadian Journal of Remote Sensing*, v. 30, no. 2, p. 137–149, at <https://doi.org/10.5589/m03-063>.
- Wulder, M.A., Han, T., White, J.C., Butson, C.R., and Hall, R.J., 2007, An approach for edge matching large-area satellite image classifications: *Canadian Journal of Remote Sensing*, v. 33, no. 1-4, p. 266–277, at <https://doi.org/10.5589/m07-035>.
- Wulder, M.A., Han, T., White, J.C., Sweda, T., and Tsuzuki, H., 2007, Integrating profiling LIDAR with Landsat data for regional boreal forest canopy attribute estimation and change characterization: *Remote Sensing of Environment*, v. 110, no. 1, p. 123–137, at <https://doi.org/10.1016/j.rse.2007.02.002>.
- Wulder, M.A., Herмосilla, T., Stinson, G., Gougeon, F.A., White, J.C., Hill, D.A., and Smiley, B.P., 2020, Satellite-based time series land cover and change information to map forest area consistent with national and international reporting requirements: *Forestry*, v. 93, no. 3, p. 331–343, at <https://doi.org/10.1093/FORESTRY/CPAA006>.
- Wulder, M.A., Herмосilla, T., White, J.C., Bater, C.W., Hobart, G., and Bronson, S.C., 2024, Development and implementation of a stand-level satellite-based forest inventory for Canada: *Forestry*, v. 97, no. 4, p. 546–563, at <https://doi.org/10.1093/forestry/cpad065>.
- Wulder, M.A., Herмосilla, T., White, J.C., and Coops, N.C., 2020, Biomass status and dynamics over Canada’s forests—Disentangling disturbed area from associated aboveground biomass consequences: *Environmental Research Letters*, v. 15, no. 9, article 094093, at <https://doi.org/10.1088/1748-9326/ab8b11>.
- Wulder, M.A., Herмосilla, T., White, J.C., Hobart, G., and Masek, J.G., 2021, Augmenting Landsat time series with Harmonized Landsat Sentinel-2 data products—Assessment of spectral correspondence: *Science of Remote Sensing*, v. 4, article 100031, at <https://doi.org/10.1016/j.srs.2021.100031>.
- Wulder, M.A., Hilker, T., White, J.C., Coops, N.C., Masek, J.G., Pflugmacher, D., and Crevier, Y., 2015, Virtual constellations for global terrestrial monitoring: *Remote Sensing of Environment*, v. 170, p. 62–76, at <https://doi.org/10.1016/j.rse.2015.09.001>.

- Wulder, M.A., Kurz, W.A., and Gillis, M., 2004, National level forest monitoring and modeling in Canada: Progress in Planning, v. 61, no. 4, p. 365–381, at [https://doi.org/10.1016/S0305-9006\(03\)00069-2](https://doi.org/10.1016/S0305-9006(03)00069-2).
- Wulder, M.A., Li, Z., Campbell, E.M., White, J.C., Hobart, G., Hermosilla, T., and Coops, N.C., 2018, A national assessment of wetland status and trends for Canada's forested ecosystems using 33 years of Earth observation satellite data: Remote Sensing, v. 10, no. 10, article 1623, at <https://doi.org/10.3390/rs10101623>.
- Wulder, M.A., Loubier, E., and Richardson, D., 2002, Landsat-7 ETM+ orthoimage coverage of Canada: Canadian Journal of Remote Sensing, v. 28, no. 5, p. 667–671, at <https://doi.org/10.5589/m02-065>.
- Wulder, M.A., Loveland, T.R., Roy, D.P., Crawford, C.J., Masek, J.G., Woodcock, C.E., Allen, R.G., Anderson, M.C., Belward, A.S., et al., 2019, Current status of Landsat program, science, and applications: Remote Sensing of Environment, v. 225, p. 127–147, at <https://doi.org/10.1016/j.rse.2019.02.015>.
- Wulder, M.A., and Masek, J.G., 2012, Preface to Landsat Legacy Special Issue—Continuing the Landsat Legacy: Remote Sensing of Environment, v. 122, p. 1–1, at <https://doi.org/10.1016/j.rse.2012.01.009>.
- Wulder, M.A., Masek, J.G., Cohen, W.B., Loveland, T.R., and Woodcock, C.E., 2012, Opening the archive—How free data has enabled the science and monitoring promise of Landsat: Remote Sensing of Environment, v. 122, p. 2–10, at <https://doi.org/10.1016/j.rse.2012.01.010>.
- Wulder, M.A., Nelson, T.A., and Seemann, D., 2007, Using spatial pattern to quantify relationship between samples, surroundings, and populations: Environmental Monitoring and Assessment, v. 131, no. 1-3, p. 221–230, at <https://doi.org/10.1007/s10661-006-9470-8>.
- Wulder, M.A., Ortlepp, S.M., White, J.C., and Maxwell, S.K., 2008, Evaluation of Landsat-7 SLC-off image products for forest change detection: Canadian Journal of Remote Sensing, v. 34, no. 1-2, p. 93–99, at <https://doi.org/10.5589/m08-020>.
- Wulder, M.A., Roy, D.P., Radeloff, V.C., Loveland, T.R., Anderson, M.C., Johnson, D.M., Healey, S., Zhu, Z., Scambos, T.A., et al., 2022, Fifty years of Landsat science and impacts: Remote Sensing of Environment, v. 280, article 113195, at <https://doi.org/10.1016/j.rse.2022.113195>.
- Wulder, M.A., and Seemann, D., 2001, Spatially partitioning Canada with the Landsat worldwide referencing system: Canadian Journal of Remote Sensing, v. 27, no. 3, p. 225–231, at <https://doi.org/10.1080/07038992.2001.10854939>.
- Wulder, M.A., and Seemann, D., 2003, Forest inventory height update through the integration of lidar data with segmented Landsat imagery: Canadian Journal of Remote Sensing, v. 29, no. 5, p. 536–543, at <https://doi.org/10.5589/m03-032>.

- Wulder, M.A., Skakun, R.S., Dymond, C.C., Kurz, W.A., and White, J.C., 2005, Characterization of the diminishing accuracy in detecting forest insect damage over time: *Canadian Journal of Remote Sensing*, v. 31, no. 6, p. 421–431, at <https://doi.org/10.5589/m05-026>.
- Wulder, M.A., Skakun, R.S., Franklin, S.E., and White, J.C., 2005, Enhancing forest inventories with mountain pine beetle infestation information: *Forestry Chronicle*, v. 81, no. 1, p. 149–159, at <https://doi.org/10.5558/tfc81149-1>.
- Wulder, M.A., Skakun, R.S., Kurz, W.A., and White, J.C., 2004, Estimating time since forest harvest using segmented Landsat ETM+ imagery: *Remote Sensing of Environment*, v. 93, no. 1–2, p. 179–187, at <https://doi.org/10.1016/j.rse.2004.07.009>.
- Wulder, M.A., Stewart, B.P., Andrew, M.E., Smulders, M., Nelson, T., Coops, N.C., and Stenhouse, G.B., 2009, Remote sensing derived edge location, magnitude, and class transitions for ecological studies: *Canadian Journal of Remote Sensing*, v. 35, no. 6, p. 509–522, at <https://doi.org/10.5589/m10-007>.
- Wulder, M.A., White, J.C., Alvarez, F., Han, T., Rogan, J., and Hawkes, B., 2009, Characterizing boreal forest wildfire with multi-temporal Landsat and LIDAR data: *Remote Sensing of Environment*, v. 113, no. 7, p. 1540–1555, at <https://doi.org/10.1016/j.rse.2009.03.004>.
- Wulder, M.A., White, J.C., Andrew, M.E., Seitz, N.E., and Coops, N.C., 2009, Forest fragmentation, structure, and age characteristics as a legacy of forest management: *Forest Ecology and Management*, v. 258, no. 9, p. 1938–1949, at <https://doi.org/10.1016/j.foreco.2009.07.041>.
- Wulder, M.A., White, J.C., Bentz, B., Alvarez, M.F., and Coops, N.C., 2006, Estimating the probability of mountain pine beetle red-attack damage: *Remote Sensing of Environment*, v. 101, no. 2, p. 150–166, at <https://doi.org/10.1016/j.rse.2005.12.010>.
- Wulder, M.A., White, J.C., Bentz, B.J., and Ebata, T., 2006, Augmenting the existing survey hierarchy for mountain pine beetle red-attack damage with satellite remotely sensed data1: *Forestry Chronicle*, v. 82, no. 2, p. 187–202, at <https://doi.org/10.5558/tfc82187-2>.
- Wulder, M.A., White, J.C., and Coops, N.C., 2011, Fragmentation regimes of Canada's forests: *Canadian Geographer*, v. 55, no. 3, p. 288–300, at <https://doi.org/10.1111/j.1541-0064.2010.00335.x>.
- Wulder, M.A., White, J.C., Cranny, M., Hall, R.J., Luther, J.E., Beaudoin, A., Goodenough, D.G., and Dechka, J.A., 2008, Monitoring Canada's forests. Part 1—Completion of the EOSD land cover project: *Canadian Journal of Remote Sensing*, v. 34, no. 6, p. 549–562, at <https://doi.org/10.5589/m08-066>.
- Wulder, M.A., White, J.C., Fournier, R.A., Luther, J.E., and Magnussen, S., 2008, Spatially explicit large area biomass estimation—Three approaches using forest inventory and remotely sensed imagery in a GIS: *Sensors*, v. 8, no. 1, p. 529–560, at <https://doi.org/10.3390/s8010529>.

- Wulder, M.A., White, J.C., Gillis, M.D., Walsworth, N., Hansen, M.C., and Potapov, P., 2010, Multiscale satellite and spatial information and analysis framework in support of a large-area forest monitoring and inventory update: *Environmental Monitoring and Assessment*, v. 170, no. 1-4, p. 417–433, at <https://doi.org/10.1007/s10661-009-1243-8>.
- Wulder, M.A., White, J.C., Goward, S.N., Masek, J.G., Irons, J.R., Herold, M., Cohen, W.B., Loveland, T.R., and Woodcock, C.E., 2008, Landsat continuity—Issues and opportunities for land cover monitoring: *Remote Sensing of Environment*, v. 112, no. 3, p. 955–969, at <https://doi.org/10.1016/j.rse.2007.07.004>.
- Wulder, M.A., White, J.C., Loveland, T.R., Woodcock, C.E., Belward, A.S., Cohen, W.B., Fosnight, E.A., Shaw, J., Masek, J.G., et al., 2016, The global Landsat archive—Status, consolidation, and direction: *Remote Sensing of Environment*, v. 185, p. 271–283, at <https://doi.org/10.1016/j.rse.2015.11.032>.
- Wulder, M.A., White, J.C., Magnussen, S., and McDonald, S., 2007, Validation of a large area land cover product using purpose-acquired airborne video: *Remote Sensing of Environment*, v. 106, no. 4, p. 480–491, at <https://doi.org/10.1016/j.rse.2006.09.012>.
- Wulder, M.A., White, J.C., Masek, J.G., Dwyer, J.L., and Roy, D.P., 2011, Continuity of Landsat observations—Short term considerations: *Remote Sensing of Environment*, v. 115, no. 2, p. 747–751, at <https://doi.org/10.1016/j.rse.2010.11.002>.
- Wynne, R.H., 2003, Introduction to the special issue on remote sensing: *Forest Science*, v. 49, no. 3, p. v–vi, at <https://doi.org/10.1093/forestscience/49.3.v>.
- Wynne, R.H., Joseph, K.A., Browder, J.O., and Summers, P.M., 2007, Comparing farmer-based and satellite-derived deforestation estimates in the Amazon basin using a hybrid classifier: *International Journal of Remote Sensing*, v. 28, no. 6, p. 1299–1315, at <https://doi.org/10.1080/01431160600928609>.
- Wynne, R.H., Oderwald, R.G., Reams, G.A., and Scriverani, J.A., 2000, Optical remote sensing for forest area estimation: *Journal of Forestry*, v. 98, no. 5, p. 31–36, at <https://doi.org/10.1093/jof/98.5.31>.
- Xian, G.Z., Smith, K., Wellington, D., Horton, J., Zhou, Q., Li, C., Auch, R., Brown, J.F., Zhu, Z., et al., 2022, Implementation of the CCDC algorithm to produce the LCMAP Collection 1.0 annual land surface change product: *Earth System Science Data*, v. 14, no. 1, p. 143–162, at <https://doi.org/10.5194/essd-14-143-2022>.
- Xie, D., Gao, F., and Li, L., 2018, Assessment of predictive ability of Starfm based on different MODIS-Landsat image pair date, in 2018 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Valencia, Spain, 22–27 July 2018, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 7247–7250, at <https://doi.org/10.1109/IGARSS.2018.8517833>.
- Xie, D., Gao, F., Sun, L., and Anderson, M.C., 2018, Improving spatial-temporal data fusion by choosing optimal input image pairs: *Remote Sensing*, v. 10, no. 7, article 1142, at <https://doi.org/10.3390/rs10071142>.

- Xie, Y., Spawn-Lee, S.A., Radeloff, V.C., Yin, H., Robertson, G.P., and Lark, T.J., 2024, Cropland abandonment between 1986 and 2018 across the United States—Spatiotemporal patterns and current land uses: *Environmental Research Letters*, v. 19, no. 4, article 044009, at <https://doi.org/10.1088/1748-9326/ad2d12>.
- Xin, Q., Olofsson, P., Zhu, Z., Tan, B., and Woodcock, C.E., 2013, Toward near real-time monitoring of forest disturbance by fusion of MODIS and Landsat data: *Remote Sensing of Environment*, v. 135, p. 234–247, at <https://doi.org/10.1016/j.rse.2013.04.002>.
- Xiong, J., Thenkabail, P.S., Tilton, J.C., Gumma, M.K., Teluguntla, P., Oliphant, A., Congalton, R.G., Yadav, K., and Gorelick, N.S., 2017, Nominal 30-m cropland extent map of continental Africa by integrating pixel-based and object-based algorithms using Sentinel-2 and Landsat-8 data on Google Earth Engine: *Remote Sensing*, v. 9, no. 10, article 1065, at <https://doi.org/10.3390/rs9101065>.
- Xue, J., Anderson, M.C., Gao, F., Hain, C., Knipper, K., Yang, Y., Kustas, W.P., Yang, Y., Bambach, N., et al., 2022, Improving the spatiotemporal resolution of remotely sensed ET information for water management through Landsat, Sentinel-2, ECOSTRESS and VIIRS data fusion: *Irrigation Science*, v. 40, no. 4-5, p. 609–634, at <https://doi.org/10.1007/s00271-022-00799-7>.
- Xue, J., Anderson, M.C., Gao, F., Hain, C., Sun, L., Yang, Y., Knipper, K.R., Kustas, W.P., Torres-Rua, A., et al., 2020, Sharpening ECOSTRESS and VIIRS land surface temperature using harmonized Landsat-Sentinel surface reflectances: *Remote Sensing of Environment*, v. 251, article 112055, at <https://doi.org/10.1016/j.rse.2020.112055>.
- Xue, J., Anderson, M.C., Gao, F., Hain, C., Yang, Y., Knipper, K., Kustas, W.P., and Yang, Y., 2021, Mapping daily evapotranspiration at field scale using the Harmonized Landsat and Sentinel-2 dataset, with sharpened VIIRS as a Sentinel-2 thermal proxy: *Remote Sensing*, v. 13, no. 17, article 3420, at <https://doi.org/10.3390/rs13173420>.
- Yadav, A., Zhang, S., Zhao, B., Allen, G.H., Pearson, C., Huntington, J., Holman, K., McQuillan, K.A., and Gao, H., 2025, Mapping reservoir water surface area in the contiguous United States using the high-temporal Harmonized Landsat and Sentinel (HLS) data at a sub-weekly time scale: *Geophysical Research Letters*, v. 52, no. 11, article e2024GL114046, at <https://doi.org/10.1029/2024GL114046>.
- Yan, L., and Roy, D.P., 2014, Automated crop field extraction from multi-temporal Web Enabled Landsat Data: *Remote Sensing of Environment*, v. 144, p. 42–64, at <https://doi.org/10.1016/j.rse.2014.01.006>.
- Yan, L., and Roy, D.P., 2015, Improved time series land cover classification by missing-observation-adaptive nonlinear dimensionality reduction: *Remote Sensing of Environment*, v. 158, p. 478–491, at <https://doi.org/10.1016/j.rse.2014.11.024>.
- Yan, L., and Roy, D.P., 2016, Conterminous United States crop field size quantification from multi-temporal Landsat data: *Remote Sensing of Environment*, v. 172, p. 67–86, at <https://doi.org/10.1016/j.rse.2015.10.034>.

- Yan, L., and Roy, D.P., 2018, Large-area gap filling of Landsat reflectance time series by spectral-angle-mapper based spatio-temporal similarity (SAMSTS): Remote Sensing, v. 10, no. 4, article 609, at <https://doi.org/10.3390/rs10040609>.
- Yan, L., and Roy, D.P., 2020, Spatially and temporally complete Landsat reflectance time series modelling—The fill-and-fit approach: Remote Sensing of Environment, v. 241, article 111718, at <https://doi.org/10.1016/j.rse.2020.111718>.
- Yan, L., and Roy, D.P., 2021, Improving Landsat Multispectral Scanner (MSS) geolocation by least-squares-adjustment based time-series co-registration: Remote Sensing of Environment, v. 252, article 112181, at <https://doi.org/10.1016/j.rse.2020.112181>.
- Yan, L., and Roy, D.P., 2025, Using Landsat 8 and 9 operational land imager (OLI) data to characterize geometric distortion and improve geometric correction of Landsat Multispectral Scanner (MSS) imagery: Remote Sensing of Environment, v. 321, article 114679, at <https://doi.org/10.1016/j.rse.2025.114679>.
- Yan, L., Roy, D.P., Li, Z., Zhang, H.K., and Huang, H., 2018, Sentinel-2A multi-temporal misregistration characterization and an orbit-based sub-pixel registration methodology: Remote Sensing of Environment, v. 215, p. 495–506, at <https://doi.org/10.1016/j.rse.2018.04.021>.
- Yan, L., Roy, D.P., Zhang, H., Li, J., and Huang, H., 2016, An automated approach for sub-pixel registration of Landsat-8 Operational Land Imager (OLI) and Sentinel-2 Multi Spectral Instrument (MSI) imagery: Remote Sensing, v. 8, no. 6, article 520, at <https://doi.org/10.3390/rs8060520>.
- Yang, G., Weng, Q., Pu, R., Gao, F., Sun, C., Li, H., and Zhao, C., 2016, Evaluation of ASTER-like daily land surface temperature by fusing ASTER and MODIS data during the HiWATER-MUSOEXE: Remote Sensing, v. 8, no. 1, article 75, at <https://doi.org/10.3390/rs8010075>.
- Yang, X., Qin, Q., Yésou, H., Ledauphin, T., Koehl, M., Grussenmeyer, P., and Zhu, Z., 2020, Monthly estimation of the surface water extent in France at a 10-m resolution using Sentinel-2 data: Remote Sensing of Environment, v. 244, article 111803, at <https://doi.org/10.1016/j.rse.2020.111803>.
- Yang, X., Zhu, Z., Kroeger, K.D., Qiu, S., Covington, S., Conrad, J.R., and Zhu, Z., 2024, Tracking mangrove condition changes using dense Landsat time series: Remote Sensing of Environment, v. 315, article 114461, at <https://doi.org/10.1016/j.rse.2024.114461>.
- Yang, X., Zhu, Z., Qiu, S., Kroeger, K.D., Zhu, Z., and Covington, S., 2022, Detection and characterization of coastal tidal wetland change in the northeastern US using Landsat time series: Remote Sensing of Environment, v. 276, article 113047, at <https://doi.org/10.1016/j.rse.2022.113047>.

- Yang, Y., Anderson, M., Gao, F., Hain, C., Noormets, A., Sun, G., Wynne, R., Thomas, V., and Sun, L., 2020, Investigating impacts of drought and disturbance on evapotranspiration over a forested landscape in North Carolina, USA using high spatiotemporal resolution remotely sensed data: *Remote Sensing of Environment*, v. 238, article 111018, at <https://doi.org/10.1016/j.rse.2018.12.017>.
- Yang, Y., Anderson, M., Gao, F., Hain, C., Wood, J., and Gu, L., 2019, Using daily stand-scale evapotranspiration (ET) estimated from remotely sensed data to investigate drought impact on ET in a temperate forest in the central US, *in* 2019 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Yokohama, Japan, 28 July–2 August 2019, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 6035–6038, at <https://doi.org/10.1109/IGARSS.2019.8898301>.
- Yang, Y., Anderson, M., Gao, F., Xue, J., Knipper, K., and Hain, C., 2022, Improved daily evapotranspiration estimation using remotely sensed data in a data fusion system: *Remote Sensing*, v. 14, no. 8, article 1772, at <https://doi.org/10.3390/rs14081772>.
- Yang, Y., Anderson, M.C., Gao, F., Hain, C.R., Semmens, K.A., Kustas, W.P., Noormets, A., Wynne, R.H., Thomas, V.A., et al., 2017, Daily Landsat-scale evapotranspiration estimation over a forested landscape in North Carolina, USA, using multi-satellite data fusion: *Hydrology and Earth System Sciences*, v. 21, no. 2, p. 1017–1037, at <https://doi.org/10.5194/hess-21-1017-2017>.
- Yang, Y., Anderson, M.C., Gao, F., Kustas, W.P., Hain, C., Meyers, T., Wilson, T., Sun, L., and Yang, Y., 2016, Longterm daily fieldscale evapotranspiration estimation using multisatellite data fusion in an intensively drained agricultural area in South Dakota, USA, *in* 2016 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Beijing, China, 10–15 July 2016, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 3547–3550, at <https://doi.org/10.1109/IGARSS.2016.7729918>.
- Yang, Y., Anderson, M.C., Gao, F., Wardlow, B., Hain, C.R., Otkin, J.A., Alfieri, J., Yang, Y., Sun, L., et al., 2018, Field-scale mapping of evaporative stress indicators of crop yield—An application over Mead, NE, USA: *Remote Sensing of Environment*, v. 210, p. 387–402, at <https://doi.org/10.1016/j.rse.2018.02.020>.
- Yang, Y., Anderson, M.C., Gao, F., Yang, Y., and Sun, L., 2016, Study of water use in agricultural landscapes at high spatiotemporal resolution, *in* 2016 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Beijing, China, 10–15 July 2016, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 7172–7175, at <https://doi.org/10.1109/IGARSS.2016.7730871>.
- Yarahmadi, M., Thome, K., Wenny, B.N., Czaplá-Myers, J., Voskanian, N., Tahersima, M., and Eftekhazadeh, S., 2024, Intercomparison of Landsat Operational Land Imager and Terra Advanced Spaceborne thermal emission and reflection radiometer radiometric calibrations using radiometric calibration network data: *Remote Sensing*, v. 16, no. 2, article 400, at <https://doi.org/10.3390/rs16020400>.

- Yarahmadi, M., Thome, K.J., Wenny, B.N., Czapla-Myers, J., Tahersima, M., Voskanian, N., and Eftekharzadeh, S., 2023, Intercomparison of Landsat OLI and Terra ASTER solar reflective calibrations using the Radiometric Calibration Network data from Railroad Valley, Nevada, *in* Earth Observing Systems XXVIII, San Diego, Calif., 22–24 August 2023, Proceedings of SPIE Vol. 12685: Bellingham, Wash., Society of Photo-Optical Instrumentation Engineers (SPIE), paper 1268515, at <https://doi.org/10.1117/12.2677409>.
- Ye, S., Rogan, J., Zhu, Z., and Eastman, J.R., 2021, A near-real-time approach for monitoring forest disturbance using Landsat time series—Stochastic continuous change detection: *Remote Sensing of Environment*, v. 252, article 112167, at <https://doi.org/10.1016/j.rse.2020.112167>.
- Ye, S., Rogan, J., Zhu, Z., Hawbaker, T.J., Hart, S.J., Andrus, R.A., Meddens, A.J.H., Hicke, J.A., Eastman, J.R., et al., 2021, Detecting subtle change from dense Landsat time series—Case studies of mountain pine beetle and spruce beetle disturbance: *Remote Sensing of Environment*, v. 263, article 112560, at <https://doi.org/10.1016/j.rse.2021.112560>.
- Ye, S., Zhu, Z., and Cao, G., 2023, Object-based continuous monitoring of land disturbances from dense Landsat time series: *Remote Sensing of Environment*, v. 287, article 113462, at <https://doi.org/10.1016/j.rse.2023.113462>.
- Ye, S., Zhu, Z., and Suh, J.W., 2024, Leveraging past information and machine learning to accelerate land disturbance monitoring: *Remote Sensing of Environment*, v. 305, article 114071, at <https://doi.org/10.1016/j.rse.2024.114071>.
- Ye, Y., Coops, N.C., Hermosilla, T., Wulder, M.A., and Gergel, S.E., 2025, Temporally consistent forest stand segmentation using Landsat imagery: *IEEE Geoscience and Remote Sensing Letters*, v. 22, article 2506005, at <https://doi.org/10.1109/LGRS.2025.3602095>.
- Ye, Y., Coops, N.C., Wulder, M.A., and Hermosilla, T., 2025, A multi-resolution forest stand segmentation algorithm integrating Landsat imagery and forest structural, age, and species attributes: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 226, p. 381–395, at <https://doi.org/10.1016/j.isprsjprs.2025.05.023>.
- Yeo, I.Y., Lang, M., and Vermote, E.F., 2013, Improved understanding of suspended sediment transport process using multi-temporal Landsat data—A case study from the Old Woman Creek Estuary (Ohio): *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, v. 7, no. 2, p. 636–647, at <https://doi.org/10.1109/JSTARS.2013.2265191>.
- Yin, H., Brandão, A., Jr., Buchner, J., Helmers, D., Iuliano, B.G., Kimambo, N.E., Lewińska, K.E., Razenkova, E., Rizayeva, A., et al., 2020, Monitoring cropland abandonment with Landsat time series: *Remote Sensing of Environment*, v. 246, article 111873, at <https://doi.org/10.1016/j.rse.2020.111873>.

- Yin, H., Pflugmacher, D., Li, A., Li, Z., and Hostert, P., 2017, Land use and land cover change in Inner Mongolia - understanding the effects of China's re-vegetation programs: *Remote Sensing of Environment*, v. 204, p. 918–930, at <https://doi.org/10.1016/j.rse.2017.08.030>.
- Yin, H., Prishchepov, A.V., Kuemmerle, T., Bleyhl, B., Buchner, J., and Radeloff, V.C., 2018, Mapping agricultural land abandonment from spatial and temporal segmentation of Landsat time series: *Remote Sensing of Environment*, v. 210, p. 12–24, at <https://doi.org/10.1016/j.rse.2018.02.050>.
- Yin, H., Tan, B., Frantz, D., and Radeloff, V.C., 2022, Integrated topographic corrections improve forest mapping using Landsat imagery: *International Journal of Applied Earth Observation and Geoinformation*, v. 108, article 102716, at <https://doi.org/10.1016/j.jag.2022.102716>.
- Ying, Q., Hansen, M.C., Potapov, P.V., Tyukavina, A., Wang, L., Stehman, S.V., Moore, R., and Hancher, M., 2017, Global bare ground gain from 2000 to 2012 using Landsat imagery: *Remote Sensing of Environment*, v. 194, p. 161–176, at <https://doi.org/10.1016/j.rse.2017.03.022>.
- Ying, Q., Hansen, M.C., Sun, L., Wang, L., and Steininger, M., 2019, Satellite-detected gain in built-up area as a leading economic indicator: *Environmental Research Letters*, v. 14, no. 11, article 114015, at <https://doi.org/10.1088/1748-9326/ab443e>.
- Younes, N., Northfield, T.D., Joyce, K.E., Maier, S.W., Duke, N.C., and Lymburner, L., 2020, A novel approach to modelling mangrove phenology from satellite images—A case study from Northern Australia: *Remote Sensing*, v. 12, no. 24, article 4008, at <https://doi.org/10.3390/rs12244008>.
- Yu, L., Ball, S.B., Blinn, C.E., Moeltner, K., Peery, S., Thomas, V.A., and Wynne, R.H., 2015, Cloud-sourcing—Using an online labor force to detect clouds and cloud shadows in Landsat images: *Remote Sensing*, v. 7, no. 3, p. 2334–2351, at <https://doi.org/10.3390/rs70302334>.
- Zald, H.S.J., Wulder, M.A., White, J.C., Hilker, T., Hermosilla, T., Hobart, G.W., and Coops, N.C., 2016, Integrating Landsat pixel composites and change metrics with lidar plots to predictively map forest structure and aboveground biomass in Saskatchewan, Canada: *Remote Sensing of Environment*, v. 176, p. 188–201, at <https://doi.org/10.1016/j.rse.2016.01.015>.
- Zeng, X., Rao, P., DeFries, R.S., and Hansen, M.C., 2003, Interannual variability and decadal trend of global fractional vegetation cover from 1982 to 2000: *Journal of Applied Meteorology*, v. 42, no. 10, p. 1525–1530, at [https://doi.org/10.1175/1520-0450\(2003\)042<1525:IVADTO>2.0.CO;2](https://doi.org/10.1175/1520-0450(2003)042<1525:IVADTO>2.0.CO;2).
- Zhai, Y., Roy, D.P., Martins, V.S., Zhang, H.K., Yan, L., and Li, Z., 2022, Conterminous United States Landsat-8 top of atmosphere and surface reflectance tasseled cap transformation coefficients: *Remote Sensing of Environment*, v. 274, article 112992, at <https://doi.org/10.1016/j.rse.2022.112992>.

- Zhan, X., Huang, C., Townshend, J., DeFries, R., Hansen, M.C., Dimiceli, C., Sohlberg, R., Hewson-Scardelletti, J., and Tompkins, A., 1998, Land cover change detection with change vector in the red and near-infrared reflectance space, *in* 1998 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Seattle, Wash., 6–10 July 1998, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 859–861, at <https://doi.org/10.1109/IGARSS.1998.699607>.
- Zhan, X., Sohlberg, R.A., Townshend, J.R.G., DiMiceli, C., Carroll, M.L., Eastman, J.C., Hansen, M.C., and DeFries, R.S., 2002, Detection of land cover changes using MODIS 250 m data: *Remote Sensing of Environment*, v. 83, no. 1–2, p. 336–350, at [https://doi.org/10.1016/S0034-4257\(02\)00081-0](https://doi.org/10.1016/S0034-4257(02)00081-0).
- Zhang, G., Ganguly, S., Nemani, R.R., White, M.A., Milesi, C., Hashimoto, H., Wang, W., Saatchi, S., Yu, Y., et al., 2014, Estimation of forest aboveground biomass in California using canopy height and leaf area index estimated from satellite data: *Remote Sensing of Environment*, v. 151, p. 44–56, at <https://doi.org/10.1016/j.rse.2014.01.025>.
- Zhang, G., Yao, T., Chen, W., Zheng, G., Shum, C.K., Yang, K., Piao, S., Sheng, Y., Yi, S., et al., 2019, Regional differences of lake evolution across China during 1960s–2015 and its natural and anthropogenic causes: *Remote Sensing of Environment*, v. 221, p. 386–404, at <https://doi.org/10.1016/j.rse.2018.11.038>.
- Zhang, H.K., Luo, D., and Roy, D.P., 2024, Improved Landsat Operational Land Imager (OLI) cloud and shadow detection with the Learning Attention Network Algorithm (LANA): *Remote Sensing*, v. 16, no. 8, article 1321, at <https://doi.org/10.3390/rs16081321>.
- Zhang, H.K., and Roy, D.P., 2016, Computationally inexpensive Landsat 8 Operational Land Imager (OLI) pansharpening: *Remote Sensing*, v. 8, no. 3, article 180, at <https://doi.org/10.3390/rs8030180>.
- Zhang, H.K., and Roy, D.P., 2016, Landsat 5 Thematic Mapper reflectance and NDVI 27-year time series inconsistencies due to satellite orbit change: *Remote Sensing of Environment*, v. 186, p. 217–233, at <https://doi.org/10.1016/j.rse.2016.08.022>.
- Zhang, H.K., and Roy, D.P., 2017, Using the 500 m MODIS land cover product to derive a consistent continental scale 30 m Landsat land cover classification: *Remote Sensing of Environment*, v. 197, p. 15–34, at <https://doi.org/10.1016/j.rse.2017.05.024>.
- Zhang, H.K., Roy, D.P., and Kovalsky, V., 2016, Optimal solar geometry definition for global long-term Landsat time-series bidirectional reflectance normalization: *IEEE Transactions on Geoscience and Remote Sensing*, v. 54, no. 3, p. 1410–1418, at <https://doi.org/10.1109/TGRS.2015.2480684>.
- Zhang, H.K., Roy, D.P., and Luo, D., 2023, Demonstration of large area land cover classification with a one dimensional convolutional neural network applied to single pixel temporal metric percentiles: *Remote Sensing of Environment*, v. 295, article 113653, at <https://doi.org/10.1016/j.rse.2023.113653>.

- Zhang, H.K., Roy, D.P., Yan, L., Li, Z., Huang, H., Vermote, E.F., Skakun, S., and Roger, J.C., 2018, Characterization of Sentinel-2A and Landsat-8 top of atmosphere, surface, and nadir BRDF adjusted reflectance and NDVI differences: Remote Sensing of Environment, v. 215, p. 482–494, at <https://doi.org/10.1016/j.rse.2018.04.031>.
- Zhang, H.K., Shen, Y., Zhang, X., Li, J., Yang, Z., Xu, Y., Zhang, C., Di, L., and Roy, D.P., 2025, Robust and timely within-season conterminous United States crop type mapping using Landsat Sentinel-2 time series and the transformer architecture: Remote Sensing of Environment, v. 329, article 114950, at <https://doi.org/10.1016/j.rse.2025.114950>.
- Zhang, J., Shang, R., Rittenhouse, C.D., Witharana, C., and Zhu, Z., 2021, Evaluating the impacts of models, data density and irregularity on reconstructing and forecasting dense Landsat time series: Science of Remote Sensing, v. 4, article 100023, at <https://doi.org/10.1016/j.srs.2021.100023>.
- Zhang, M., Carder, K.L., Muller-Karger, F.E., Lee, Z., and Goldgof, D.B., 1999, Noise reduction and atmospheric correction for coastal applications of Landsat Thematic Mapper imagery: Remote Sensing of Environment, v. 70, no. 2, p. 167–180, at [https://doi.org/10.1016/S0034-4257\(99\)00031-0](https://doi.org/10.1016/S0034-4257(99)00031-0).
- Zhang, P., Bounoua, L., Thome, K.J., and Wolfe, R., 2016, Modeling impact of urbanization in us cities using simple biosphere model SiB2, *in* 2016 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Beijing, China, 10–15 July 2016, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 6758–6761, at <https://doi.org/10.1109/IGARSS.2016.7730764>.
- Zhang, P., Bounoua, L., Thome, K.J., Wolfe, R., and Imhoff, M., 2015, Modeling surface climate in U.S. cities using Simple Biosphere Model SiB2: Canadian Journal of Remote Sensing, v. 41, no. 6, p. 525–535, at <https://doi.org/10.1080/07038992.2015.1110013>.
- Zhang, Q., Devers, D., Desch, A., Justice, C.O., and Townshend, J., 2005, Mapping tropical deforestation in Central Africa: Environmental Monitoring and Assessment, v. 101, no. 1–3, p. 69–83, at <https://doi.org/10.1007/s10661-005-9132-2>.
- Zhang, X., Gao, F., Wang, J., and Ye, Y., 2021, Evaluating a spatiotemporal shape-matching model for the generation of synthetic high spatiotemporal resolution time series of multiple satellite data: International Journal of Applied Earth Observation and Geoinformation, v. 104, article 102545, at <https://doi.org/10.1016/j.jag.2021.102545>.
- Zhang, X., Liu, L., Liu, Y., Jayavelu, S., Wang, J., Moon, M., Henebry, G.M., Friedl, M.A., and Schaaf, C.B., 2018, Generation and evaluation of the VIIRS land surface phenology product: Remote Sensing of Environment, v. 216, p. 212–229, at <https://doi.org/10.1016/j.rse.2018.06.047>.

- Zhang, X., Wang, J., Gao, F., Liu, Y., Schaaf, C.B., Friedl, M., Yu, Y., Jayavelu, S., Gray, J., et al., 2017, Exploration of scaling effects on coarse resolution land surface phenology: *Remote Sensing of Environment*, v. 190, p. 318–330, at <https://doi.org/10.1016/j.rse.2017.01.001>.
- Zhang, X., Wang, J., Henebry, G.M., and Gao, F., 2020, Development and evaluation of a new algorithm for detecting 30 m land surface phenology from VIIRS and HLS time series: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 161, p. 37–51, at <https://doi.org/10.1016/j.isprsjprs.2020.01.012>.
- Zhang, Y., Thenkabail, P.S., and Wang, P., 2019, A bibliometric profile of the *Remote Sensing* open access journal published by MDPI between 2009 and 2018: *Remote Sensing*, v. 11, no. 1, article 91, at <https://doi.org/10.3390/rs11010091>.
- Zhang, Y., Woodcock, C.E., Arévalo, P., Olofsson, P., Tang, X., Stanimirova, R., Bullock, E.L., Tarrio, K.R., Zhu, Z., et al., 2022, A global analysis of the spatial and temporal variability of usable Landsat observations at the pixel scale: *Frontiers in Remote Sensing*, v. 3, article 894618, at <https://doi.org/10.3389/frsen.2022.894618>.
- Zhang, Y., Woodcock, C.E., Chen, S., Wang, J.A., Sulla-Menashe, D., Zuo, Z., Olofsson, P., Wang, Y., and Friedl, M.A., 2022, Mapping causal agents of disturbance in boreal and arctic ecosystems of North America using time series of Landsat data: *Remote Sensing of Environment*, v. 272, article 112935, at <https://doi.org/10.1016/j.rse.2022.112935>.
- Zhao, F., Huang, C., Goward, S.N., Schleeweis, K., Rishmawi, K., Lindsey, M.A., Denning, E., Keddell, L., Cohen, W.B., et al., 2018, Development of Landsat-based annual US forest disturbance history maps (1986–2010) in support of the North American Carbon Program (NACP): *Remote Sensing of Environment*, v. 209, p. 312–326, at <https://doi.org/10.1016/j.rse.2018.02.035>.
- Zhao, H., Gao, F., Anderson, M., Cirone, R., Chang, J., Lin, L., Zhang, C., Li, H., and Zhao, H., 2024, Phenologically corrected crop condition mapping and assessment with vegetation index time series, *in* International Conference on Agro-Geoinformatics, 12<sup>th</sup>, Novi Sad, Serbia, 15–18 July 2024, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 1–6, at <https://doi.org/10.1109/Agro-Geoinformatics262780.2024.10660930>.
- Zhao, H., Gao, F., Anderson, M., Cirone, R.J., and Chang, J.G., 2025, Improving crop condition monitoring using phenologically aligned vegetation index anomalies—A case study in central Iowa: *International Journal of Applied Earth Observation and Geoinformation*, v. 139, article 104526, at <https://doi.org/10.1016/j.jag.2025.104526>.
- Zhao, K., Wulder, M.A., Hu, T., Bright, R., Wu, Q., Qin, H., Li, Y., Toman, E., Mallick, B., et al., 2019, Detecting change-point, trend, and seasonality in satellite time series data to track abrupt changes and nonlinear dynamics—A Bayesian ensemble algorithm: *Remote Sensing of Environment*, v. 232, article 111181, at <https://doi.org/10.1016/j.rse.2019.04.034>.

- Zhao, Y., and Zhu, Z., 2022, ASI—An artificial surface Index for Landsat 8 imagery: International Journal of Applied Earth Observation and Geoinformation, v. 107, article 102703, at <https://doi.org/10.1016/j.jag.2022.102703>.
- Zheng, B., Campbell, J.B., Shao, Y., and Wynne, R.H., 2013, Broad-scale monitoring of tillage practices using sequential Landsat imagery: Soil Science Society of America Journal, v. 77, no. 5, p. 1755–1764, at <https://doi.org/10.2136/sssaj2013.03.0108>.
- Zheng, B., Myint, S.W., Thenkabail, P.S., and Aggarwal, R.M., 2015, A support vector machine to identify irrigated crop types using time-series Landsat NDVI data: International Journal of Applied Earth Observation and Geoinformation, v. 34, no. 1, p. 103–112, at <https://doi.org/10.1016/j.jag.2014.07.002>.
- Zhou, J., Zhang, S., Yang, H., Xiao, Z., and Gao, F., 2018, The retrieval of 30-m resolution LAI from Landsat data by combining MODIS products: Remote Sensing, v. 10, no. 8, article 1187, at <https://doi.org/10.3390/rs10081187>.
- Zhou, Q., Guan, K., Wang, S., Hipple, J., and Chen, Z., 2024, From satellite-based phenological metrics to crop planting dates—Deriving field-level planting dates for corn and soybean in the U.S. Midwest: ISPRS Journal of Photogrammetry and Remote Sensing, v. 216, p. 259–273, at <https://doi.org/10.1016/j.isprsjprs.2024.07.031>.
- Zhou, Q., Guan, K., Wang, S., Hipple, J., and Chen, Z., 2025, Addressing crop dormancy for phenology-based field-level detection of winter wheat planting dates in the United States: IEEE Transactions on Geoscience and Remote Sensing, v. 63, article 4423111, at <https://doi.org/10.1109/TGRS.2025.3631803>.
- Zhou, Q., Guan, K., Wang, S., Wu, X., Stroebel, S., and Hipple, J., 2026, Multi-sensor assessment of phenology-based field-level cover cropping detection using satellite vegetation time series from Harmonized Landsat-8 and Sentinel-2, MODIS, and PlanetScope: International Journal of Applied Earth Observation and Geoinformation, v. 146, article 105004, at <https://doi.org/10.1016/j.jag.2025.105004>.
- Zhou, Q., Neigh, C.S.R., Ju, J., Dabney, P., Cook, B.D., Zhu, Z., Crawford, C.J., Gascón, F., Strobl, P.A., et al., 2025, Toward seamless global 30-m terrestrial monitoring—Evaluating 2022 cloud free coverage of Harmonized Landsat and Sentinel-2 (HLS) V2.0: IEEE Geoscience and Remote Sensing Letters, v. 22, article 5000505, at <https://doi.org/10.1109/LGRS.2025.3533923>.
- Zhou, Q., Neigh, C.S.R., Ju, J., Wooten, M., Zhu, Z., Miura, T., Campbell, P.K.E., Sridhar, M.K., Baker, B.W., et al., 2026, Global uncertainty assessment of vegetation indices from NASA's Harmonized Landsat and Sentinel-2 Project: Remote Sensing of Environment, v. 332, article 115084, at <https://doi.org/10.1016/j.rse.2025.115084>.
- Zhou, Q., Xian, G., Horton, J.A., Wellington, D.F., Domke, G., Auch, R.F., Li, C., and Zhu, Z., 2022, Tree regrowth duration map from LCMAP collection 1.0 land cover products in the conterminous United States, 1985–2017: GIScience and Remote Sensing, v. 59, no. 1, p. 959–974, at <https://doi.org/10.1080/15481603.2022.2083790>.

- Zhou, Q., Zhu, Z., Xian, G., and Li, C., 2022, A novel regression method for harmonic analysis of time series: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 185, p. 48–61, at <https://doi.org/10.1016/j.isprsjprs.2022.01.006>.
- Zhou, T., Zhang, G., Wang, J., Zhu, Z., Woolway, R.I., Han, X., Xu, F., and Peng, J., 2025, A novel framework for accurate, automated and dynamic global lake mapping based on optical imagery: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 221, p. 280–298, at <https://doi.org/10.1016/j.isprsjprs.2025.02.008>.
- Zhu, L., Radeloff, V.C., and Ives, A.R., 2017, Improving the mapping of crop types in the Midwestern U.S. by fusing Landsat and MODIS satellite data: *International Journal of Applied Earth Observation and Geoinformation*, v. 58, p. 1–11, at <https://doi.org/10.1016/j.iag.2017.01.012>.
- Zhu, X., Chen, J., Gao, F., Chen, X., and Masek, J.G., 2010, An enhanced spatial and temporal adaptive reflectance fusion model for complex heterogeneous regions: *Remote Sensing of Environment*, v. 114, no. 11, p. 2610–2623, at <https://doi.org/10.1016/j.rse.2010.05.032>.
- Zhu, X., Gao, F., Liu, D., and Chen, J., 2012, A modified neighborhood similar pixel interpolator approach for removing thick clouds in Landsat images: *IEEE Geoscience and Remote Sensing Letters*, v. 9, no. 3, p. 521–525, at <https://doi.org/10.1109/LGRS.2011.2173290>.
- Zhu, X., and Helmer, E.H., 2018, An automatic method for screening clouds and cloud shadows in optical satellite image time series in cloudy regions: *Remote Sensing of Environment*, v. 214, p. 135–153, at <https://doi.org/10.1016/j.rse.2018.05.024>.
- Zhu, X., Helmer, E.H., Gao, F., Liu, D., Chen, J., and Lefsky, M.A., 2016, A flexible spatiotemporal method for fusing satellite images with different resolutions: *Remote Sensing of Environment*, v. 172, p. 165–177, at <https://doi.org/10.1016/j.rse.2015.11.016>.
- Zhu, X., Helmer, E.H., Gwenzi, D., Collin, M., Fleming, S., Tian, J., Marcano-Vega, H., Meléndez-Ackerman, E.J., and Zimmerman, J.K., 2021, Characterization of dry-season phenology in tropical forests by reconstructing cloud-free Landsat time series: *Remote Sensing*, v. 13, no. 23, article 4736, at <https://doi.org/10.3390/rs13234736>.
- Zhu, Z., 2017, Change detection using Landsat time series—A review of frequencies, preprocessing, algorithms, and applications: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 130, p. 370–384, at <https://doi.org/10.1016/j.isprsjprs.2017.06.013>.
- Zhu, Z., 2019, Science of Landsat analysis ready data: *Remote Sensing*, v. 11, no. 18, article 2166, at <https://doi.org/10.3390/rs11182166>.

- Zhu, Z., Fu, Y., Woodcock, C.E., Olofsson, P., Vogelmann, J.E., Holden, C., Wang, M., Dai, S., and Yu, Y., 2016, Including land cover change in analysis of greenness trends using all available Landsat 5, 7, and 8 images—A case study from Guangzhou, China (2000-2014): *Remote Sensing of Environment*, v. 185, p. 243–257, at <https://doi.org/10.1016/j.rse.2016.03.036>.
- Zhu, Z., Gallant, A.L., Woodcock, C.E., Pengra, B., Olofsson, P., Loveland, T.R., Jin, S., Dahal, D., Yang, L., et al., 2016, Optimizing selection of training and auxiliary data for operational land cover classification for the LCMAP initiative: *ISPRS Journal of Photogrammetry and Remote Sensing*, v. 122, p. 206–221, at <https://doi.org/10.1016/j.isprsjprs.2016.11.004>.
- Zhu, Z., Wang, S., and Woodcock, C.E., 2015, Improvement and expansion of the Fmask algorithm—Cloud, cloud shadow, and snow detection for Landsats 4-7, 8, and Sentinel 2 images: *Remote Sensing of Environment*, v. 159, p. 267–277, at <https://doi.org/10.1016/j.rse.2014.12.014>.
- Zhu, Z., and Woodcock, C.E., 2012, Object-based cloud and cloud shadow detection in Landsat imagery: *Remote Sensing of Environment*, v. 118, p. 83–94, at <https://doi.org/10.1016/j.rse.2011.10.028>.
- Zhu, Z., and Woodcock, C.E., 2014, Continuous change detection and classification of land cover using all available Landsat data: *Remote Sensing of Environment*, v. 144, p. 152–171, at <https://doi.org/10.1016/j.rse.2014.01.011>.
- Zhu, Z., and Woodcock, C.E., 2014, Automated cloud, cloud shadow, and snow detection in multitemporal Landsat data—An algorithm designed specifically for monitoring land cover change: *Remote Sensing of Environment*, v. 152, p. 217–234, at <https://doi.org/10.1016/j.rse.2014.06.012>.
- Zhu, Z., Woodcock, C.E., Holden, C., and Yang, Z., 2015, Generating synthetic Landsat images based on all available Landsat data—Predicting Landsat surface reflectance at any given time: *Remote Sensing of Environment*, v. 162, p. 67–83, at <https://doi.org/10.1016/j.rse.2015.02.009>.
- Zhu, Z., Woodcock, C.E., and Olofsson, P., 2012, Continuous monitoring of forest disturbance using all available Landsat imagery: *Remote Sensing of Environment*, v. 122, p. 75–91, at <https://doi.org/10.1016/j.rse.2011.10.030>.
- Zhu, Z., Woodcock, C.E., Rogan, J., and Kellndorfer, J., 2012, Assessment of spectral, polarimetric, temporal, and spatial dimensions for urban and peri-urban land cover classification using Landsat and SAR data: *Remote Sensing of Environment*, v. 117, p. 72–82, at <https://doi.org/10.1016/j.rse.2011.07.020>.
- Zhu, Z., Wulder, M.A., Roy, D.P., Woodcock, C.E., Hansen, M.C., Radeloff, V.C., Healey, S.P., Schaaf, C., Hostert, P., et al., 2019, Benefits of the free and open Landsat data policy: *Remote Sensing of Environment*, v. 224, p. 382–385, at <https://doi.org/10.1016/j.rse.2019.02.016>.

- Zhu, Z., Zhang, J., Yang, Z., Aljaddani, A.H., Cohen, W.B., Qiu, S., and Zhou, C., 2020, Continuous monitoring of land disturbance based on Landsat time series: Remote Sensing of Environment, v. 238, article 111116, at <https://doi.org/10.1016/j.rse.2019.03.009>.
- Zhukov, B., Oertel, D., Lehmann, F., and Strobl, P., 1996, Unmixing of satellite thermal images—Simulation and application to TM/Landsat data, *in* 1996 IEEE International Geoscience and Remote Sensing Symposium (IGARSS), Lincoln, Nebr., 28–31 May 1996, Proceedings: Piscataway, N.J., Institute of Electrical and Electronics Engineers (IEEE), p. 2107–2109, at <https://doi.org/10.1109/IGARSS.1996.516903>.
- Zhuravleva, I., Turubanova, S., Potapov, P., Hansen, M.C., Tyukavina, A., Minnemeyer, S., Laporte, N., Goetz, S., Verbelen, F., et al., 2013, Satellite-based primary forest degradation assessment in the Democratic Republic of the Congo, 2000-2010: Environmental Research Letters, v. 8, no. 2, article 024034, at <https://doi.org/10.1088/1748-9326/8/2/024034>.
- Zolfaghari, K., Pahlevan, N., Binding, C., Gurlin, D., Simis, S.G., Verdu, A.R., Li, L., Crawford, C.J., VanderWoude, A., et al., 2022, Impact of spectral resolution on quantifying cyanobacteria in lakes and reservoirs—A machine-learning assessment: IEEE Transactions on Geoscience and Remote Sensing, v. 60, article 5515520, at <https://doi.org/10.1109/TGRS.2021.31114635>.