

USER GUIDE

EARTH RESOURCES OBSERVATION AND SCIENCE (EROS) CENTER SCIENCE PROCESSING ARCHITECTURE (ESPA) ON DEMAND INTERFACE

The screenshot shows the USGS LSRD website interface. At the top left is the USGS logo with the tagline "science for a changing world". To the right are links for "USGS Home", "Contact USGS", and "Search USGS". Below this is a dark blue header with the text "LSRD Science Research and Development (LSRD)". A navigation bar contains links for "Home", "New Order", "Show Orders", "Product Information", and "User Guide". The main content area features a satellite image of a river system on the left. To its right is a "Did you know?" box stating that all LSRD software is freely available under the NASA Open Source Agreement, with a "Go there now" link. Below this is a "Current Offerings" section with three columns: "Bulk Ordering" (describing a mechanism for additional processing), "Bulk Ordering API" (describing a REST service for client interaction), and "LPCS" (describing statistical comparisons between datasets). Each column has a corresponding action button at the bottom: "Order Data", "Access API Information", and "Generate Comparisons".

Version 4.3

December 2017

Document History

| Document Version | Publication Date | Change Description |
|------------------|------------------|---|
| 1.0 | 11/11/2013 | Initial Draft |
| 1.1 | 12/01/2013 | Revised after Peer Review |
| 1.2 | 01/06/2013 | Updated with DownThemAll network preference instruction |
| 1.3 | 06/04/2014 | Corrected link to SI Product Guide |
| 1.4 | 06/26/2014 | Modified system login details |
| 2.0 | 07/29/2014 | Added new output format and projection option descriptions |
| 2.1 | 08/04/2014 | Added file format characteristics and appendices. |
| 2.2 | 08/27/2014 | Added MODIS MOD/MYD09 & MOD/MYD13 input options, output files; GeoTIFF output files added; 'fmask' changed to 'cfmask' in file output. |
| 2.3 | 10/10/2014 | Split processing options into more subsections, Land Product Characterization System (LPCS) integration, statistics generation, ability to download only metadata, users must "Define Projection" before modifying image extent. |
| 2.4 | 10/22/2014 | Expanded descriptions of reprojection parameters, updated on demand order page figure to include statistics generation. |
| 2.5 | 12/23/2014 | Updated "Customization Options" section to show that QA bands are always resampled with Nearest Neighbor. Addition of Landsat 8 products. Updated figures and text to reflect ESPA website updates. Added LPCS processing addition to ESPA. |
| 2.6 | 03/25/2015 | Added ESPA Bulk Download client information to "Download" section. |
| 2.7 | 9/22/2015 | Corrected URLs in document |
| 2.8 | 10/19/2015 | Changed number of days in Section 2.3; adjusted server limits in download plugin documentation and graphic |
| 2.9 | 12/01/2015 | Minor formatting and typo corrections. |
| 3.0 | 12/16/2015 | Added caveat for maximum pixel count per grid. Updated tables to indicate cloud mask (CFmask) ordering option for Landsat products. |
| 3.1 | 03/01/2016 | Added caveat for Intercomparison & Statistics generation – currently not supported for Landsat Level 1 products. |
| 3.2 | 05/10/2016 | Updated link for ESPA bulk download client. |
| 3.3 | 07/01/2016 | Added description of order status messages. Updated links to L8 Surface Reflectance Code (LaSRC) Product Guide. |
| 3.4 | 10/07/2016 | Added API information, NetCDF output & corresponding graphics. |

| | | |
|-----|------------|--|
| 3.5 | 12/07/2016 | Updated links to Landsat Missions Website |
| 3.6 | 01/13/2017 | Added TM/ETM+ Collection 1 information and examples. Updated incorrect graphic of ordering interface. Added note about per-order maximum pixel limit (200 million). Added Table caption to ESPA order status table. Noted that only C5 MODIS products are currently available. |
| 3.7 | 01/18/2017 | Addition of MODIS C6 products. |
| 3.8 | 03/15/2017 | Added OLI/TIRS Collection 1 information and examples. Added caveat stating that TIRS-only (LT8 or LT08) data cannot be run to Brightness Temperature. |
| 3.9 | 03/31/2017 | Addition of MODIS LST/E (MO/YD11A1) to description, appendix, etc. Addition of .tar.gz archive name examples for pre-collection Landsat, Collection 1 Landsat, and MODIS (Section 2.3.) Removed "Provisional" stats from all instances of LaSRC (C1 only.) |
| 4.0 | 04/06/2017 | Removal of Landsat pre-collection data. Added explanation of Real Time (RT) data, and how it may not be available if it is removed from L1 archive and processed to Tier 1 or 2. Moved TOA, BT and CFMask to separate section (they are not CDRs.) Added link to ECV webpage. Updated figures with most recent ESPA interface. |
| 4.1 | 06/26/2017 | Removed CFMask product option information and replaced with pixel_qa product option information. Added order cancellation information. |
| 4.2 | 10/05/2017 | Replaced the terms high-level and higher-level with science data products. Corrected various typos. |
| 4.3 | 12/04/2017 | Added "top of atmosphere" before "brightness temperature" to clarify that BT products are not atmospherically corrected. |

Contents

| | |
|--|-----------|
| Document History | 2 |
| Contents | 4 |
| List of Tables | 5 |
| List of Figures | 6 |
| Section 1 Introduction | 7 |
| Section 2 User Interface | 9 |
| 2.1.1 Login Credentials | 10 |
| 2.1.2 Scene List | 10 |
| 2.1.3 Supported Processing Options by Product | 11 |
| 2.1.4 Source Products | 12 |
| 2.1.5 Climate Data Records..... | 13 |
| 2.1.6 Other Landsat Level-2 Products | 13 |
| 2.1.7 Spectral Indices | 13 |
| 2.1.8 Customization Options..... | 14 |
| 2.1.9 Intercomparison & Statistics | 17 |
| 2.1.10 Order Description..... | 18 |
| 2.2 Order Tracking | 18 |
| 2.2.1 Cancel Order | 20 |
| 2.2.2 Status Message | 21 |
| 2.3 Download..... | 22 |
| 2.3.1 File Archive Format..... | 22 |
| 2.3.2 Distribution Methods | 23 |
| 2.3.3 ESPA Bulk Download Client | 25 |
| Section 3 Application Programming Interface (API) | 26 |
| 3.1 Overview | 26 |
| 3.2 Documentation..... | 26 |
| Section 4 User Services | 27 |
| Appendix A Landsat HDF File Characteristics | 28 |
| Appendix B MODIS HDF File Characteristics | 30 |
| Appendix C Landsat Binary File Characteristics | 31 |
| Appendix D MODIS Binary File Characteristics | 32 |
| Appendix E MODIS GeoTIFF File Characteristics | 33 |
| Appendix F Acronyms | 35 |

List of Tables

| | |
|--|----|
| Table 2-1 Available ESPA On Demand Processing Options..... | 11 |
| Table 2-2 Possible input parameters for product reprojection in ESPA..... | 16 |
| Table 2-3 Possible status messages on the ESPA order status pages and their meanings. | 21 |
| Table A-0-1 Landsat HDF File Characteristics | 28 |
| Table B-0-1 MODIS HDF File Characteristics | 30 |
| Table C-0-1 Landsat Binary File Characteristics | 31 |
| Table D-0-1 MODIS Binary File Characteristics | 32 |
| Table E-0-1 MODIS GeoTIFF File Characteristics | 33 |

List of Figures

- Figure 2-1 ESPA On Demand Order Page..... 11
- Figure 2-2 ESPA On Demand Customization Services..... 15
- Figure 2-3 Examples of ESPA On Demand Projection Parameter Entry..... 17
- Figure 2-4 ESPA On Demand “Show Orders” Page 19
- Figure 2-5 ESPA On Demand Distribution Page 19
- Figure 2-6 Cancel Order..... 20
- Figure 2-7 Order cancellation verification..... 20
- Figure 2-8 DownThemAll Network Preference Settings 24

Section 1 Introduction

Landsat data have been produced, archived, and distributed by the U.S. Geological Survey (USGS) since 1972. Scientists and users rely on these data for historical study of land surface change, but shoulder the burden of post-production processing to create applications-ready data sets. In compliance with guidelines established through the Global Climate Observing System, USGS has embarked on production of Landsat science data products to support land surface change study. Terrestrial variables such as surface reflectance and land surface temperature will be offered as Climate Data Records (CDR). Derivations of spectral indices from surface reflectance are also produced, to further ease user application in land remote sensing science. Science data products, such as leaf area index, burned area extent, snow covered area, and surface water extent representing Essential Climate Variables (ECV) will be available soon.

These products are provided in order to build a framework for producing long-term Landsat data sets suited for monitoring, characterizing and understanding land surface change over time. The framework's implementation includes basic processing services for both Level-1 data and science data products to provide applications-ready datasets to the user community. These services include:

- Reprojection*
- Spatial subsetting
- Pixel resizing*
- Multiple output formats

*These options do not apply to the Panchromatic Band (Band 8 of Landsat 7 ETM+ and Landsat 8 OLI).

Products and services are provided by the USGS Earth Resources Observation and Science (EROS) Center Science Processing Architecture (ESPA) On Demand Interface (<https://espa.cr.usgs.gov/>). It is composed of the following key elements:

- Bulk Ordering
- Bulk Ordering Application Programming Interface (API)*
- Land Product Characterization System (LPCS)**

This guide focuses on the Bulk Ordering component, which is the primary mechanism for access to USGS provisional and prototype data products.

*The API feature is available for all registered users. The API enables end-users to write their own clients to interact with all Bulk Ordering capabilities. More information about the API can be found in **Section 3 Application Programming Interface (API)**.

**LPCS is a collaboration between the USGS and National Oceanic and Atmospheric Administration (NOAA), and provides a way to perform statistical comparisons between data sets acquired from multiple sensors. It supports Moderate Resolution Imaging

Spectroradiometer (MODIS) and Landsat surface reflectance and vegetation index products only, but further development will expand the offerings. See section **2.1.9 Intercomparison & Statistics** for details.

Section 2 User Interface

The bulk ordering interface is the primary mechanism used to request on demand processing and services for the Landsat and select MODIS archives. With the exception of some periods of unavailability, all Collection 1 data from Landsat 4 and 5 Thematic Mapper (TM), Landsat 7 Enhanced Thematic Mapper Plus (ETM+), and Landsat 8 Operational Land Imager (OLI) and Thermal Infrared Sensor (TIRS) can be submitted for science data product delivery. Caveats and constraints for Landsat imagery are described in the [Landsat 4-7 Surface Reflectance \(LEDAPS\) Product Guide](#), and the [Landsat 8 Surface Reflectance Code \(LaSRC\) Product Guide](#), which link from the bulk order page through the “Product Information” menu on the top left of the interface panel.

Select MODIS MOD09 (Terra), MYD09 (Aqua), MOD13 (Terra), MYD13 (Aqua), MOD11 (Terra) and MYD11 (Aqua) Collections 5 and 6 datasets are available to order through the bulk ordering interface. Available MOD/MYD09 datasets are all surface reflectance products, including:

- MOD/MYD09A1
- MOD/MYD09GA
- MOD/MYD09GQ
- MOD/MYD09Q1

Available MOD/MYD11 datasets consist of Land Surface Temperature and Emissivity (LST/E) products currently only include MOD/MYD11A1.

Available MOD/MYD13 datasets consist of all Normalized Difference Vegetation Index (NDVI) and Enhanced Vegetation Index (EVI) products, including:

- MOD/MYD13Q1
- MOD/MYD13A1
- MOD/MYD13A2
- MOD/MYD13A3

Unlike Landsat-based products, the number of processes are limited to the ESPA Source Products and Customization Options; Climate Data Records and Spectral Indices cannot be applied to MODIS products. Scenes can be ordered separately or concurrently with Landsat bulk orders. See **Table 2-1** for more details.

To submit an order for science data production, users interact with the “New Order” page on the bulk ordering interface: <https://espa.cr.usgs.gov/>. The page consists of three sections: announcements (only when a notice is posted), scene list upload, and product options, as shown in **Figure 2-1**.

2.1.1 Login Credentials

A USGS Registered Username and password is required to access the bulk ordering interface. Users may use the same login credentials used to access EarthExplorer (<https://earthexplorer.usgs.gov>). To register and create USGS credentials, visit <https://ers.cr.usgs.gov/register/>.

2.1.2 Scene List

The first step in submitting an order for science data production is to create a scene list. This is a simple text file (*.txt) listing one Landsat or MODIS scene identifier (filename) on each line. The list can be easily generated by performing a spatial and temporal inventory search through EarthExplorer and exporting search results to a spreadsheet from which filenames can be extracted. Saving a scene list through the USGS Global Visualization Viewer (GloVis - <http://glovis.usgs.gov/>) is another option.

Users are advised to limit their orders to no more than 5,000 scenes, although more scenes can be completed when system resources are available. Generally, smaller orders can be delivered faster. An example of a scene list is below:

espa_request.txt

```
MYD13Q1.A2002185.h19v05.005.2007176090149
MYD13Q1.A2002185.h19v05.006.2015149070403
MOD09GA.A2001024.h20v17.005.2006351175917
MOD09GA.A2001024.h20v17.006.2015140115718
LE07_L1TP_039037_20080728_20161028_01_T1
LC08_L1TP_039037_20160728_20161028_01_T1
MYD11A1.A2017069.h16v02.006.2017073045736
```

Add Input Products ([Show Available Products](#))

Scene List

No file selected.

Select Product Contents

Source Products

Input Products

Input Product Metadata

Additional Processing (Landsat Only)

Climate Data Records

Surface Reflectance

Other Landsat Level-2 Products

Top of Atmosphere Reflectance

Brightness Temperature

Pixel QA

Spectral Indices

Customize Outputs

Customization Options

Output Format: GeoTIFF ENVI HDF-EOS2 NetCDF

Reproject Products

Modify Image Extents

Pixel Resizing

Intercomparison & Statistics

Plot Output Product Statistics

Add Order Description

Order Description (optional)

Figure 2-1 ESPA On Demand Order Page

2.1.3 Supported Processing Options by Product

Table 2-1 Available ESPA On Demand Processing Options

TM Thematic Mapper, ETM+ Enhanced Thematic Mapper Plus, OLI Operational Land Imager, TIRS Thermal Infrared Sensor, MODIS Moderate Resolution Imaging Spectroradiometer

| Product | Landsat TM, ETM+, OLI/TIRS (Collection 1) | Select MODIS 09, 11 & 13 (C5 & C6) |
|------------------------------|---|------------------------------------|
| Input Product | X | X |
| Input Product Metadata | X | |
| Climate Data Records | X | |
| Spectral Indices | X | |
| Customize Outputs | X* | X |
| Intercomparison & Statistics | X** | X |

* Reprojection and pixel resizing options do not apply to the Panchromatic Band (Band 8 Landsat 7 ETM+ & Band 8 Landsat 8 OLI only.)

** Intercomparison & Statistics apply to all data products except the Landsat Level-1 data products.

2.1.3.1 Real Time Landsat Data Products

Before newly acquired Landsat Collection 1 data products are assigned a Tier designation, they are assigned the Real Time (“RT”) designation until finalized bumper mode and geometric correction parameters (Landsat 7 only) or finalized TIRS line-of-sight models (Landsat 8 only) have been applied to the data. The Tier designation process can take between 14 and 26 days.

Users who wish to order RT products through ESPA are allowed to do so; however, if an RT product is removed from the Level-1 archive and replaced by its Tier 1/Tier 2 counterpart, and ESPA does not begin processing of the RT product before then, the product will fail. If the data are still needed, products can be re-ordered by the user with the Tier 1/Tier 2 product ID.

2.1.4 Source Products

The ESPA on demand interface offers several products and some basic processing services in the “Source Products” section:

- The Original Input Products are the original Level-1 Landsat scenes, MOD/MYD09, MOD/MYD11 and MOD/MYD13 scenes and metadata downloaded directly from the USGS or Land Processes Distributed Active Archive Center (LP DAAC). Landsat Level-1 product characteristics are described on <https://landsat.usgs.gov/landsat-processing-details> (Landsat 4-7) and on <https://landsat.usgs.gov/landsat-8> (Landsat 8). MODIS characteristics are described on https://lpdaac.usgs.gov/dataset_discovery/modis/modis_products_table.
- Original Input Metadata is included when source products are requested, but is selectable as a separate option to serve users who want that information to go along with one of the science data products without having to download an entire Landsat Level-1 package.
 - Original Input Metadata is not available for MODIS products.

- Customized Input Products use Original Input Products and applies any selections from the “Customization Options” section.
 - Customized Input Products must be checked for output format, projection, resizing and extent.

2.1.5 Climate Data Records

“Climate Data Records” includes Landsat-derived products currently available as provisional USGS CDRs. Current offerings currently include only Surface Reflectance, associated metadata and quality assurance. These products are described in detail in the [Landsat 4-7 Surface Reflectance \(LEDAPS\) Product Guide](#) and the [Landsat 8 Surface Reflectance Code \(LaSRC\) Product Guide](#).

Development is ongoing for an additional CDR, Surface Temperature, which will be added to the product selections when it reaches provisional status.

Development is ongoing for several Essential Climate Variables, which are derived from CDRs, such as Burned Area, Surface Water Extent, and Snow Covered Area. They will be added to the product selections when they reach provisional status. More information is available at <https://remotesensing.usgs.gov/ecv/science.php>.

2.1.6 Other Landsat Level-2 Products

Other products that be ordered as standalone or alongside other products include:

- Top of Atmosphere (TOA) reflectance (multispectral bands data and quality assurance)
- Top of Atmosphere Brightness Temperature (BT) (thermal band(s) data* and quality assurance)
- Pixel QA**
- Input Metadata and Quality Assurance Band***

*Landsat 8 TIRS-only (“LT08”) cannot be processed to TOA Brightness Temperature.

**pixel_qa is an alternative quality assessment algorithm that contains cloud, cloud confidence, cloud shadow, snow/ice, and water. This assessment is generated by the CFMask algorithm and is generally more accurate than its companion LEDAPS bands for cloud, cloud shadow, snow, and water identification.

***Both delivered by default with Collection 1 data, can be ordered separately in the ESPA ODI.

2.1.7 Spectral Indices

The “Spectral Indices” section lists several band ratios that are derived from the Landsat surface reflectance product. Choices include:

- Normalized Difference Vegetation Index (NDVI)
- Enhanced Vegetation Index (EVI)

- Soil Adjusted Vegetation Index (SAVI)
- Modified Soil Adjusted Vegetation Index (MSAVI)
- Normalized Difference Moisture Index (NDMI)
- Normalized Burn Ratio (NBR)
- Normalized Burn Ratio 2 (NBR2)

The characteristics of each are described in the Spectral Indices Product Guide: https://landsat.usgs.gov/sites/default/files/documents/si_product_guide.pdf.

2.1.8 Customization Options

Clicking any of the boxes along the left side of the “Customization Options” section will expand the options for output format, reprojection, spatial subsetting, and resampling (**Figure 2-2**).

Including both Landsat and MODIS scenes in an order will result in equivalent customization options. “Customize Input Products” must be checked for product customization to be applied to MODIS scenes. For example, if ENVI is selected as an output format, both products will be produced as ENVI binaries. Another example, if the pixel resizing is set to 100 meters, both datasets will be sampled to 100 meters.

Customization Options

Output Format GeoTiff ENVI HDF-EOS2 NetCDF

Reproject Products

Projection:

Latitude of Origin

Central Meridian

1st Standard Parallel

2nd Standard Parallel

False Easting

False Northing

Datum

Modify Image Extents

Decimal Degrees Meters

Upper left X coordinate

Upper left Y coordinate

Lower right X coordinate

Lower right Y coordinate

Pixel Resizing

Meters

Resample Method:

Figure 2-2 ESPA On Demand Customization Services

2.1.8.1 Output Format

Customized Input Products, Climate Data Records, and/or Spectral Indices can be output in three unique formats: GeoTIFF (".tif"), ENVI binary (".img"), NetCDF (".nc") or Hierarchical Data Format – Earth Observing System version 2 (HDF-EOS2; ".hdf"). The ESPA default file format is GeoTIFF. **Please be aware that not all off-the-shelf software is compatible with all data formats.**

2.1.8.2 Reproject Products

Any available products can be reprojected from the native Universal Transverse Mercator (UTM) or Polar Stereographic (Landsat Level-1 defaults), or from Sinusoidal (MODIS default) to a different UTM zone, Geographic, Albers Equal Area, Polar

Stereographic, or Sinusoidal. The underlying software performing the reprojections is the Geospatial Data Abstraction Library (GDAL; <http://www.gdal.org/>.)

The Albers Equal Area selection requires user definition of projection parameters, and offers choices for datum. Sinusoidal and Polar Stereographic reprojections likewise allow entry of parameters. UTM accepts only a zone parameter and North/South hemisphere specification. Geographic projects coordinates into decimal degrees. A full list of parameters is provided in **Table 2-2**. A graphical example of reprojection is shown in **Figure 2-3**.

Table 2-2 Possible input parameters for product reprojection in ESPA

UTM Universal Transverse Mercator, WGS84 World Geodetic System 1984, NAD27 North American Datum 1927, NAD83 North American Datum 1983

| | | Projection | | | | |
|------------------|---|---------------------|------------------------|-----------------|-----------------|---|
| | | Albers Equal Area | UTM | Geographic | Sinusoidal | Polar Stereographic |
| Input Parameters | Units | Meters | Meters | Decimal Degrees | Meters | Meters |
| | Latitude of Origin | -90.0 to 90.0 | | | | |
| | Latitude True Scale | | | | | -180.0 to 180.0 |
| | Longitudinal Pole | | | | | -90.0 to -60.0 (South), 60.0 to 90.0 (North) |
| | Central Meridian | -180.0 to 180.0 | | | -180.0 to 180.0 | |
| | 1st Standard Parallel | -90.0 to 90.0 | | | | |
| | 2nd Standard Parallel | -90.0 to 90.0 | | | | |
| | False Easting | Any float | | | Any float | Any float |
| | False Northing | Any float | | | Any float | Any float |
| | Datum | WGS84, NAD27, NAD83 | | | | |
| | Zone | | 1-60 North, 1-60 South | | | |




Figure 2-3 Examples of ESPA On Demand Projection Parameter Entry

2.1.8.3 Modify Image Extents

If the user requires modification of image extents, the output projection must be specified, and entries for the corner points must be in the proper units (decimal degrees for Geographic; meters for Albers Equal Area, Polar Stereographic, Sinusoidal, and UTM).

Note: Due to processing system limitations, image extents cannot be greater than 200 million pixels per image.

2.1.8.4 Pixel Resizing and Resampling

The last two customization options are for pixel resizing and resampling. Users can up- or down-sample the available products between 30 and 5,000-meters (m). Pixel size must be in decimal degrees if a Geographic projection is used.

Note: Due to processing system limitations, resized pixels cannot yield more than 200 million pixels per image.

Resampling methods include nearest neighbor, bilinear interpolation, and cubic convolution. As Quality Assurance (QA) bands use discrete, integer-level data, these bands are always resampled with nearest neighbor.

2.1.9 Intercomparison & Statistics

Statistics can be generated between geographically intersecting Landsat TM, ETM+, OLI/TIRS, and select MODIS datasets through ESPA by selecting “Plot Output Product Statistics” from the “Intercomparison & Statistics” heading. The statistics include plots, text files and CSV files of minimum, maximum, mean, and standard deviation of the image extents. A list of overlapping scene IDs can be generated from the [Land Product Characterization System \(LPCS\) Explorer](#), which uses the same credentials as EarthExplorer and ESPA. Further information pertaining to statistics generation and output files are in the [LPCS User Guide](#).

2.1.10 Order Description

Users may enter an order description if they wish, to help identify the contents of the order for themselves. The “Submit” button at the bottom of the page will send the request to production.

As soon as the order is received, an email acknowledgment is delivered to the user. The email contains a link to tracking information for the order.

2.2 Order Tracking

Product requests are delivered to a hypertext transfer protocol over transport layer security (HTTPS) site. Email notification of location is sent to the user when all files in the order have completed processing. Users can also use the “Show Orders” feature in the ESPA On Demand Interface to monitor the status of production and go directly to the download site as files complete.

Clicking on “Show Orders” will present an entry field requesting the email address associated with the order. The email address will be the same as what is on file in the user’s EarthExplorer account. After entering the address and clicking “Submit,” a listing is shown of all orders for that address (**Figure 2-4**).

The orders are assigned names, such that the email address, date of submission, and a unique identifier can be used to differentiate requests. For example: “scientist@usgs.gov-12172014-155922” is an order placed by scientist@usgs.gov on December 17, 2014.

The general status of each order is noted next to the order name, and whatever comments the user entered regarding the order are also displayed. Statistics are provided for each order, indicating the total number of products ordered, and the number of orders currently available for download.



Showing all orders for

| Order ID | Products Ordered | Products Complete | Status | Note |
|-------------------------------------|------------------|-------------------|----------|--|
| 04042017-115131-888 | 19 | 19 | complete | XXXXXXXXXXXXXXXXXXXXXXXXX Compositing tile r04c01 for L7. Order parameters: mask product cloud processing level toa ulx -2362425 uly 2277435 lrx -2062425 lry 1977435. See the order template file for standard tile compositing parameter values. |
| 04042017-115128-244 | 8 | 8 | complete | XXXXXXXXXXXXXXXXXXXXXXXXX Compositing tile r04c01 for L8. Order parameters: mask product cloud processing level toa ulx -2362425 uly 2277435 lrx -2062425 lry 1977435. See the order template file for standard tile compositing parameter values. |
| 04042017-114717-057 | 20 | 20 | complete | XXXXXXXXXXXXXXXXXXXXXXXXX Compositing tile r09c07 for L7. Order parameters: mask product cloud processing level toa ulx -562425 uly 777435 lrx -262425 lry 477435. See the order template file for standard tile compositing parameter values. |
| 04042017-114713-226 | 23 | 23 | complete | XXXXXXXXXXXXXXXXXXXXXXXXX Compositing tile r09c07 for L8. Order parameters: mask product cloud processing level toa ulx -562425 uly 777435 lrx -262425 lry 477435. See the order template file for standard tile compositing parameter values. |

Figure 2-4 ESPA On Demand “Show Orders” Page

The order names listed are linked to the distribution site. File-based details can be found there, and users can download any of the files in the order that have reached a complete state. An email notice is sent to the user only when all files are complete.

| | | | |
|--|----------------------|------------------------|----------------------------|
| Requested: 19 | Completed: 19 | Open: 0 | Waiting on data: 0 |
| Order: | -04042017-115131-888 | Date Ordered: | 2017-04-04T11:51:31.888713 |
| Status: | complete | Date Completed: | 2017-04-06T03:40:00.420755 |
| Requested Processing: Reproject to albers equal area with latitude of origin:23 central meridian:-96 1st standard parallel:29.5 2nd standard parallel:45.5 false easting:0 false northing:0 datum:nad83, resize pixels to 30 meters, image extents set to ulx:-2362425 uly:2277435 lrx:-2062425 lry:1977435, Output Format is geotiff | | | |
| Products by sensor: etm7 cfmask, top of atmosphere, original input metadata | | | |
| <i>The ESPA Bulk Downloader is available on GitHub</i> | | | |

| Product | Status | Product URL | Chksum URL | Note |
|--|----------|--------------------------|--------------------------|------|
| 17600263 - LE07_L1TP_043033_20170311_20170311_01_RT | complete | Download | Checksum | " |
| 17600259 - LE07_L1TP_043034_20170327_20170327_01_RT | complete | Download | Checksum | " |

Figure 2-5 ESPA On Demand Distribution Page

2.2.1 Cancel Order

Orders containing scenes submitted for processing can be cancelled by the user. **Figure 2-6** shows the cancellation option which is located on the individual orders' status page. Once confirmed, all scenes that have not completed processing will be cancelled and any previously processed scenes from that order will be deleted from disk. Order cancellation is not available for orders that have completed processing.

NOTE: Once order cancellation is confirmed, the action cannot be undone and the order must be resubmitted if desired.



The screenshot shows an order status page with the following details:

- Requested: 71, Completed: 0, Open: 71, Waiting on data: 0
- Order: [ID], Date Ordered: 2017-06-26 11:48:30.090016
- Status: ordered, Date Completed: [blank]
- Requested Processing: resize pixels to 35 meters, Output Format is geotiff
- Products by sensor: olitirs8_collection: surface reflectance, l2 pixel qa ,
- The ESPA Bulk Downloader is available on [GitHub](#)
- Show JSON button
- CANCEL button (highlighted with a red arrow)

Figure 2-6. Cancel Order

To confirm that an order has been successfully cancelled, check that the status of your order displays “cancelled” (**Figure 2-7**). You can also verify that the individual scenes within a cancelled order are cancelled by checking the scene status and notes.



The screenshot shows an order status page with the following details:

- Requested: 71, Completed: 0, Open: 0, Waiting on data: 0
- Order: [ID], Date Ordered: 2017-06-26 12:50:00.203865
- Status: cancelled (highlighted with a red arrow)
- Date Completed: [blank]
- Requested Processing: resize pixels to 35 meters, Output Format is geotiff
- Products by sensor: olitirs8_collection: surface reflectance, l2 pixel qa ,
- The ESPA Bulk Downloader is available on [GitHub](#)
- Show JSON button

| Product | Status | Product URL | Checksum URL | Note |
|--|-----------|-------------|--------------|-----------|
| 465543 - LC08_L1GT_124211_20170106_20170311_01_T2 | cancelled | | | Cancelled |
| 465542 - LC08_L1TP_026035_20170107_20170218_01_T1 | cancelled | | | Cancelled |
| 465541 - LC08_L1TP_026034_20170107_20170218_01_T1 | cancelled | | | Cancelled |
| 465540 - LC08_L1GT_027034_20170114_20170218_01_T2 | cancelled | | | Cancelled |

Figure 2-7. Order Cancellation Verification

2.2.2 Status Message

Each product within an order contains a status, indicating its activity within ESPA. **Table 2-3** describes each status message and its meaning.

Table 2-3 Possible status messages on the ESPA order status pages and their meanings.

| Status | Interpretation |
|-------------|--|
| Submitted | ESPA has received the order request, but has not yet determined source product availability. |
| On Cache | ESPA has found the source product(s) are available for processing. |
| On Order | The source product(s) are not immediately available, so ESPA has placed an order to the source and is awaiting the source product(s). |
| Queued | ESPA will attempt to process your orders once they reach the front of the queue. |
| Processing | ESPA is now processing your order. |
| Error | ESPA has received an order that could not be processed as requested. Errors will always be described in detail in the "Note" column of the order status. Some possible errors: <ul style="list-style-type: none"> • Solar zenith angle is too high (>76 degrees) to accurately retrieve surface reflectance • Auxiliary data are not yet available for the date requested |
| Retry | An order that could not previously be completed is set to be run again. For products missing auxiliary data for SR retrieval, ESPA retries every 24 hours. |
| Complete | The order has completed successfully, and is ready for download. |
| Unavailable | ESPA determined the order could not be completed successfully, so it will not be retried. |
| Cancelled | Processing for this scene/order has been cancelled. |

2.3 Download

As files complete processing, they can be downloaded along with their checksums any time directly from the site linked to the user's email address. Notification of delivery is not emailed back to the user until all the files in the order are complete.

2.3.1 File Archive Format

The download site contains compressed file archives (.tar.gz), inside of which will be the requested files.

For Collection 1 Landsat data, the archives are formatted as follows:

LXSSPPRRRRYYYYMMDDCCTX-SCyyyymmddhhmmss.tar.gz

where:

| | |
|------|--|
| L | Landsat |
| X | Sensor ("T" = TM; "E" = ETM+; "O" = OLI; "T" = TIRS; "C" = OLI/TIRS) |
| SS | Satellite ("04" = Landsat 4; "05" = Landsat 5; "07" = Landsat 7; "08" = Landsat 8) |
| PPP | Path |
| RRR | Row |
| YYYY | Year of acquisition |
| MM | Acquisition month |
| DD | Acquisition day |
| CC | Landsat Collection number ("01" for Collection 1) |
| TX | Tier ("01" for Tier 1; "02" for Tier 2; "RT" for Real Time) |
| SC | SCience dataset |
| yyyy | Year of ESPA processing |
| mm | Month of ESPA processing |
| dd | Day of ESPA processing |
| hh | Hour of ESPA processing |
| ss | Seconds of ESPA processing. |

For MODIS data (applies to all sensors, collections, data products), the archives are formatted as follows:

MXDPPHHVVVYYYYDDDDCCC-SCyyyymmddhhmmss.tar.gz

where:

| | |
|------|--|
| MXD | Satellite ("MOD" = Terra; "MYD" = Aqua) |
| PP | Product designator ("A1," "A2," "A3," "GA," "GQ," or "Q1") |
| HHH | Horizontal tile index |
| VVV | Vertical tile index |
| YYYY | Year of acquisition |

| | |
|------|--|
| DDD | Acquisition day of year |
| CCC | MODIS Collection number (“005” for Collection 5; “006” for Collection 6) |
| SC | Science dataset |
| yyyy | Year of ESPA processing |
| mm | Month of ESPA processing |
| dd | Day of ESPA processing |
| hh | Hour of ESPA processing |
| ss | Seconds of ESPA processing. |

Additional information, such as the date ordered, date completed, and requested processing options are listed within the order download page (**Figure 2-5**).

2.3.2 Distribution Methods

Distribution is currently via direct download from an HTTPS site, which generally requires each file be downloaded individually. Bulk downloads are possible however, utilizing the Really Simple Syndication (RSS) feed enabled for the ESPA pages. The RSS function can be used to script automated downloads, or alternatively, can be used in conjunction with the DownThemAll Firefox plugin (See details on following page).

Orders are available for download for 10 days. Any data not downloaded in this period will need to be reordered.

Download and Install DownThemAll Plug-in

Note: Ensure Firefox 7.X or greater is installed to successfully use DownThemAll

1. Open the Firefox Web browser
2. Access <https://addons.mozilla.org/en-US/firefox/addon/downthemall/developers> to download the DownThemAll FireFox plugin
3. Click on the “Add To Firefox+” button on the Web page to start the download of the DownThemAll plugin
4. When the “Software Installation” box appears, click on the 'Install' button to start the install of the DownThemAll plugin
5. Once DownThemAll plug-in has been installed, Firefox will want to restart the browser so the plug-in will take effect. Click on the “Restart Now” button when prompted.
6. Click the “Tools” menu on the browser toolbar and select “DownThemAll! Tools.”
7. Select “Preferences,” then click “Network” on the top menu (**Figure 2-8**).

8. In the “Location or domain” window at the bottom of the dialog box, type <https://espa.cr.usgs.gov/> and click the “New Limit” button to the right.
9. The “Per-Server Limits” window will display as shown below. Set “Connections” to “Limited” and adjust the slider to “1.” Click the “Create” button, then “OK” at the bottom of the dialog box.





Figure 2-8 DownThemAll Network Preference Settings

Downloading All On-Demand Scenes with DownThemAll and RSS Feed

- 1) Open the Firefox Web browser
- 2) Go to <https://espa.cr.usgs.gov/ordering/status> and enter the email address associated with the ESPA on-demand orders
- 3) When the list of all on-demand orders comes back on the “Show Orders” page, click on the RSS feed icon by the label “Showing all orders for <your_email_address>” 

- 4) Once the list of all on-demand scenes is displayed, navigate to the browser Tools > DownThemAll! Tools > DownThemAll
- 5) At the DownThemAll Selection window, either:
 - a. Select individual scenes to download by clicking the radio button next to each individual scene or
 - b. Select all scenes by right-clicking and selecting “Select All”, then right-clicking once more and selected “Check selected items”
- 6) After the scenes are selected, set the “Save Files in” directory to the local destination
- 7) To start the mass download of all the scenes, click on the “Start” button

2.3.3 ESPA Bulk Download Client

A Python-based Bulk Download client is available for downloading either a single ESPA order, or the entire order queue. At least Python 2.7 or greater is required to run the client.

The tool is available from <https://github.com/USGS-EROS/espa-bulk-downloader>. The user guide is available at https://landsat.usgs.gov/sites/default/files/documents/ESPA_Bulk_Downloader_User.pdf.

Section 3 Application Programming Interface (API)

3.1 Overview

The ESPA Application Programming Interface (API) is the underlying architecture on which the On Demand Interface operates. The API's basic functionality allows end-users to use a machine-to-machine interface to query order options, place orders, check order status and acquiring download URLs.

The API is implemented as a Representational State Transfer (REST) service using Hypertext Transfer Protocol (HTTPS) and Java Script Object Notation (JSON) and therefore is compatible with most programming languages.

3.2 Documentation

The official ESPA API documentation is at <https://github.com/USGS-EROS/espa-api>.

Section 4 User Services

The Landsat CDRs, ECVs, and associated interfaces are supported by User Services staff at USGS EROS. Any questions, comments, or interface problems are welcomed through the Landsat “Contact Us” on-line correspondence form. Please indicate “Surface Reflectance Data” as the topic of regard. Electronic mail can also be sent to the customer service address included below, with the same indication of topic.

USGS User Services

<https://landsat.usgs.gov/contact>

custserv@usgs.gov

User support is available from 8:00 a.m. to 4:00 p.m. Central Time. Inquiries received outside of these hours will be addressed during the next business day.

Appendix A Landsat HDF File Characteristics

Table A-0-1 Landsat HDF File Characteristics

TM Thematic Mapper, ETM+ Enhanced Thematic Mapper Plus, OLI Operational Land Imager, TIRS Thermal Infrared Sensor, HDF Hierarchical Data Format, SDS Science Data Set, IMG ENVI Binary Image Format, NA Not Applicable, TOA Top of Atmosphere, SR Surface Reflectance, QA Quality Assurance, XML Extensible Markup Language, HDR Header file format, CFmask C version Function of Mask

NOTE: A Landsat 5 TM product ID is used only as an example. Landsat 4 TM, Landsat 7 ETM+, and Landsat 8 OLI/TIRS files have similar characteristics.

NOTE: An “.img” file is included for each Science Data Set within an HDF file because each band is stored as an external SDS.

| Description | Example File Size (bytes) | Example File Name | Science Data Sets |
|-------------------------------------|---------------------------|--|--|
| Source data file | 16,239 | LT05_L1TP_018034_19850904_20161004_01_T1.hdf | Grid <ul style="list-style-type: none"> • SDS1 band1 • SDS2 band2 • SDS3 band3 • SDS4 band4 • SDS5 band5 • SDS6 band61 • SDS7 band62 • SDS8 band7 Grid_15 <ul style="list-style-type: none"> • SDS1 band8 |
| Source Binary file (9) | 56,428,541 | LT05_L1TP_018034_19850904_20161004_01_T1_B*_hdf.img | NA |
| Source Metadata | 6,307 | LT05_L1TP_018034_19850904_20161004_01_MTL.txt | NA |
| Angle Coefficients File | 6,000 | LT05_L1TP_018034_19850904_20161004_01_ANG.txt | NA |
| Ground Control Points File | 10,000 | LT05_L1TP_018034_19850904_20161004_01_GCP.txt | NA |
| TOA Reflectance data file | 25,522 | LT05_L1TP_018034_19850904_20161004_01_T1_toa.hdf | <ul style="list-style-type: none"> • SDS1 toa_band1 • SDS2 toa_band2 • SDS3 toa_band3 • SDS4 toa_band4 • SDS5 toa_band5 • SDS6 toa_band7 • SDS7 radsat_qa • SDS8 pixel_qa |
| TOA Reflectance Binary file (7) | 112,857,082 | LT05_L1TP_018034_19850904_20161004_01_T1_toa_band*_hdf.img | NA |
| TOA Reflectance Quality Binary file | 56,428,541 | LT05_L1TP_018034_19850904_20161004_01_T1_radsat_qa_hdf.img | NA |
| TOA Reflectance header file | 522 | LT05_L1TP_018034_19850904_20161004_01_T1_toa.hdf.hdr | NA |
| Surface Reflectance data file | 33,812 | LT05_L1TP_018034_19850904_20161004_01_T1_sr.hdf | <ul style="list-style-type: none"> • SDS1 sr_band1 • SDS2 sr_band2 • SDS3 sr_band3 |

| | | | |
|---|-------------|---|---|
| | | | <ul style="list-style-type: none"> • SDS4 sr_band4 • SDS5 sr_band5 • SDS6 sr_band7 • SDS7 sr_atmos_opacity • SDS8 sr_cloud_qa • SDS14 radsat_qa • SDS15 pixel_qa |
| Surface Reflectance Binary file (6) | 112,857,082 | LT05_L1TP_018034_19850904_20161004_01_T1_sr_band*_hdf.img | NA |
| Surface Reflectance Quality Binary file | 56,428,541 | LT05_L1TP_018034_19850904_20161004_01_T1_sr_cloud_qa_hdf.img | NA |
| Surface Reflectance Atmospheric Opacity Binary file | 112,857,082 | LT05_L1TP_018034_19850904_20161004_01_T1_sr_atmos_opacity_hdf.img | NA |
| Surface Reflectance Pixel QA file | 56,428,541 | LT05_L1TP_018034_19850904_20161004_01_T1_pixel_qa.hdf.img | NA |
| Surface Reflectance header file | 612 | LT05_L1TP_018034_19850904_20161004_01_T1_sr.hdf.hdr | NA |
| Metadata | 13,365 | LT05_L1TP_018034_19850904_20161004_01_T1.xml | NA |

Appendix B MODIS HDF File Characteristics

Table B-0-1 MODIS HDF File Characteristics

MODIS Moderate Resolution Imaging Spectroradiometer, HDF Hierarchical Data Format, SDS Science Data Set, NDVI Normalized Difference Vegetation Index, EVI Enhanced Vegetation Index, VI Vegetation Index, NIR Near Infrared, MIR Middle Infrared, m meter, IMG ENVI Binary Image Format, NA Not Applicable, TOA Top of Atmosphere, QA Quality Assurance, XML Extensible Markup Language, HDR Header file format

NOTE: A MODIS MYD13 sceneID is used only as an example. MOD13 and MOD/MYD09 files (Collections 5 and 6) have similar characteristics, though include different output files for each product type.

NOTE: An “.img” file is included for each Science Data Set within an HDF file because each band is stored as an external SDS.

| Description | Example File Size (bytes) | Example File Name | Science Data Sets |
|-------------------------|---------------------------|-------------------|---|
| Source data file | 28,348 | *.hdf | Grid <ul style="list-style-type: none"> • SDS1 250m 16 days NDVI • SDS2 250m 16 days EVI • SDS3 250m 16 days VI Quality • SDS4 250m 16 days red reflectance • SDS5 250m 16 days NIR reflectance • SDS6 250m 16 days blue reflectance • SDS7 250m 16 days MIR reflectance • SDS8 250m 16 days view zenith angle • SDS9 250m 16 days sun zenith angle • SDS10 250m 16 days relative azimuth angle • SDS11 250m 16 days composite day of the year • SDS12 250m 16 days pixel reliability |
| Source Binary file (12) | 61,956,549 | *hdf.img | NA |
| Source header file | 1,138 | *.hdf.hdr | NA |
| Source Metadata | 6,307 | *.xml | NA |

Appendix C Landsat Binary File Characteristics

Table C-0-1 Landsat Binary File Characteristics

TM Thematic Mapper, ETM+ Enhanced Thematic Mapper Plus, OLI Operational Land Imager, TIRS Thermal Infrared Sensor, HDF Hierarchical Data Format, SDS Science Data Set, IMG ENVI Binary Image Format, NA Not Applicable, TOA Top of Atmosphere, SR Surface Reflectance, QA Quality Assurance, XML Extensible Markup Language, HDR Header file format, BT Top of Atmosphere Brightness Temperature, CFmask C version Function of Mask

NOTE: A Landsat 4 TM product ID is used only as an example. Landsat 5 TM, Landsat 7 ETM+, and Landsat 8 OLI/TIRS files have similar characteristics.

| Description | Example File Size (bytes) | Example File Name |
|---|---------------------------|---|
| Source Band data file (9) | 59,638,671 | LT04_L1TP_023028_19821212_20161004_01_T1_B*.img |
| Source Band header file (9) | 348 | LT04_L1TP_023028_19821212_20161004_01_T1_B*.hdr |
| TOA Reflectance data file (7) | 119,277,342 | LT04_L1TP_023028_19821212_20161004_01_T1_toa_ba nd*.img |
| TOA Reflectance header file (7) | 348 | LT04_L1TP_023028_19821212_20161004_01_T1_toa_ba nd*.hdr |
| TOA Reflectance Quality file (1) | 59,638,671 | LT04_L1TP_023028_19821212_20161004_01_T1_radsat _qa.img |
| TOA Reflectance Quality header file (1) | 333 | LT04_L1TP_023028_19821212_20161004_01_T1_radsat _qa.hdr |
| Surface Reflectance data file (6) | 119,277,342 | LT04_L1TP_023028_19821212_20161004_01_T1_sr_ban d*.img |
| Surface Reflectance header file (6) | 352 | LT04_L1TP_023028_19821212_20161004_01_T1_sr_ban d*.hdr |
| Surface Reflectance Quality file | 59,638,671 | LT04_L1TP_023028_19821212_20161004_01_T1_sr_clo ud_qa.img |
| Surface Reflectance Quality header file (7) | 332 | LT04_L1TP_023028_19821212_20161004_01_T1_sr_clo ud_qa.hdr |
| Surface Reflectance Atmospheric Opacity file (1) | 119,277,342 | LT04_L1TP_023028_19821212_20161004_01_T1_sr_atm os_opacity.img |
| Surface Reflectance Atmospheric Opacity header file (1) | 339 | LT04_L1TP_023028_19821212_20161004_01_T1_sr_atm os_opacity.hdr |
| Surface Reflectance Pixel QA file (1) | 59,638,671 | LT04_L1TP_023028_19821212_20161004_01_T1_pixel- qa.img |
| Surface Reflectance Pixel QA header file (1) | 336 | LT04_L1TP_023028_19821212_20161004_01_T1_pixel_q a.hdr |
| Metadata | 32,139 | LT04_L1TP_023028_19821212_20161004_01_T1.xml |

Appendix D MODIS Binary File Characteristics

Table D-0-1 MODIS Binary File Characteristics

MODIS Moderate Resolution Imaging Spectroradiometer, MOD09 MODIS Terra Surface Reflectance Product, MOD/MYD13 MODIS Terra/Aqua Vegetation Index Product, IMG ENVI Binary Image Format, NA Not Applicable, XML Extensible Markup Language, HDR Header file format

NOTE: A MOD09 scenelD is used only as an example. MYD09 and MOD/MYD13 files (Collections 5 and 6) have similar characteristics, though include different output files for each product type.

| Description | Example File Size (bytes) | Example File Name |
|------------------------------|---------------------------|---|
| Source Band data file (20) | 234,626,529 | MOD09GA.A2001024.h20v17.005.2006351175917.*.img |
| Source Band header file (20) | 14,656 | MOD09GA.A2001024.h20v17.005.2006351175917.*.hdr |
| Metadata | 18,147 | MOD09GA.A2001024.h20v17.005.2006351175917.xml |

Appendix E MODIS GeoTIFF File Characteristics

Table E-0-1 MODIS GeoTIFF File Characteristics

MODIS Moderate Resolution Imaging Spectroradiometer, MOD09 MODIS Terra Surface Reflectance Product, MOD/MYD13 MODIS Terra/Aqua Vegetation Index Product, tif GeoTIFF File Format, km kilometer, m meter, QC Quality Control, num number, refl reflectance, sur surface, obscov observation coverage algorithm, iobs observation number, gflags geolocation flags, IMG ENVI Binary Image Format, NA Not Applicable, XML Extensible Markup Language, HDR Header file format

NOTE: A MOD09 scenelD is used only as an example. MYD09 and MOD/MYD13 files (Collections 5 and 6) have similar characteristics, though include different output files for each product type.

| Description | Example File Size (bytes) | Example File Name |
|--|---------------------------|---|
| Geolocation Flags (1) | 163,838 | MOD09GA.A2001024.h20v17.005.2006351175917_gflags_1.tif.tif |
| Observation Number in Coarser Grid (1) | 163,838 | MOD09GA.A2001024.h20v17.005.2006351175917_iobs_res_1.tif |
| Number of Observations (1km) (1) | 163,838 | MOD09GA.A2001024.h20v17.005.2006351175917_num_observations_1km.tif |
| Number of Observations (500m) (1) | 163,838 | MOD09GA.A2001024.h20v17.005.2006351175917_num_observations_500m.tif |
| Observation Coverage (500m) (1) | 163,838 | MOD09GA.A2001024.h20v17.005.2006351175917_obscov_500m_1.tif |
| Orbit Pointer (1) | 163,838 | MOD09GA.A2001024.h20v17.005.2006351175917_orbit_pnt_1.tif |
| Reflectance Band Quality (500m) (1) | 653,623 | MOD09GA.A2001024.h20v17.005.2006351175917_QC_500m_1.tif |
| Range (Pixel to Sensor) (1) | 327,059 | MOD09GA.A2001024.h20v17.005.2006351175917_Range_1.tif |
| Sensor Azimuth (1) | 327,059 | MOD09GA.A2001024.h20v17.005.2006351175917_SensorAzimuth_1.tif |
| Sensor Zenith (1) | 327,059 | MOD09GA.A2001024.h20v17.005.2006351175917_SensorZenith_1.tif |
| Solar Azimuth (1) | 327,059 | MOD09GA.A2001024.h20v17.005.2006351175917_SolarAzimuth_1.tif |
| Solar Zenith (1) | 327,059 | MOD09GA.A2001024.h20v17.005.2006351175917_SolarZenith_1.tif |
| Reflectance Data State QA (1km) (1) | 327,059 | MOD09GA.A2001024.h20v17.005.2006351175917_state_1km_1.tif |
| Surface Reflectance Band 1 (500m) (1) | 327,059 | MOD09GA.A2001024.h20v17.005.2006351175917_sur_refl_b01_1.tif |
| Surface Reflectance Band 2 (500m) (1) | 327,059 | MOD09GA.A2001024.h20v17.005.2006351175917_sur_refl_b02_1.tif |
| Surface Reflectance Band 3 (500m) (1) | 327,059 | MOD09GA.A2001024.h20v17.005.2006351175917_sur_refl_b03_1.tif |
| Surface Reflectance Band 4 (500m) (1) | 327,059 | MOD09GA.A2001024.h20v17.005.2006351175917_sur_refl_b04_1.tif |
| Surface Reflectance Band 5 (500m) (1) | 327,059 | MOD09GA.A2001024.h20v17.005.2006351175917_sur_refl_b05_1.tif |

| | | |
|---------------------------------------|---------|--|
| Surface Reflectance Band 6 (500m) (1) | 327,059 | MOD09GA.A2001024.h20v17.005.2006351175917_sur_refl_b06_1.tif |
| Surface Reflectance Band 7 (500m) (1) | 327,059 | MOD09GA.A2001024.h20v17.005.2006351175917_sur_refl_b07_1.tif |
| Metadata | 18,059 | MOD09GA.A2001024.h20v17.005.2006351175917.xml |

Appendix F Acronyms

| Acronym | Description |
|----------|--|
| 09A1 | MODIS Surface Reflectance 8-Day L3 Global 500m |
| 09GA | MODIS Surface Reflectance Daily L2G Global 1 km and 500m |
| 09GQ | MODIS Surface Reflectance Daily L2G Global 250m |
| 09Q1 | MODIS Surface Reflectance 8-Day L3 Global 250m |
| 13Q1 | MODIS Vegetation Indices 16-Day L3 Global 250m |
| 13A1 | MODIS Vegetation Indices 16-Day L3 Global 500m |
| 13A2 | MODIS Vegetation Indices 16-Day L3 Global 1km |
| 13A3 | MODIS Vegetation Indices Monthly L3 Global 1km |
| API | Application Programming Interface |
| BT | Top of Atmosphere Brightness Temperature |
| C1 | Landsat Collection 1 |
| CDR | Climate Data Record |
| CFMask | C version of Fmask |
| CSV | Comma Separated Values |
| DOI | Department of the Interior |
| ECV | Essential Climate Variable |
| ENVI | Exelis Visual Information Solutions |
| EROS | Earth Resources Observation and Science |
| ESPA | EROS Science Processing Architecture |
| ETM+ | Enhanced Thematic Mapper Plus |
| EVI | Enhanced Vegetation Index |
| Fmask | Function of Mask |
| GDAL | Geospatial Data Abstraction Library |
| GeoTIFF | Georeferenced Tagged Image File Format |
| GloVis | USGS Global Visualization Viewer |
| GLS | Global Land Survey |
| HDF-EOS2 | Hierarchical Data Format for Earth Observation Systems (version 2) |
| HDR | Header File |
| HTTP | Hypertext Transfer Protocol |
| JSON | Java Script Object Notation |
| km | Kilometer |
| LaSRC | Landsat Surface Reflectance Code |
| LPCS | Land Product Characterization System |
| LP DAAC | Land Processes Distributed Active Archive Center |
| LST/E | Land Surface Temperature and Emissivity |
| m | Meter |
| MOD09 | MODIS Surface Reflectance – Terra Satellite |
| MYD09 | MODIS Surface Reflectance – Aqua Satellite |

| | |
|-------|---|
| MOD11 | MODIS Land Surface Temperature and Emissivity – Terra Satellite |
| MYD11 | MODIS Land Surface Temperature and Emissivity – Aqua Satellite |
| MOD13 | MODIS Vegetation Indices – Terra Satellite |
| MYD13 | MODIS Vegetation Indices – Aqua Satellite |
| MODIS | Moderate Resolution Imaging Spectroradiometer |
| NAD27 | North American Datum 1927 |
| NAD83 | North American Datum 1983 |
| NBR | Normalized Burn Ratio |
| NBR2 | Normalized Burn Ratio 2 |
| NDMI | Normalized Difference Moisture Index |
| NDVI | Normalized Difference Vegetation Index |
| NC | NetCDF File Format |
| NIR | Near Infrared |
| NOAA | National Oceanic and Atmospheric Administration |
| ODI | On Demand Interface |
| OLI | Operational Land Imager |
| REST | Representational State Transfer |
| RSS | Really Simple Syndication |
| SAVI | Soil Adjusted Vegetation Index |
| SDS | Science Data Set |
| TIRS | Thermal Infrared Sensor |
| TM | Thematic Mapper |
| TOA | Top of Atmosphere |
| URL | Uniform Resource Locator |
| USGS | U.S. Geological Survey |
| WGS84 | World Geodetic System 1984 |
| XML | Extensible Markup Language |